

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003

口腔（含口咽及下咽） C00 - C06，C09 - C10，C12 - C14

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80323 80523	鱗狀細胞癌	男	2,816	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	244	-	-	-	-
80723 80743							
80753 80763							
80513	疣狀癌	男	147	-	-	-	-
	VERRUCOUS CARCINOMA	女	13	-	-	-	-
80203	未分化癌	男	-	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	1	-	-	-	-
81403 82003	小唾液腺癌	男	32	-	-	-	1
82603 84303	CARCINOMA OF MINOR SALIVARY GLANDS	女	37	-	-	1	1
84403 85253							
85503 85603							
89403 89413							
80823 80833	其他明示癌	男	3	-	-	-	-
85623 93103	OTHER SPECIFIED CARCINOMA	女	2	-	-	-	-
80103	未明示癌	男	22	-	-	-	-
	CARCINOMA, NOS	女	2	-	-	-	-
88143 88903	明示之肉瘤	男	4	-	-	1	-
89103 91403	SPECIFIED SARCOMA	女	1	-	1	-	-
95903-97293	惡性淋巴瘤	男	15	-	-	-	2
97503-97583	MALIGNANT LYMPHOMA	女	9	-	-	-	-
97643							
87203	惡性黑色素瘤	男	1	-	-	-	-
	MALIGNANT MELANOMA	女	-	-	-	-	-
80003	其他惡性腫瘤	男	71	-	-	-	-
	OTHER MALIGNANCY	女	8	-	-	-	-
	總計	男	3,111	-	-	1	3
	TOTAL	女	317	-	1	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3	30	137	240	391	544	535	277	259	170	116	68	28	18
2	3	8	7	14	32	34	19	25	23	29	24	12	12
-	-	3	6	24	20	30	20	18	15	8	1	2	-
-	-	-	-	1	1	1	1	1	-	5	1	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	1	1	3	5	4	4	5	2	3	2	-	-
1	4	-	4	4	1	3	3	6	2	4	1	2	-
1	-	-	-	-	-	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	1	-	5	3	4	3	2	1	2	1	-	-
-	-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	-	1	1	-	-	1	-	2	3	2	1
-	-	-	-	1	-	-	1	-	-	2	2	1	2
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	1	3	9	7	14	5	8	9	6	2	3	2
-	-	1	-	2	1	-	-	-	-	2	2	-	-
5	32	145	250	434	580	589	309	295	198	137	77	35	21
3	7	9	11	22	35	39	25	32	26	43	31	16	15

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

		唇 (唇的皮膚 C44.0 除外) C00					
ICD-O-3	組織形態	性別	年齡	0	5	10	15
			總計	4	9	14	19
80703 80713	鱗狀細胞癌	男	107	-	-	-	-
80723 80763	SQUAMOUS CELL CARCINOMA	女	22	-	-	-	-
80513	疣狀癌 VERRUCOUS CARCINOMA	男	16	-	-	-	-
		女	4	-	-	-	-
81403 84303	小唾液腺癌	男	2	-	-	-	-
89403	CARCINOMA OF MINOR SALIVARY GLANDS	女	1	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	2	-	-	-	-
		女	-	-	-	-	-
	總計	男	127	-	-	-	-
	TOTAL	女	27	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	6	3	9	27	23	9	11	10	3	4	1	-
-	-	-	-	2	1	1	1	2	1	9	4	-	1
-	-	-	1	3	5	1	2	1	-	3	-	-	-
-	-	-	-	-	1	-	-	1	-	-	1	1	-
-	-	-	-	-	-	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	6	4	12	32	26	12	12	10	7	4	1	-
-	-	-	-	2	2	1	1	3	2	9	5	1	1

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

舌 C01 - C02

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
80323 80523	鱗狀細胞癌	男	1,055	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	125	-	-	-	-
80723 80743							
80763 80833							
80513	疣狀癌	男	21	-	-	-	-
	VERRUCOUS CARCINOMA	女	6	-	-	-	-
81403 82003	小唾液腺癌	男	11	-	-	-	-
84303 85603	CARCINOMA OF MINOR SALIVARY GLANDS	女	5	-	-	-	-
80103	未明示癌	男	8	-	-	-	-
	CARCINOMA, NOS	女	-	-	-	-	-
91403	明示之肉瘤	男	2	-	-	-	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	8	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	5	-	-	-	-
97643							
80003	其他惡性腫瘤	男	20	-	-	-	-
	OTHER MALIGNANCY	女	5	-	-	-	-
	總計	男	1,125	-	-	-	-
	TOTAL	女	146	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3 1	20 1	60 6	103 6	158 10	206 20	188 25	86 7	98 15	54 8	35 11	25 4	11 6	8 5
-	-	1	-	2	1	5	5	4	2	-	-	1	-
-	-	-	-	1	-	1	-	-	-	3	-	-	1
-	-	-	1	2	1	2	2	2	-	1	-	-	-
-	-	-	1	1	1	1	-	1	-	-	-	-	-
-	-	-	-	2	1	3	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	1	-	-	3	2	1
-	-	-	-	-	-	-	1	-	-	1	2	-	1
-	-	-	1	2	2	3	1	6	1	1	-	2	1
-	-	-	-	2	1	-	-	-	-	1	1	-	-
3 1	20 1	62 6	105 7	167 14	211 22	201 27	95 8	111 16	58 8	38 16	28 7	16 6	10 7

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

主唾液腺 C07 - C08

ICD-O-3	組織形態	性別		年齡			
				總計	0 4	5 9	10 14
84303	黏液表皮樣癌 MUCOEPIDERMOID CARCINOMA	男	25	-	1	-	-
		女	9	-	-	-	1
80523 80703	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	17	-	-	-	-
80713 80723 80763		女	5	-	-	-	-
81403 84503	腺癌 ADENOCARCINOMA	男	14	-	-	-	-
		女	3	-	-	-	-
82003	腺樣囊狀癌 ADENOID CYSTIC CARCINOMA	男	11	-	-	-	-
		女	13	-	1	-	-
85503	腺泡細胞癌 ACINAR CELL CARCINOMA	男	7	-	-	-	-
		女	7	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	8	-	-	-	-
		女	2	-	-	-	-
89403 89413	惡性混合性腫瘤 MALIGNANT MIXED TUMOR	男	5	-	-	-	-
		女	3	-	-	-	-
80203	未分化癌 CARCINOMA, UNDIFFERENTIATED	男	2	-	-	-	-
		女	-	-	-	-	-
80223 80333	其他明示癌 OTHER SPECIFIED CARCINOMA	男	9	-	-	-	-
80413 80823 82463 82903 85003 85623		女	8	-	-	-	-
88303 89803	明示之肉瘤 SPECIFIED SARCOMA	男	1	-	-	-	-
		女	1	-	-	-	-
95903-97293	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	12	-	-	-	1
97503-97583 97643		女	4	-	-	-	1
80003 80013	其他惡性腫瘤 OTHER MALIGNANCY	男	5	-	-	-	-
		女	1	-	-	-	-
	總計	男	116	-	1	-	1
	TOTAL	女	56	-	1	-	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	-	-	-	1	7	-	2	4	3	2	2	1	1
1	2	1	-	-	-	-	-	-	1	2	1	-	-
-	-	-	1	1	2	3	5	-	-	3	2	-	-
-	-	-	-	-	-	-	-	-	1	3	-	-	1
-	-	-	3	-	1	2	-	-	3	-	5	-	-
-	-	-	-	-	1	1	-	1	-	-	-	-	-
1	-	-	-	-	1	-	3	2	2	-	-	1	1
-	-	1	2	-	1	1	1	2	1	2	-	-	1
-	-	2	-	1	1	-	-	-	-	2	-	1	-
1	2	-	-	1	2	1	-	-	-	-	-	-	-
-	-	-	-	-	-	2	1	1	-	1	2	-	1
-	-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	2	1	-	-
-	-	-	-	1	-	-	-	-	1	1	-	-	-
-	-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	4	-	-	1	-	1	-	-	1
-	-	-	-	-	-	1	1	1	-	3	-	-	2
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	-	3	3	-	-	2	2	-	-
-	-	-	-	-	-	-	1	1	-	1	-	-	-
-	-	-	-	-	2	1	-	-	1	-	-	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
3	-	3	6	4	18	11	14	8	11	13	15	4	4
2	4	2	2	4	5	4	3	5	4	13	1	-	4

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

齒齦 C03

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80703 80713	鱗狀細胞癌	男	227	-	-	-	-
80723 80763	SQUAMOUS CELL CARCINOMA	女	29	-	-	-	-
80513	疣狀癌	男	10	-	-	-	-
	VERRUCOUS CARCINOMA	女	-	-	-	-	-
82003 82603	小唾液腺癌	男	3	-	-	-	-
84303 85603	CARCINOMA OF MINOR SALIVARY GLANDS	女	3	-	-	-	-
93103	其他明示癌	男	1	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	-	-	-	-	-
80103	未明示癌	男	-	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
88143	明示之肉瘤	男	-	-	-	-	-
	SPECIFIED SARCOMA	女	1	-	1	-	-
95903-97293	惡性淋巴瘤	男	3	-	-	-	2
97503-97583	MALIGNANT LYMPHOMA	女	-	-	-	-	-
97643							
80003	其他惡性腫瘤	男	1	-	-	-	-
	OTHER MALIGNANCY	女	-	-	-	-	-
	總計	男	245	-	-	-	2
	TOTAL	女	34	-	1	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	8	16	20	38	37	32	31	16	13	8	6	2
-	-	-	-	1	3	1	3	2	6	3	5	3	2
-	-	-	1	-	-	4	-	2	1	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	1	-	-	-	-
-	-	-	-	2	-	-	-	1	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	8	17	21	39	42	33	33	18	14	8	7	2
-	-	-	-	3	3	2	3	3	6	3	5	3	2

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

□底 C04

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
80523 80703	鱗狀細胞癌	男	77	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	2	-	-	-	-
80513	疣狀癌 VERRUCOUS CARCINOMA	男	2	-	-	-	-
		女	-	-	-	-	
81403 84303	小唾液腺癌 CARCINOMA OF MINOR SALIVARY GLANDS	男	1	-	-	-	-
		女	1	-	-	-	
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	3	-	-	-	-
		女	-	-	-	-	
	總計 TOTAL	男	83	-	-	-	-
		女	3	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	3	6	17	12	10	7	10	6	4	1	-	1
-	-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	1	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	6	17	12	11	8	12	7	5	1	-	1
-	1	-	-	-	1	-	-	-	-	-	1	-	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

		口腔之其他及未詳細說明部位 C05 - C06					
ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80523 80703	鱗狀細胞癌	男	1,351	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	66	-	-	-	-
80743 80753							
80763							
80513	疣狀癌	男	98	-	-	-	-
	VERRUCOUS CARCINOMA	女	3	-	-	-	-
80203	未分化癌	男	-	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	1	-	-	-	-
81403 82003	小唾液腺癌	男	15	-	-	-	1
84303 84403	CARCINOMA OF MINOR SALIVARY GLANDS	女	27	-	-	1	1
85253 85503							
85603 89403							
89413							
80823 85623	其他明示癌	男	1	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	2	-	-	-	-
80103	未明示癌	男	14	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
88903 89103	明示之肉瘤	男	2	-	-	1	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	4	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	4	-	-	-	-
97643							
87203	惡性黑色素瘤	男	1	-	-	-	-
	MALIGNANT MELANOMA	女	-	-	-	-	-
80003	其他惡性腫瘤	男	45	-	-	-	-
	OTHER MALIGNANCY	女	3	-	-	-	-
	總計	男	1,531	-	-	1	1
	TOTAL	女	107	-	-	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
- 1	9 2	60 2	112 1	187 1	261 7	278 7	143 8	109 6	84 8	61 6	30 10	10 3	7 4
-	-	2	4	19	14	20	12	11	12	3	1	-	-
-	-	-	-	-	-	-	1	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
1 1	- 3	1 -	- 3	- 1	4 -	1 2	- 3	2 4	1 1	2 4	2 1	2 2	- -
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	1	-	3	2	1	2	2	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	1	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	1	1
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	1	2	7	5	8	4	1	7	4	2	1	1
-	-	1	-	-	-	-	-	-	-	1	1	-	-
1 2	11 5	66 3	118 4	217 3	286 7	309 9	161 13	127 10	105 10	73 15	36 13	11 6	8 5

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

□咽 C09 - C10

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
80523 80703	鱗狀細胞癌	男	288	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	26	-	-	-	-
80743 80833							
80513	疣狀癌	男	1	-	-	-	-
	VERRUCOUS CARCINOMA	女	-	-	-	-	-
80203 80213	未分化癌	男	4	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	1	-	-	-	-
81403 84303	小唾液腺癌	男	4	-	-	-	-
85603	CARCINOMA OF MINOR SALIVARY GLANDS	女	2	-	-	-	-
80823	其他明示癌	男	1	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	-	-	-	-	-
80103	未明示癌	男	10	-	-	-	-
	CARCINOMA, NOS	女	3	-	-	-	-
95903-97293	惡性淋巴瘤	男	42	-	-	3	-
97503-97583	MALIGNANT LYMPHOMA	女	30	-	-	-	-
97643							
80003	其他惡性腫瘤	男	12	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	362	-	-	3	-
	TOTAL	女	63	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	7	34	38	65	45	36	29	11	10	8	3	2
-	-	3	1	2	8	2	2	2	2	2	2	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	2	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	2	-	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	2	-	1	2	2	1	-	-	1	-
-	-	-	-	-	-	1	-	-	-	1	-	-	1
-	1	-	1	6	3	3	3	6	-	2	10	3	1
-	-	-	2	-	3	3	5	5	1	3	3	4	1
-	-	1	1	-	1	3	2	2	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
1	1	8	37	48	70	55	44	39	15	12	18	8	3
-	-	3	3	2	11	7	7	7	5	7	5	4	2

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

鼻咽 C11

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80703	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	109	-	-	-	-
		女	30	-	-	-	-
80713	角化鱗狀細胞癌 KERATINIZING SQUAMOUS CELL CARCINOMA	男	39	-	-	-	1
		女	9	-	-	-	-
80723	非角化鱗狀細胞癌 NON-KERATINIZING SQUAMOUS CELL CARCINOMA	男	417	-	-	-	1
		女	123	-	-	-	-
80203 80213	未分化癌 CARCINOMA, UNDIFFERENTIATED	男	429	-	-	1	3
80413 80823		女	128	-	-	1	1
81403 82003 84303	小唾液腺癌 CARCINOMA OF MINOR SALIVARY GLANDS	男	1	-	-	-	-
		女	4	-	-	-	-
80303 80503 80513 80523 80733	其他明示癌 OTHER SPECIFIED CARCINOMA	男	4	-	-	-	-
		女	2	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	105	-	-	-	-
		女	35	-	-	-	-
89103 97313	明示之肉瘤 SPECIFIED SARCOMA	男	1	-	-	-	-
		女	1	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男	1	-	-	-	-
		女	-	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	15	-	-	-	-
		女	12	-	-	1	2
80003 87203	其他惡性腫瘤 OTHER MALIGNANCY	男	36	-	-	-	-
		女	7	-	-	-	-
	總計 TOTAL	男	1,157	-	-	1	5
		女	351	-	-	2	3

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
2	3	11	13	17	17	15	7	8	9	3	3	1	-
2	-	1	2	7	4	5	4	2	2	1	-	-	-
2	-	1	5	4	9	5	3	5	1	1	1	-	1
-	-	-	2	1	1	1	-	2	1	1	-	-	-
5	13	24	44	60	75	65	32	24	30	19	11	9	5
2	3	7	17	14	25	14	13	6	9	4	9	-	-
4	16	21	56	69	65	63	27	37	24	18	19	4	2
4	7	10	14	21	22	15	8	9	7	7	2	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	1	-	-	1	-	1	-	1	-	-	-
-	-	-	-	-	1	-	1	1	-	1	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-	-
1	2	5	13	16	15	12	9	9	9	7	7	-	-
1	1	2	3	7	3	4	3	3	1	2	2	2	1
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	1	-	2	-	1	3	-	2	3	1	-
-	1	1	-	1	-	1	1	2	1	-	-	-	1
-	1	2	3	4	5	3	5	2	3	4	3	1	-
-	1	2	2	-	-	-	-	-	1	-	1	-	-
15	36	64	135	171	189	163	86	89	77	55	47	16	8
9	13	23	43	51	56	41	29	25	22	16	14	2	2

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

下咽 C12 - C13

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
80703 80713	鱗狀細胞癌	男	474	-	-	-	-
80723 80743	SQUAMOUS CELL CARCINOMA	女	10	-	-	-	-
80833							
80203 80333	未分化癌	男	3	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	1	-	-	-	-
85603	小唾液腺癌	男	1	-	-	-	-
	CARCINOMA OF MINOR SALIVARY GLANDS	女	-	-	-	-	-
80413 80823	其他明示癌	男	6	-	-	-	-
81233 82463	OTHER SPECIFIED CARCINOMA	女	-	-	-	-	-
82493 89803							
80103	未明示癌	男	12	-	-	-	-
	CARCINOMA, NOS	女	-	-	-	-	-
88903	明示之肉瘤	男	-	-	-	-	-
	SPECIFIED SARCOMA	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	1	-	-	-	-
97643							
80003	其他惡性腫瘤	男	22	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	519	-	-	-	-
	TOTAL	女	14	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	5	20	56	78	90	49	53	43	39	20	16	5
-	-	1	1	1	-	2	-	3	-	1	-	1	-
-	-	-	-	-	1	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	1	1	-	1	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	4	3	-	-	-	2	-	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	2	3	3	3	-	2	2	1	4	2	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	5	22	60	88	96	50	56	47	43	26	21	5
-	-	1	1	1	-	2	-	3	-	2	3	1	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

咽和唇、口腔及咽之分界不明部位 C14

ICD-O-3	組織形態	性別	年齡				
			0 4	5 9	10 14	15 19	
80703 80713	鱗狀細胞癌	男	41	-	-	-	-
80723 80743	SQUAMOUS CELL CARCINOMA	女	1	-	-	-	-
80513	疣狀癌 VERRUCOUS CARCINOMA	男	2	-	-	-	-
		女	-	-	-	-	
80203	未分化癌 CARCINOMA, UNDIFFERENTIATED	男	1	-	-	-	-
		女	-	-	-	-	
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
		女	-	-	-	-	
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	1	-	-	-	-
		女	-	-	-	-	
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	2	-	-	-	-
		女	-	-	-	-	
	總計	男	48	-	-	-	-
	TOTAL	女	1	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	3	3	11	6	3	3	5	1	3	2	1
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	3	4	12	7	3	3	5	2	3	4	1
-	-	-	-	-	-	1	-	-	-	-	-	-	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

食道 C15

ICD-O-3	組織形態	性別		年齡			
				總計	0 4	5 9	10 14
80703 80713	鱗狀細胞癌	男	1,108	-	-	-	-
80723 80733	SQUAMOUS CELL CARCINOMA	女	87	-	-	-	-
80743							
81403 84903	腺癌	男	57	-	-	-	-
	ADENOCARCINOMA	女	12	-	-	-	-
84303 85603	腺性鱗狀癌	男	4	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女	-	-	-	-	-
80203 80413	其他明示癌	男	13	-	-	-	-
80463 80833	OTHER SPECIFIED CARCINOMA	女	1	-	-	-	-
80843 82463							
80103	未明示癌	男	30	-	-	-	-
	CARCINOMA, NOS	女	3	-	-	-	-
89363	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
87203	惡性黑色素瘤	男	3	-	-	-	-
	MALIGNANT MELANOMA	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	-	-	-	-	-
97643							
80003	其他惡性腫瘤	男	41	-	-	-	-
	OTHER MALIGNANCY	女	7	-	-	-	-
	總計	男	1,258	-	-	-	-
	TOTAL	女	111	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	6	28	117	140	150	130	139	116	115	95	51	20
-	-	-	1	4	-	7	7	15	7	14	16	11	5
-	1	1	3	1	4	4	1	3	5	11	10	10	3
-	-	-	-	1	1	-	-	3	2	1	3	1	-
-	-	-	-	1	-	-	-	1	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	3	2	-	4	-	1	1	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	1	1	1	4	4	2	2	2	6	3	3
-	-	-	-	-	-	-	-	1	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	1	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	2	4	5	10	4	2	5	5	2
-	-	-	-	-	-	-	-	1	2	2	-	1	1
-	2	8	34	122	150	164	140	159	128	132	120	71	28
-	-	-	2	5	1	7	7	20	11	18	21	13	6

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

胃 C16

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
81403 81413	腺癌	男	2,013	-	-	-	1
81443 81453	ADENOCARCINOMA	女	1,024	-	-	-	-
82113 82553							
82603 82613							
82633 84803							
84903 85003							
85603	腺性鱗狀癌	男	9	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女	-	-	-	-	-
80703 80723	鱗狀細胞癌	男	15	-	-	-	-
80823	SQUAMOUS CELL CARCINOMA	女	4	-	-	-	-
80203 80413	其他明示癌	男	13	-	-	-	-
80463 82403	OTHER SPECIFIED CARCINOMA	女	6	-	-	-	-
82463 85763							
80103	未明示癌	男	37	-	-	-	-
	CARCINOMA, NOS	女	11	-	-	-	-
88903	平滑肌肉瘤	男	6	-	-	-	-
	LEIOMYOSARCOMA	女	6	-	-	-	-
89363	胃腸基質肉瘤	男	65	-	-	-	-
	GASTROINTESTINAL STROMAL SARCOMA	女	61	-	-	-	-
88003 88013	其他明示之肉瘤	男	2	-	-	-	-
	OTHER SPECIFIED SARCOMA	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	90	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	76	-	-	-	-
97643	(INCLUDING MALT LYMPHOMA)						
80003 87203	其他惡性腫瘤	男	58	-	-	-	-
	OTHER MALIGNANCY	女	37	-	-	-	-
	總計	男	2,308	-	-	-	1
	TOTAL	女	1,226	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3 1	6 7	17 18	34 32	60 58	114 78	111 74	123 73	192 106	234 104	380 142	399 158	226 112	113 61
-	-	-	-	-	-	-	-	1	4	2	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	-	-	1	2	3	-	2	1	2	1	-
-	-	-	-	1	-	-	-	-	1	-	1	1	-
-	1	-	-	-	1	1	1	2	-	1	3	1	2
-	-	-	-	-	-	-	1	1	2	-	1	-	1
-	-	1	1	-	2	-	4	2	4	8	8	6	1
-	-	-	-	-	1	-	1	1	2	2	1	1	2
-	-	-	1	-	1	1	-	1	-	-	1	-	1
-	-	-	-	1	-	-	-	1	1	-	-	1	2
-	1	1	2	1	10	6	6	5	8	12	7	4	2
1	1	-	-	4	7	6	6	11	6	6	5	7	1
-	-	-	-	-	-	-	-	-	1	-	-	-	1
-	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	2	7	6	5	11	9	9	14	18	5	3
-	-	2	2	3	4	8	8	15	10	5	5	7	7
-	1	-	-	2	2	1	1	8	6	14	8	9	6
-	-	2	1	2	-	2	1	4	2	6	5	5	7
4 2	9 8	22 22	40 35	70 69	137 91	127 90	149 90	220 139	268 128	432 161	448 176	252 134	129 81

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

小腸 C17

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 81443	腺癌	男	68	-	-	-	-
82603 82613	ADENOCARCINOMA	女	64	-	-	-	-
82633 84803							
82403	類癌腫瘤	男	2	-	-	-	-
	CARCINOID TUMOR	女	2	-	-	-	-
80413 80463	其他明示癌	男	4	-	-	-	-
82463 82493	OTHER SPECIFIED CARCINOMA	女	1	-	-	-	-
80103	未明示癌	男	4	-	-	-	-
	CARCINOMA, NOS	女	4	-	-	-	-
88903	平滑肌肉瘤	男	-	-	-	-	-
	LEIOMYOSARCOMA	女	5	-	-	-	-
89363	胃腸基質肉瘤	男	60	-	-	-	-
	GASTROINTESTINAL STROMAL SARCOMA	女	44	-	-	-	-
88003	未明示之肉瘤	男	2	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	1
95903-97293	惡性淋巴瘤	男	30	-	-	1	-
97503-97583	MALIGNANT LYMPHOMA	女	22	1	-	-	-
97643							
80003	其他惡性腫瘤	男	4	-	-	-	-
	OTHER MALIGNANCY	女	3	-	-	-	-
	總計	男	174	-	-	1	-
	TOTAL	女	146	1	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	-	1	-	5	1	3	2	7	12	12	15	4	5
-	-	1	-	2	4	3	1	8	8	16	9	8	4
-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-	-
-	1	-	-	-	-	1	1	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	2	-	1	1	-
-	-	-	-	-	-	-	-	-	-	2	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	1	-	-	-	2	-
2	-	-	2	2	3	4	9	4	15	12	4	1	2
-	-	-	-	7	5	8	6	4	5	4	3	1	1
-	-	-	-	-	-	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	4	3	1	5	2	6	3	3	1
-	1	1	1	-	4	1	2	1	3	1	2	4	-
-	-	-	-	-	-	-	-	-	1	1	-	1	1
-	-	-	-	1	-	-	-	-	1	-	-	-	1
3	1	1	3	7	8	12	13	17	33	31	25	10	9
-	1	2	1	10	13	15	10	14	17	23	15	17	6

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

結腸及直腸 C18 - C21

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 81413	腺癌	男	4,344	-	-	-	2
81433 81443	ADENOCARCINOMA	女	3,296	-	-	1	1
82103 82113							
82203 82603							
82613 82623							
82633 84403							
84703 84803							
84813 84903							
82403 82433	類癌腫瘤	男	16	-	-	-	-
82453	CARCINOID TUMOR	女	10	-	-	-	-
80333 80413	其他明示癌	男	21	-	-	-	-
80703 80713	OTHER SPECIFIED CARCINOMA	女	37	-	-	-	-
80723 81233							
81243 82153							
82463 85603							
80103 80213	未明示癌	男	83	-	-	-	-
	CARCINOMA, NOS	女	43	-	-	-	-
88903 89363	明示之肉瘤	男	19	-	-	-	-
	SPECIFIED SARCOMA	女	15	-	-	-	-
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
87203	惡性黑色素瘤	男	4	-	-	-	-
	MALIGNANT MELANOMA	女	5	-	-	-	-
95903-97293	惡性淋巴瘤	男	17	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	18	-	-	-	-
97643	(INCLUDING MALT LYMPHOMA)						
80003	其他惡性腫瘤	男	172	-	-	-	-
	OTHER MALIGNANCY	女	136	-	-	-	-
	總計	男	4,677	-	-	-	2
	TOTAL	女	3,561	-	-	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
9	26	67	74	158	252	321	333	521	619	789	629	353	191
11	24	47	85	147	229	299	258	367	483	485	410	274	175
-	1	2	1	-	2	1	1	1	3	2	2	-	-
-	-	-	3	3	-	-	-	1	-	-	3	-	-
-	-	-	1	3	4	2	5	1	1	1	2	1	-
-	-	-	2	2	2	6	5	4	3	5	1	4	3
1	2	1	2	-	6	4	5	9	9	14	19	8	3
-	-	-	-	-	2	1	-	5	3	6	7	8	11
-	-	-	-	1	2	5	1	4	3	2	-	1	-
-	-	-	-	2	2	4	1	-	3	1	1	1	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	1	-	-	-	-	-	-	1	1	1	-	-
-	-	-	1	-	-	-	-	-	-	-	2	2	-
1	-	-	-	-	2	2	5	2	2	-	2	1	-
-	2	-	1	1	1	2	3	2	2	1	-	2	1
1	-	1	2	6	11	12	9	13	24	29	30	18	16
-	-	2	2	4	6	7	7	12	18	15	22	20	21
12	29	73	80	168	279	347	359	551	662	838	685	382	210
11	26	49	94	159	242	319	274	391	513	513	446	311	211

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

結腸 C18

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
81403 81413	腺癌	男	2,273	-	-	-	2
81433 81443	ADENOCARCINOMA	女	1,904	-	-	-	1
82103 82113							
82203 82603							
82613 82623							
82633 84403							
84703 84803							
84813 84903							
82403 82433	類癌腫瘤	男	3	-	-	-	-
82453	CARCINOID TUMOR	女	3	-	-	-	-
80333 80413	其他明示癌	男	7	-	-	-	-
80703 80723	OTHER SPECIFIED CARCINOMA	女	6	-	-	-	-
82463 85603							
80103 80213	未明示癌	男	60	-	-	-	-
	CARCINOMA, NOS	女	26	-	-	-	-
88903 89363	明示之肉瘤	男	4	-	-	-	-
	SPECIFIED SARCOMA	女	7	-	-	-	-
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	16	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	15	-	-	-	-
97643	(INCLUDING MALT LYMPHOMA)						
80003	其他惡性腫瘤	男	108	-	-	-	-
	OTHER MALIGNANCY	女	100	-	-	-	-
	總計	男	2,472	-	-	-	2
	TOTAL	女	2,062	-	-	-	1

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
3	13	43	42	80	124	159	154	255	320	427	340	195	116
7	17	31	43	83	131	170	139	202	272	271	259	172	106
-	-	-	-	-	-	1	1	-	-	1	-	-	-
-	-	-	1	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	3	-	1	1	1	-	1	-	-
-	-	-	1	-	-	1	2	-	1	1	-	-	-
1	2	-	1	-	2	3	5	6	7	12	15	5	1
-	-	-	-	-	1	-	-	4	2	2	4	4	9
-	-	-	-	-	-	-	-	3	-	-	-	1	-
-	-	-	-	-	1	1	-	-	3	1	-	1	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	-	2	2	4	2	2	-	2	1	-
-	2	-	1	1	1	1	3	2	2	1	-	-	1
-	-	-	2	4	7	9	6	7	16	15	20	12	10
-	-	1	1	2	4	5	5	10	14	8	20	15	15
5	15	44	45	84	138	174	171	274	346	455	378	214	127
7	19	32	47	86	138	178	149	219	295	284	284	192	131

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

直腸、乙狀結腸連結部及肛門 C19 - C21

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 82103	腺癌	男	2,071	-	-	-	-
82113 82603	ADENOCARCINOMA	女	1,392	-	-	1	-
82613 82623							
82633 84803							
84813 84903							
82403	類癌腫瘤	男	13	-	-	-	-
	CARCINOID TUMOR	女	7	-	-	-	-
80703 80713	其他明示癌	男	14	-	-	-	-
80723 81233	OTHER SPECIFIED CARCINOMA	女	31	-	-	-	-
81243 82153							
82463 85603							
80103	未明示癌	男	23	-	-	-	-
	CARCINOMA, NOS	女	17	-	-	-	-
88903 89363	明示之肉瘤	男	15	-	-	-	-
	SPECIFIED SARCOMA	女	8	-	-	-	-
87203	惡性黑色素瘤	男	4	-	-	-	-
	MALIGNANT MELANOMA	女	5	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	3	-	-	-	-
97643	(INCLUDING MALT LYMPHOMA)						
80003	其他惡性腫瘤	男	64	-	-	-	-
	OTHER MALIGNANCY	女	36	-	-	-	-
	總計	男	2,205	-	-	-	-
	TOTAL	女	1,499	-	-	1	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
6 4	13 7	24 16	32 42	78 64	128 98	162 129	179 119	266 165	299 211	362 214	289 151	158 102	75 69
-	1	2	1	-	2	-	-	1	3	1	2	-	-
-	-	-	2	3	-	-	-	-	-	-	2	-	-
-	-	-	1	3	1	2	4	-	-	1	1	1	-
-	-	-	1	2	2	5	3	4	2	4	1	4	3
-	-	1	1	-	4	1	-	3	2	2	4	3	2
-	-	-	-	-	1	1	-	1	1	4	3	4	2
-	-	-	-	1	2	5	1	1	3	2	-	-	-
-	-	-	-	2	1	3	1	-	-	-	1	-	-
-	-	1	-	-	-	-	-	-	1	1	1	-	-
-	-	-	1	-	-	-	-	-	-	-	2	2	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	2	-
1	-	1	-	2	4	3	3	6	8	14	10	6	6
-	-	1	1	2	2	2	2	2	4	7	2	5	6
7 4	14 7	29 17	35 47	84 73	141 104	173 141	188 125	277 172	316 218	383 229	307 162	168 119	83 80

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

肝及肝內膽管 C22

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81703 81713	肝細胞癌	男	5,810	-	1	5	5
81733 81743	HEPATOCELLULAR CARCINOMA	女	2,110	-	-	-	1
81753							
81603 81623	膽管癌	男	285	-	-	-	-
84813	CHOLANGIOCARCINOMA	女	261	-	-	-	-
81803	合併肝細胞癌和膽管癌	男	32	-	-	-	-
	COMBINED HEPATOCELLULAR	女	3	-	-	-	-
	CARCINOMA AND CHOLANGIOCARCINOMA						
81403 81613	腺癌	男	82	-	-	-	-
81903 82603	ADENOCARCINOMA	女	54	-	-	-	-
83103 84403							
84703 84803							
89703 91303	肝芽細胞瘤	男	5	4	-	1	-
	HEPATOBLASTOMA	女	6	5	-	-	-
80323 80333	其他明示癌	男	10	-	-	-	-
80703 81443	OTHER SPECIFIED CARCINOMA	女	6	-	-	-	-
82463 82553							
84713 85603							
80103 80203	未明示癌	男	53	-	-	-	-
80213	CARCINOMA, NOS	女	16	-	-	-	-
91203	血管肉瘤	男	5	-	-	-	-
	ANGIOSARCOMA	女	2	-	-	1	-
88013 89913	其他明示之肉瘤	男	4	-	1	-	-
91243	OTHER SPECIFIED SARCOMA	女	1	-	-	-	-
88003 88053	未明示之肉瘤	男	6	-	-	-	-
	SARCOMA, NOS	女	4	-	-	-	-
95903-97293	惡性淋巴瘤	男	-	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	1	-	-	-	-
97643	(INCLUDING MALT LYMPHOMA)						
80003	其他惡性腫瘤	男	461	-	-	-	-
	OTHER MALIGNANCY	女	187	-	-	-	1
	總計	男	6,753	4	2	6	5
	TOTAL	女	2,651	5	-	1	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
16 5	63 10	91 22	199 35	388 42	538 75	652 136	647 181	791 305	812 398	767 416	481 273	239 140	115 71
-	1	2	10	10	13	43	22	39	32	52	22	29	10
-	-	1	1	9	10	25	31	37	37	45	31	19	15
-	1	-	1	8	2	3	7	-	4	5	-	1	-
-	-	-	-	-	-	-	-	1	1	-	-	1	-
-	-	1	2	2	4	7	6	12	14	16	12	5	1
-	-	-	1	1	-	6	4	10	7	9	10	3	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	2	1	4	1	-	1	-	-	-
-	-	-	-	-	-	3	-	1	-	1	-	-	1
-	1	-	-	2	5	6	11	4	13	3	3	4	1
-	-	-	-	1	1	1	2	1	1	3	5	1	-
-	-	-	-	-	-	1	1	1	1	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	1	-	1	1	1
-	-	-	-	-	-	-	1	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	3	8	25	22	47	62	42	61	54	47	56	20	13
-	-	-	-	2	9	11	16	27	31	31	26	13	20
17 5	69 11	102 23	237 37	433 56	611 95	775 182	740 235	911 383	932 476	893 508	576 345	299 177	141 110

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

膽囊及肝外膽管 C23 - C24

ICD-O-3	組織形態	年齡		0 4	5 9	10 14	15 19
		性別	總計				
81403 81603	腺癌	男	297	-	-	-	-
81623 82103	ADENOCARCINOMA	女	233	-	-	-	-
82113 82603							
82613 82623							
82633 84803							
84903 85703							
85603	腺性鱗狀癌	男	5	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女	2	-	-	-	-
80123 80133	其他明示癌	男	10	-	-	-	-
80203 80333	OTHER SPECIFIED CARCINOMA	女	8	-	-	-	-
80413 80503							
80703 80733							
81443 82403							
82463 82493							
85003							
80103	未明示癌	男	12	-	-	-	-
	CARCINOMA, NOS	女	8	-	-	-	-
89803	明示之肉瘤	男	-	-	-	-	-
	SPECIFIED SARCOMA	女	1	-	-	-	-
80003	其他惡性腫瘤	男	31	-	-	-	-
	OTHER MALIGNANCY	女	38	-	-	-	-
	總計	男	355	-	-	-	-
	TOTAL	女	290	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	3	6	6	17	21	30	41	35	43	49	39	7
-	1	3	3	4	5	18	14	30	37	45	31	28	14
-	-	-	-	-	-	-	2	-	-	-	3	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	2	1	4	-	1	1
-	-	-	-	-	1	1	1	1	1	2	1	-	-
-	-	-	1	1	-	1	-	-	3	3	2	-	1
-	-	-	-	-	1	1	-	-	-	2	1	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	1	-	-	-	2	1	2	6	5	10	4
-	-	-	-	2	2	-	1	1	6	5	5	6	10
-	-	4	8	7	17	22	34	44	41	56	59	50	13
-	1	3	3	6	10	20	16	32	44	55	38	37	25

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

胰 C25

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 82603	腺癌	男	358	-	-	-	-
84403 84533	ADENOCARCINOMA	女	259	-	-	-	-
84703 84803							
84813 84903							
85003							
85503	腺泡細胞癌	男	1	-	-	-	-
	ACINAR CELL CARCINOMA	女	6	-	-	-	-
81503 81513	胰島細胞癌	男	4	-	-	-	-
	ISLET CELL CARCINOMA	女	7	-	-	-	-
80123 80213	其他明示癌	男	14	-	1	-	-
80223 80333	OTHER SPECIFIED CARCINOMA	女	10	-	-	-	1
80413 80463							
80703 82463							
84523 85603							
85743 89713							
80103 80203	未明示癌	男	82	-	-	-	-
	CARCINOMA, NOS	女	47	-	-	-	-
88013 88903	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	1	-	-	-	-
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
80003	未明示之惡性腫瘤	男	213	-	-	-	-
	MALIGNANT NEOPLASM, NOS	女	133	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	2	-	-	-	-
97643							
	總計	男	676	-	1	-	-
	TOTAL	女	466	-	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	2	7	17	22	37	44	45	38	65	49	24	8
-	-	2	5	13	17	22	24	46	45	29	38	12	6
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	1	1	-	-	1	1	1	-
-	-	1	-	1	-	-	1	-	1	-	-	-	-
-	-	3	-	1	-	-	1	-	-	1	1	-	-
-	-	-	1	2	1	1	1	4	1	-	2	-	-
-	1	-	-	2	-	1	-	1	2	-	2	-	-
-	1	1	1	1	1	8	6	9	6	13	20	9	6
-	1	1	1	3	1	2	4	4	6	8	5	7	4
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	2	-	3	7	9	8	15	29	38	43	41	18
-	-	-	-	-	5	6	5	15	15	20	23	25	19
-	-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1
-	1	6	9	24	32	55	61	74	76	117	114	74	32
-	2	6	6	20	24	32	35	66	68	59	70	47	30

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

後腹膜腔及腹膜 C48

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
88503 88513	脂肪肉瘤	男	17	5	-	1	-
88523 88553	LIPOSARCOMA	女	16	1	-	-	-
88583 95003							
88903	平滑肌肉瘤	男	7	-	-	-	1
	LEIOMYOSARCOMA	女	13	-	-	-	-
88113 88303	惡性纖維組織細胞瘤	男	2	-	-	-	-
	MALIGNANT FIBROHISTIOCYTOMA	女	3	-	-	-	-
93643 95403	原始神經外胚層腫瘤	男	2	-	1	-	-
	PERIPHERAL PRIMITIVE NEUROECTODERMAL TUMOR	女	1	-	-	1	-
90643 90713	胚細胞瘤和惡性畸胎瘤	男	10	-	-	2	3
90803	GERM CELL TUMOR AND MALIGNANT TERATOMA	女	5	3	-	-	-
90503 90513	惡性間皮瘤	男	4	-	-	-	-
90523	MALIGNANT MESOTHELIOMA	女	2	-	-	-	-
80043 88013	明示之肉瘤	男	2	-	-	-	-
88023 88103	SPECIFIED SARCOMA	女	7	-	-	-	-
89013 91503							
88003	未明示之肉瘤	男	4	-	-	-	-
	SARCOMA, NOS	女	5	-	-	-	1
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	3	-	-	-	-
97643							
80003 90603	其他惡性腫瘤	男	4	-	-	-	-
	OTHER MALIGNANCY	女	5	-	-	-	-
	總計	男	53	5	1	3	4
	TOTAL	女	60	4	-	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	2	2	2	1	3	1	-	-
1	1	1	1	1	3	-	3	-	1	2	1	-	-
-	1	-	-	-	-	-	1	2	-	-	1	1	-
-	-	1	1	-	4	3	2	1	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	1	-	-
-	-	1	-	-	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	-	1	1	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	1	-	-	1	-
-	-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	1	-	-	1	-	1	2	-	1	-	1
-	-	-	-	-	-	-	-	-	2	-	2	-	-
1	-	-	-	1	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	2	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-	2
-	-	-	-	-	2	-	-	1	-	1	1	-	-
1	3	-	1	2	-	2	5	6	6	4	5	3	2
3	1	4	4	2	10	4	6	6	5	4	3	1	1

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

消化器官之其他部位及與腹膜分界不明部位 C26

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
81403 84803	腺癌 ADENOCARCINOMA	男	3	-	-	-	-
		女	2	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	2	-	-	-	-
		女	1	-	-	-	-
89363	明示之肉瘤 SPECIFIED SARCOMA	男	8	-	-	-	-
		女	6	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	-	-	-	-	-
		女	1	-	-	-	-
	總計 TOTAL	男	13	-	-	-	-
		女	10	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	2	-	-	1	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	2	1	-	-	-	2	2	-	-
-	-	-	-	-	2	1	1	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	2	3	-	-	1	2	3	1	-
-	-	1	-	-	3	2	2	-	2	-	-	-	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

鼻腔、副竇、中耳及內耳 C30 - C31

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80523 80703	鱗狀細胞癌	男	54	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	13	-	-	-	-
80763							
81403 81473	腺癌	男	10	-	-	-	-
82003 82603	ADENOCARCINOMA	女	10	-	-	-	-
80413	小細胞癌	男	4	-	-	-	-
	SMALL CELL CARCINOMA	女	1	-	-	-	-
80213 80333	其他明示癌	男	3	-	-	-	-
81213 85603	OTHER SPECIFIED CARCINOMA	女	4	-	-	-	-
89803							
80103 80203	未明示癌	男	11	-	-	-	1
	CARCINOMA, NOS	女	9	-	-	-	1
87203 87713	惡性黑色素瘤	男	3	-	-	-	-
	MALIGNANT MELANOMA	女	4	-	-	-	-
88903 89003	明示之肉瘤	男	2	-	-	-	-
89203 91503	SPECIFIED SARCOMA	女	4	-	-	1	-
95003							
88003	未明示之肉瘤	男	-	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	32	-	1	-	-
97503-97583	MALIGNANT LYMPHOMA	女	14	-	-	-	-
97643							
97313 97343	漿細胞瘤	男	1	-	-	-	-
	PLASMACYTOMA, NOS	女	1	-	-	-	-
80003 80023	其他惡性腫瘤	男	2	-	-	-	-
	OTHER MALIGNANCY	女	1	-	1	-	-
	總計	男	122	-	1	-	1
	TOTAL	女	62	-	1	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3	-	1	3	3	5	8	8	2	8	7	2	2	2
-	-	-	-	1	-	1	4	1	2	-	2	2	-
-	-	1	1	3	-	-	-	2	2	-	1	-	-
-	-	1	3	1	-	2	1	1	-	1	-	-	-
1	-	-	1	-	-	-	-	-	-	1	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	1	1	-	1	-	1	-	-
-	-	1	1	2	2	-	-	-	-	-	1	1	2
-	-	-	-	-	-	-	2	-	1	1	1	2	1
-	-	-	-	-	-	-	-	-	1	-	-	-	2
-	-	-	-	-	-	1	1	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	2	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
2	-	2	4	3	2	-	1	4	4	7	2	-	-
1	-	-	1	1	2	2	-	1	1	3	2	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	5	12	11	9	8	9	10	18	15	8	3	6
1	-	3	5	4	2	8	9	3	5	6	8	4	1

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

喉 C32

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80703 80713 80723	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	418	-	-	-	-
		女	22	-	-	-	-
80413	小細胞癌 SMALL CELL CARCINOMA	男	1	-	-	-	-
		女	-	-	-	-	
80323 80743 80833 81203 81403	其他明示癌 OTHER SPECIFIED CARCINOMA	男	5	-	-	-	-
		女	1	-	-	-	
80103 82403 82463	未明示癌 CARCINOMA, NOS	男	14	-	-	-	-
		女	1	-	-	-	
88903	明示之肉瘤 SPECIFIED SARCOMA	男	1	-	-	-	-
		女	-	-	-	-	
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	2	-	-	-	-
		女	2	-	-	-	
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	21	-	-	-	-
		女	1	-	-	-	
	總計 TOTAL	男	462	-	-	-	-
		女	27	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	-	4	19	42	39	41	58	64	75	48	24	3
-	-	1	1	1	-	2	3	-	3	2	5	3	1
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	2	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	1	1	6	2	1	1
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	1	2	9	1	2	3	-	1
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	1	-	4	19	48	40	44	69	66	87	54	25	5
-	-	1	2	4	-	2	3	-	4	2	5	3	1

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

肺、支氣管及氣管 C33 - C34

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
80523 80703	鱗狀細胞癌	男	1,331	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	227	-	-	-	-
80733 80823							
80843							
81403 81413	腺癌	男	1,745	1	-	-	1
82503 82513	ADENOCARCINOMA	女	1,478	-	-	-	-
82553 82603							
83103 83233							
84803 84903							
85603	腺性鱗狀癌	男	33	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女	21	-	-	-	-
80413 80423	小細胞癌	男	606	-	-	-	-
80433 80443	SMALL CELL CARCINOMA	女	84	-	-	-	-
80453							
80123 80143	大細胞癌	男	53	-	-	-	1
80203 80213	LARGE CELL CARCINOMA	女	10	-	-	-	-
80313							
80133 82403	神經內分泌癌	男	23	-	-	-	-
82463	NEUROENDOCRINE CARCINOMA	女	6	-	-	-	-
80223 80753	氣管腺體癌	男	14	-	-	-	-
82003 84303	BRONCHIAL GLAND CARCINOMA	女	18	-	-	-	-
85503							
82523 82533	氣管肺泡癌	男	2	-	-	-	-
	BRONCHIOLO-ALVEOLAR CARCINOMA	女	5	-	-	-	-
80323 80333	其他明示癌	男	408	-	-	-	1
80463 80503	OTHER SPECIFIED CARCINOMA	女	165	-	-	-	-
85743							
80103	未明示癌	男	328	-	-	-	-
	CARCINOMA, NOS	女	152	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	2	7	9	34	61	71	149	216	317	287	124	53
-	-	2	3	10	7	18	11	29	29	40	40	30	8
1	5	11	22	68	94	133	125	204	225	328	289	150	88
1	5	7	27	64	120	134	124	166	228	227	194	105	76
-	-	-	-	-	1	4	4	4	4	9	3	2	2
-	-	-	-	1	1	2	2	5	1	5	3	1	-
-	-	-	1	9	18	39	42	76	89	139	115	53	25
-	1	-	1	3	5	4	7	7	13	13	17	10	3
1	-	1	-	1	6	3	3	6	5	16	8	1	1
-	-	-	-	-	-	1	-	2	2	2	1	1	1
-	-	-	-	-	-	3	2	3	4	6	4	1	-
1	-	1	-	1	-	1	-	-	-	-	2	-	-
-	-	-	-	2	1	-	1	-	4	3	1	1	1
-	-	1	1	2	3	3	2	1	1	2	2	-	-
-	-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	2	1	1	-	-	1
-	-	2	3	5	19	23	29	33	39	85	92	51	26
-	-	2	1	5	12	16	17	26	25	19	20	10	12
-	-	2	3	9	15	15	16	31	40	69	68	42	18
-	-	1	2	3	10	5	17	17	17	21	26	20	13

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

肺、支氣管及氣管 C33 - C34 (續)

ICD-O-3	組織形態	性別		年齡			
				總計	0 4	5 9	10 14
88153 88303	明示之肉瘤	男	3	-	-	-	-
88903 88963	SPECIFIED SARCOMA	女	7	-	-	-	-
89803 91403							
92403							
88003	未明示之肉瘤	男	4	-	-	-	-
	SARCOMA, NOS	女	3	-	-	-	-
95903-97293	惡性淋巴瘤	男	15	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	6	-	-	-	-
97643							
97313	漿細胞瘤	男	1	-	-	-	-
	PLASMACYTOMA	女	-	-	-	-	-
80003 80043	其他惡性腫瘤	男	459	-	-	-	-
	OTHER MALIGNANCY	女	208	-	-	-	-
	總計	男	5,025	1	-	-	3
	TOTAL	女	2,390	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	1	-	-	-	2	-	-
-	1	1	1	-	2	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	2	1	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	2	-	-
-	-	-	2	-	1	1	-	1	3	3	2	2	-
-	-	1	-	3	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	2	1	7	8	18	19	35	45	92	113	76	42
-	-	-	2	6	4	3	11	24	16	32	44	28	38
3	6	20	39	110	197	300	313	545	675	1,067	985	505	256
2	7	16	38	98	164	188	191	280	333	362	353	205	153

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

胸膜 C38.4

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
90503 90513 90523	惡性間皮瘤 MALIGNANT MESOTHELIOMA	男 女	17 6	-	-	-	-
				-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 女	2 2	-	-	-	-
				-	-	-	-
80003 80043 90433	其他惡性腫瘤 OTHER MALIGNANCY	男 女	7 1	-	-	-	-
				-	-	-	-
	總計 TOTAL	男 女	26 9	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	1	2	2	4	4	1	2	1	-	-
-	-	-	-	1	1	-	-	1	-	2	-	1	-
-	-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	3	2
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	1	3	2	4	5	2	2	2	3	2
-	-	-	-	1	1	1	1	1	-	2	-	2	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

胸腺、心臟及中隔 C37 - C38.3, C38.8

ICD-O-3	組織形態	性別	年齡				
			0 4	5 9	10 14	15 19	
80703 80723	惡性胸腺瘤及胸腺癌	男	60	-	-	-	1
85803 85813	MALIGNANT THYMOMA AND THYMIC	女	59	-	-	-	-
85823 85833	CARCINOMA						
85843 85853							
85863							
90643 90653	胚細胞瘤和惡性畸胎瘤	男	17	1	-	1	5
90703 90713	GERM CELL TUMOR AND MALIGNANT	女	-	-	-	-	-
90803 90843	TERATOMA						
91003							
80203 80413	其他明示癌	男	12	-	-	-	-
80463 80503	OTHER SPECIFIED CARCINOMA	女	7	-	-	-	-
80823 82403							
82493							
80103	未明示癌	男	12	-	-	-	1
	CARCINOMA, NOS	女	7	-	-	-	-
94903 95403	惡性神經性腫瘤	男	1	1	-	-	-
	NEUROGENIC MALIGNANCIES	女	3	1	1	-	-
88153 88303	明示之肉瘤	男	3	-	-	-	-
88513 89003	SPECIFIED SARCOMA	女	2	-	-	-	-
90403							
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	13	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	9	-	-	-	1
97643							
80003 88063	其他惡性腫瘤	男	6	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	125	2	-	1	7
	TOTAL	女	89	1	1	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1 -	2 1	3 1	4 6	5 7	12 6	5 8	4 8	4 6	6 6	6 3	4 4	3 -	- 3
2 -	3 -	1 -	1 -	1 -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -
- -	- 1	- 1	2 1	2 -	- -	1 -	1 1	1 1	2 1	1 -	2 1	- -	- -
- -	1 -	- 1	- 1	- 1	2 -	1 -	1 -	1 -	1 3	3 1	1 -	- -	- -
- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- 2	- -	1 -	- -	- -
- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- 1
2 3	1 2	1 2	2 1	1 -	- -	1 -	- -	- -	- -	- -	2 -	3 -	- -
- -	- -	- -	1 -	- -	- -	- -	- -	- -	1 1	2 -	1 -	1 -	- -
6 3	7 4	5 5	10 9	9 8	14 7	8 9	7 9	7 7	10 13	12 4	12 5	7 -	1 3

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

白血病 ICD-O-3 M-98003 - M-99633 , M-99803 - M-99843 , M-99863 , M-99893				年齡			
ICD-O-3	組織形態	性別	總計	0	5	10	15
				4	9	14	19
98403 98613	急性骨髓樣白血病	男	283	4	8	12	11
98663 98673	ACUTE MYELOID LEUKEMIA	女	206	6	2	4	5
98713 98723							
98733 98743							
98953 98963							
98973							
98633 98753	慢性骨髓樣白血病	男	118	-	1	4	7
99453 99463	CHRONIC MYELOID LEUKEMIA	女	63	1	-	1	2
98913	急性單核球白血病	男	19	-	1	-	-
	ACUTE MONOCYTIC LEUKEMIA	女	15	3	-	-	1
98353 98363	急性淋巴芽細胞白血病	男	125	42	24	14	9
98373	ACUTE LYMPHOBLASTIC LEUKEMIA	女	92	28	10	11	7
98233	慢性淋巴球白血病	男	52	-	-	-	-
	CHRONIC LYMPHOCYTIC LEUKEMIA	女	29	-	-	-	-
98603 99853	未明示之骨髓樣白血病	男	3	-	-	-	-
	MYELOID LEUKEMIA, NOS	女	-	-	-	-	-
98203	未明示之淋巴樣白血病	男	1	-	-	-	-
	LYMPHOID LEUKEMIA, NOS	女	1	-	-	-	1
98013 98053	其他類型白血病	男	197	1	1	1	3
98263 98273	OTHER TYPES OF LEUKEMIA	女	108	3	1	-	-
98343 99103							
99403 99483							
99503 99603							
99613 99623							
99643 99803							
99823 99833							
99843 99863							
99893							
98003	未明示之白血病	男	6	1	-	-	-
	LEUKEMIA, NOS	女	5	-	-	-	-
	總計	男	804	48	35	31	30
	TOTAL	女	519	41	13	16	16

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
10	11	11	16	17	12	27	14	15	26	27	34	23	5
11	9	13	13	14	12	17	5	18	20	20	21	12	4
3	5	7	10	6	8	6	3	9	12	14	16	5	2
2	4	3	2	8	7	8	5	4	3	4	2	6	1
-	1	1	1	2	-	2	-	2	-	4	2	1	2
-	-	-	1	1	2	1	1	3	-	-	-	1	1
5	4	6	7	1	2	3	1	1	1	2	2	1	-
3	3	7	1	2	2	5	4	1	1	5	1	1	-
-	-	-	-	-	3	2	5	6	6	9	9	9	3
-	-	-	-	2	3	2	2	3	5	6	4	-	2
-	-	-	-	-	-	-	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	2	6	8	14	10	21	15	20	36	32	17	6
1	2	2	7	5	8	7	6	12	13	15	12	6	8
1	-	-	-	-	-	-	1	-	1	1	1	-	-
-	-	-	1	-	-	-	-	-	1	1	1	-	1
20	24	27	41	34	39	50	45	49	66	93	97	57	18
17	18	25	25	32	34	40	23	41	43	51	41	26	17

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

		造血系統及網狀內皮系統（白血病除外） C42					
ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
97313 97323 97333	多發性骨髓瘤 MULTIPLE MYELOMA	男	207	-	-	-	-
		女	132	-	-	-	-
95903 95913 96703 96713 96733 96753 96803 96893 96903 96993 97023 97143 97273 97503 97543	非何杰金氏淋巴瘤 NON-HODGKIN LYMPHOMA	男	52	2	1	-	-
		女	31	-	-	-	-
96503 96533	何杰金氏淋巴瘤 HODGKIN LYMPHOMA	男	1	-	-	-	1
		女	2	-	-	-	-
80003 97513 97613	其他惡性腫瘤 OTHER MALIGNANCY	男	8	1	-	-	-
		女	7	1	-	-	-
	總計 TOTAL	男	268	3	1	-	1
		女	172	1	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	1	2	3	7	8	20	21	15	25	39	39	13	14
-	1	-	-	2	8	6	13	15	28	23	20	7	9
1	2	3	2	4	2	7	5	6	3	6	4	3	1
-	2	3	-	1	2	4	4	3	9	1	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	1	-	1	1	-	1	2	-	-	1	-
-	-	1	-	-	1	-	-	-	1	-	1	1	1
1	3	5	6	11	11	28	26	22	30	45	43	17	15
-	4	4	-	3	11	10	17	18	38	24	22	9	11

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

骨、關節及關節軟骨 C40 - C41

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
91803 91813	骨肉瘤	男	33	-	2	6	6
91823 91863	OSTEOSARCOMA	女	19	1	1	4	1
91923 91933							
92203 92313	軟骨肉瘤	男	14	-	1	2	2
92403 92433	CHONDROSARCOMA	女	11	-	-	-	-
92503	惡性骨巨大細胞瘤	男	1	-	-	-	-
	MALIGNANT GIANT CELL TUMOR	女	-	-	-	-	-
92603	Ewing 氏肉瘤	男	1	-	-	-	1
	EWING SARCOMA	女	2	-	-	1	-
93703	脊索瘤	男	5	-	-	-	-
	CHORDOMA	女	2	-	-	-	-
92613 92703	惡性成釉細胞瘤	男	4	-	-	1	-
93103	MALIGNANT AMELOBLASTOMA	女	1	-	-	-	1
88013 88023	其他明示之肉瘤	男	7	1	-	2	1
88143 88303	OTHER SPECIFIED SARCOMA	女	7	1	1	1	-
88903 90403							
91203 91303							
93643 97503							
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	2	-	-	-	-
80003 88063	其他惡性腫瘤	男	3	-	-	-	-
	OTHER MALIGNANCY	女	2	-	-	-	-
	總計	男	69	1	3	11	10
	TOTAL	女	46	2	2	6	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
5	2	1	2	1	3	-	-	1	1	1	-	1	1
1	2	-	1	-	2	-	1	2	1	2	-	-	-
-	-	-	3	1	3	-	1	1	-	-	-	-	-
1	2	1	1	2	-	-	-	-	1	2	-	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	2	1	-	-	-	1	-
-	-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	1	-	-	-	1	-	-
-	1	1	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	1	-	-	-	1	1	-
1	-	-	-	1	-	-	-	-	-	-	-	-	-
6	2	1	6	2	7	1	5	3	2	2	2	4	1
4	5	2	3	3	3	1	1	3	2	4	2	1	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

結締組織、軟組織及其他皮下組織 C47, C49

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
80723 82003	明示癌 SPECIFIED CARCINOMA	男	2	-	-	-	-
		女	-	-	-	-	-
88103 88113	惡性纖維組織細胞瘤和纖維肉瘤	男	38	-	1	-	1
88303 88323	MALIGNANT FIBROHISTIOCYTOMA AND	女	37	-	-	-	-
88333	FIBROSARCOMA						
88503 88513	脂肪肉瘤	男	42	-	-	-	1
88523 88533	LIPOSARCOMA	女	30	-	-	-	-
88543 88553							
88583							
88903 88913	平滑肌肉瘤	男	18	-	-	-	-
88963	LEIOMYOSARCOMA	女	17	-	-	-	-
89003 89013	橫紋肌肉瘤	男	12	1	2	3	1
89103 89123	RHABDOMYOSARCOMA	女	15	1	2	3	2
89203 95813							
91203 91333	血管肉瘤	男	11	-	-	-	-
91403 91503	ANGIOSARCOMA	女	6	-	-	-	-
90403 90413	滑膜肉瘤	男	7	-	-	-	1
90433	SYNOVIAL SARCOMA	女	12	-	-	-	3
93913 94903	惡性神經鞘瘤	男	8	-	-	2	-
95403 95603	(包含惡性 Schwann 氏細胞瘤)	女	12	1	-	-	-
95803	MALIGNANT NERVE SHEATH TUMOR (INCLUDING MALIGNANT SCHWANNOMA)						
93643 95003	原始神經外胚層腫瘤	男	6	2	-	1	-
95613	PERIPHERAL PRIMITIVE NEUROECTODERMAL TUMOR	女	8	1	2	2	-
80043 88013	其他明示之肉瘤	男	26	1	-	1	1
88023 88043	OTHER SPECIFIED SARCOMA	女	22	-	-	-	1
88153 88403							
88423 89823							
90443 92403							
92513 92523							

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	4	4	3	2	3	1	3	6	6	2
1	2	1	3	3	4	4	4	3	2	3	4	2	1
-	-	1	3	2	4	7	7	4	7	3	-	3	-
1	2	1	1	2	5	1	1	4	4	6	1	1	-
1	-	-	2	1	3	1	3	2	2	-	1	1	1
1	1	-	-	3	2	5	2	-	-	1	2	-	-
1	-	-	-	-	1	-	-	-	1	2	-	-	-
4	1	-	-	-	-	1	-	-	1	-	-	-	-
-	-	1	-	-	2	1	-	2	-	2	2	-	1
-	-	1	-	-	-	-	-	1	-	1	-	2	1
1	1	-	1	1	-	1	1	-	-	-	-	-	-
2	1	1	2	-	1	-	-	1	-	1	-	-	-
-	-	-	-	-	3	1	-	-	-	1	1	-	-
1	-	3	1	-	1	1	1	1	1	-	1	-	-
-	1	-	-	1	-	-	1	-	-	-	-	-	-
-	1	1	-	-	-	1	-	-	-	-	-	-	-
1	1	-	3	1	3	1	-	6	1	4	1	1	-
1	3	2	2	-	1	3	1	2	2	2	-	2	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

結締組織、軟組織及其他皮下組織 C47, C49 (續)

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
88003	未明示之肉瘤 SARCOMA, NOS	男 女	14 14	-	-	-	1 1
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 女	32 18	1 1	-	1 2	1 1
80003 88063	其他惡性腫瘤 OTHER MALIGNANCY	男 女	3 2	-	-	-	- -
	總計 TOTAL	男 女	219 193	5 4	3 4	8 7	7 8

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
2	-	1	1	3	1	-	-	1	-	3	1	-	-
-	2	-	-	-	4	-	3	-	-	-	2	1	1
-	1	1	1	2	2	2	3	3	4	4	4	1	1
-	1	-	-	2	2	3	-	2	-	2	1	-	1
-	-	-	-	-	1	-	1	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-
6	4	5	12	15	24	17	18	21	16	22	17	12	7
11	14	10	9	10	20	19	12	14	12	16	11	8	4

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

皮膚 C44

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80903 80913	基底細胞癌	男	412	-	-	1	-
80923 80943	BASAL CELL CARCINOMA	女	374	-	-	-	1
80973 81233 82003							
80513 80703	鱗狀細胞癌	男	269	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	221	-	-	-	-
80763 80843 80933							
80813	Bowen's 氏症	男	2	-	-	-	-
	BOWEN DISEASE	女	2	-	-	-	-
81023 81103	皮膚附件癌	男	43	-	-	2	-
81403 83103	CARCINOMA OF SKIN APPENDAGES	女	37	-	-	-	-
83903 84003 84013 84023 84073 84093 84103 84133 84803 85423 89403							
87203 87213	惡性黑色素瘤	男	74	-	-	-	1
87303 87423	MALIGNANT MELANOMA	女	66	-	-	-	-
87443 87453 87713 87723							
80123 80203	其他明示癌	男	7	-	-	-	-
80503 80523	OTHER SPECIFIED CARCINOMA	女	9	-	-	-	-
80753 80833 81903 84303 85603							
80103 80213	未明示癌	男	8	-	-	-	-
	CARCINOMA, NOS	女	3	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
1	4	6	13	12	14	37	26	57	48	73	61	43	16
1	2	5	5	13	24	24	21	34	47	70	62	39	26
1	3	1	3	8	11	13	15	17	40	32	49	41	35
-	-	-	2	3	6	5	7	11	19	25	46	47	50
-	-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	-	-	-	3	3	4	5	4	7	7	5	3
-	1	3	1	-	3	3	5	5	6	5	1	3	1
-	-	2	1	2	3	5	-	11	9	12	13	12	3
1	1	3	2	8	2	7	7	2	9	11	6	4	3
-	-	-	-	-	1	1	-	1	-	1	1	-	2
-	-	-	-	1	-	1	1	1	2	2	-	1	-
-	-	-	-	1	-	2	-	-	1	1	-	2	1
-	-	-	-	-	-	-	-	-	-	1	-	-	2

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

皮膚 C44 (續)

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
88043 88103	明示之肉瘤	男	94	-	2	1	-
88303 88323	SPECIFIED SARCOMA	女	45	-	-	-	2
88333 88903							
91203 91403							
95403							
88003	未明示之肉瘤	男	3	-	-	-	-
	SARCOMA, NOS	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	39	-	-	-	1
97503-97583	MALIGNANT LYMPHOMA	女	20	1	1	1	-
97643							
80003 81033	其他惡性腫瘤	男	9	-	-	-	-
93643	OTHER MALIGNANCY	女	6	-	-	-	-
	總計	男	960	-	2	4	2
	TOTAL	女	783	1	1	1	3

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
8	6	15	14	9	8	5	2	2	12	2	5	3	-
1	5	4	8	4	7	3	4	1	3	-	-	1	2
-	-	-	-	1	-	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	3	2	1	5	3	5	2	5	6	1	2	2
-	1	1	1	1	2	4	-	2	1	1	2	1	-
-	-	-	-	-	2	2	-	1	1	1	1	-	1
-	1	-	1	-	1	-	-	-	-	-	1	2	-
10	14	27	33	34	47	72	52	97	120	135	138	110	63
3	11	16	20	30	45	47	45	56	87	116	118	98	85

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

女性乳房 C50

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80713 81403	浸潤性管道癌	女	4,640	-	-	-	1
82113 84013	INFILTRATING DUCTAL CARCINOMA						
85003 85013							
85033 85043							
85213 85223							
85233 85413							
85433 85753							
84703 84803	黏液性腺癌	女	118	-	-	-	-
	MUCINOUS ADENOCARCINOMA						
85103 85133	髓質癌	女	52	-	-	-	-
	MEDULLARY CARCINOMA						
85203	浸潤性小葉癌	女	173	-	-	-	-
	INFILTRATING LOBULAR CARCINOMA						
90203	惡性葉狀腫瘤	女	57	-	-	-	1
	MALIGNANT PHYLLODES TUMOR						
85403	乳房 Paget 氏症	女	15	-	-	-	-
	PAGET DISEASE, MAMMARY						
80123 80203	其他明示癌	女	84	-	-	-	-
80323 80503	OTHER SPECIFIED CARCINOMA						
80703 82003							
82013 83103							
83153 85023							
85073 85243							
85303 85503							
80103	未明示癌	女	73	-	-	-	-
	CARCINOMA, NOS						
80043 80053	明示之肉瘤	女	16	-	1	-	-
88013 88303	SPECIFIED SARCOMA						
88903 89103							
89823 91203							
95813							

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
14	66	183	446	754	833	779	476	403	287	180	125	67	26

1	5	9	16	14	13	16	7	5	12	11	7	2	-
-	2	2	6	10	8	8	6	5	1	1	3	-	-
1	1	10	14	33	29	30	20	11	12	6	5	-	1
1	2	2	17	10	14	6	3	1	-	-	-	-	-
-	-	2	-	3	-	-	-	3	3	2	1	1	-
1	1	5	3	6	14	8	9	6	8	7	7	6	3
1	-	2	6	9	12	13	8	3	7	5	2	1	4
1	-	1	2	4	6	1	-	-	-	-	-	-	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

女性乳房 C50 (續)

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
88003 89353	未明示之肉瘤 SARCOMA, NOS	女	5	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女	11	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	女	81	-	-	-	-
	總計 TOTAL	女	5,325	-	1	-	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	1	1	1	1	1	-	-	-	-	-
2	-	1	1	2	3	-	-	1	-	-	-	-	1
-	2	1	5	11	11	12	9	9	3	6	7	2	3
22	79	218	516	857	944	874	539	448	333	218	157	79	38

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

男性乳房 C50

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 85003	浸潤性管道癌 INFILTRATING DUCTAL CARCINOMA	男	24	-	-	-	-
85103	髓質癌 MEDULLARY CARCINOMA	男	1	-	-	-	-
85203	浸潤性小葉癌 INFILTRATING LOBULAR CARCINOMA	男	1	-	-	-	-
80713 84903 85043	其他明示癌 OTHER SPECIFIED CARCINOMA	男	4	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	2	-	-	-	-
	總計 TOTAL	男	32	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	-	1	-	-	1	-	-	3	3	8	5	1	1
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	-	-	1	-	-	1	-	-	1	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-
1	-	1	1	-	2	2	-	3	4	10	5	2	1

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

子宮，未明示部位 C55

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
88903	平滑肌肉瘤 LEIOMYOSARCOMA	女	1	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	女	1	-	-	-	-
	總計 TOTAL	女	2	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-	1

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

子宮頸 C53

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80503 80513	鱗狀細胞癌	女	1,601	-	-	-	-
80523 80703	SQUAMOUS CELL CARCINOMA						
80713 80723							
80733 80743							
80753 80763							
80773 80823							
85603	腺性鱗狀癌	女	60	-	-	-	-
	ADENOSQUAMOUS CARCINOMA						
81403 82603	腺癌	女	246	-	-	-	-
82623 82633	ADENOCARCINOMA						
83233 83803							
83843 84803							
84823							
83103	明亮細胞癌	女	8	-	-	-	2
	CLEAR CELL CARCINOMA						
80133 80153	其他明示癌	女	32	-	-	-	-
80203 80413	OTHER SPECIFIED CARCINOMA						
80833 80983							
82003 82403							
82463 82493							
84603 84813							
84903 85743							
80103	未明示癌	女	51	-	-	-	1
	CARCINOMA, NOS						
88903	明示之肉瘤	女	2	-	-	-	-
	SPECIFIED SARCOMA						
88003	未明示之肉瘤	女	2	-	-	-	-
	SARCOMA, NOS						
95903-97293	惡性淋巴瘤	女	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA						
97643							
80003 80013	其他惡性腫瘤	女	57	-	-	-	-
	OTHER MALIGNANCY						
	總計	女	2,061	-	-	-	3
	TOTAL						

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	13	56	118	181	221	178	121	161	183	148	102	73	46
-	1	4	11	9	8	11	7	3	3	2	1	-	-
-	3	11	24	43	50	39	20	10	13	16	9	6	2
1	-	1	-	-	-	1	2	1	-	-	-	-	-
-	2	5	4	5	2	4	1	3	3	-	2	1	-
-	-	4	4	8	5	1	5	5	5	4	6	3	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-	-
-	-	3	2	1	6	2	6	9	8	5	5	8	2
2	19	84	163	247	293	237	162	192	216	177	125	91	50

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

子宮體 C54

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80503 81403 82603 83803 83833	腺癌 ADENOCARCINOMA	女	567	-	-	-	-
85603 85703	腺性鱗狀癌 ADENOSQUAMOUS CARCINOMA	女	21	-	-	-	-
91003 91053	絨毛膜癌 CHORIOCARCINOMA	女	17	-	-	-	-
80203 80703 80723 80733 82553 83103 83233 84413 84603 84803	其他明示癌 OTHER SPECIFIED CARCINOMA	女	55	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	女	15	-	-	-	-
88903 88963	平滑肌肉瘤 LEIOMYOSARCOMA	女	29	-	-	-	-
89313 89353	子宮內膜基質肉瘤 ENDOMETRIAL STROMAL SARCOMA	女	34	-	-	-	-
89333 89503 89513 89803	惡性 Mueller 氏管混合性腫瘤 MALIGNANT MULLERIAN MIXED TUMOR	女	42	-	-	-	1
89103 89633	其他明示之肉瘤 OTHER SPECIFIED SARCOMA	女	2	-	-	-	-
88003 88053	未明示之肉瘤 SARCOMA, NOS	女	2	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女	1	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	女	8	-	-	-	-
	總計 TOTAL	女	793	-	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	3	20	36	65	115	111	70	53	41	22	22	7	2
-	1	2	-	-	5	4	4	2	1	1	1	-	-
3	5	1	2	3	2	-	-	1	-	-	-	-	-
-	-	1	1	2	7	12	2	11	6	6	5	1	1
-	1	1	-	2	1	2	3	-	2	1	-	1	1
1	-	1	5	8	6	3	3	1	1	-	-	-	-
-	1	3	4	5	9	7	1	2	-	1	1	-	-
-	-	1	2	2	4	9	6	10	2	3	-	2	-
-	-	-	-	-	-	2	-	-	-	-	-	-	-
1	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	2	-	3	1	-	2	-	-	-	-	-	-
5	11	32	50	90	150	151	91	80	53	34	29	11	5

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

卵巢、輸卵管及寬韌帶 C56, C57.0 - C57.4

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
84703 84713 84723 84803 84823	黏液性腺癌 MUCINOUS ADENOCARCINOMA	女	109	-	-	-	4
84413 84603 84613 84623	漿液性腺癌 SEROUS ADENOCARCINOMA	女	234	-	-	-	-
83803 83813	子宮內膜樣腺癌 ENDOMETRIOID ADENOCARCINOMA	女	107	-	-	-	-
83103	明亮細胞癌 CLEAR CELL CARCINOMA	女	80	-	-	-	-
90603 90703 90713 90803 90853	胚細胞瘤 GERM CELL TUMORS	女	50	1	2	6	11
86203 86313	性索間質細胞瘤 SEX-CORD-STROMAL TUMORS	女	17	-	-	-	-
91003 91013	絨毛膜癌 CHORIOCARCINOMA	女	2	-	-	-	-
80203 80413 80503 80703 80713 81203 81403 82403 82603 84103 84403 84503 84903 85603 89503 90003 90903	其他明示癌 OTHER SPECIFIED CARCINOMA	女	143	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	女	24	-	-	-	-
88103 88903 89313 89333 89353 89803	明示之肉瘤 SPECIFIED SARCOMA	女	11	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	女	1	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
7	7	7	7	13	15	16	8	5	6	5	5	4	-
1	2	1	10	26	49	41	30	23	17	20	9	4	1
-	2	6	7	23	20	16	14	8	3	3	3	2	-
1	2	5	7	14	16	22	5	5	1	-	2	-	-
11	8	5	2	1	1	-	-	1	-	-	1	-	-
-	-	-	2	4	-	7	-	1	-	1	1	1	-
-	-	-	-	1	1	-	-	-	-	-	-	-	-
2	4	6	7	13	23	24	8	15	17	6	9	7	2
-	1	-	2	3	1	4	-	2	2	4	3	1	1
1	-	-	-	1	2	2	2	2	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

卵巢、輸卵管及寬韌帶 C56, C57.0 - C57.4 (續)

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女	2	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	女	53	-	-	-	1
	總計 TOTAL	女	833	1	2	6	16

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	-	-	-	-	-	-	1	1	-	-	-
2	1	5	7	6	7	1	5	5	5	2	2	3	1
25	27	35	51	106	135	133	72	67	52	43	35	22	5

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

		陰道、外陰部及其他未詳細說明之女性生殖器官 C51 - C52, C57.7 - C57.9					
ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
80513 80703	鱗狀細胞癌	女	91	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA						
80743 80763							
81403 83103	腺癌	女	10	-	-	-	-
	ADENOCARCINOMA						
91003	絨毛膜癌	女	10	-	-	-	1
	CHORIOCARCINOMA						
85423	外陰部 Paget 氏症	女	4	-	-	-	-
	PAGET DISEASE OF EXTERNAL GENITALIA						
80903 83803	其他明示癌	女	7	-	-	-	-
85603	OTHER SPECIFIED CARCINOMA						
80103 80203	未明示癌	女	7	-	-	-	-
	CARCINOMA, NOS						
87203 87213	惡性黑色素瘤	女	10	-	-	-	-
87713 87723	MALIGNANT MELANOMA						
88903 92513	其他明示之肉瘤	女	2	-	-	-	-
	OTHER SPECIFIED SARCOMA						
80003	其他惡性腫瘤	女	2	-	-	-	-
	OTHER MALIGNANCY						
	總計	女	143	-	-	-	1
	TOTAL						

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	1	2	5	12	8	4	7	11	12	13	8	7
-	-	-	2	1	1	-	-	-	-	3	-	2	1
-	2	3	-	3	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	2	-	1
-	-	-	-	1	-	-	3	1	-	-	1	1	-
-	1	-	-	-	-	3	-	-	-	1	1	-	1
-	-	-	1	1	-	1	1	-	3	1	1	-	1
-	-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	1	-
-	4	4	5	13	13	12	9	9	15	17	18	12	11

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

攝護腺 C61

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80003 81403 85003	腺癌 ADENOCARCINOMA	男	2,178	-	-	-	-
81203	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	9	-	-	-	-
80413 80703 81413 82463	其他明示癌 OTHER SPECIFIED CARCINOMA	男	6	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	38	-	-	-	-
89003 89103	明示之肉瘤 SPECIFIED SARCOMA	男	3	-	-	-	1
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	2	-	-	-	-
80013	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-	-
	總計 TOTAL	男	2,237	-	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	1	9	27	74	170	294	539	535	356	173
-	-	-	-	-	-	-	-	3	2	-	1	3	-
-	-	-	-	1	-	-	-	1	1	-	2	1	-
-	-	-	-	-	-	-	1	1	3	9	11	7	6
2	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
2	-	-	-	2	9	28	76	175	300	548	549	368	179

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

睪丸 C62

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
90613	精細胞瘤 SEMINOMA	男	50	-	-	-	-
90713	內胚竇腫瘤 ENDODERMAL SINUS TUMOR (YOLK SAC TUMOR)	男	14	11	1	-	-
90703	胚胎性癌 EMBRYONAL CARCINOMA	男	5	-	-	-	2
90853 91013	混合性胚細胞瘤 MIXED GERM CELL TUMOR	男	26	1	-	-	6
90803 90813	惡性畸胎瘤 MALIGNANT TERATOMA	男	8	-	-	-	2
81403	明示癌 SPECIFIED CARCINOMA	男	1	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	13	-	-	-	1
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	2	-	-	-	-
	總計 TOTAL	男	120	12	1	-	11

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
5	8	15	10	7	1	3	-	1	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	-	-	-
7	9	1	1	-	1	-	-	-	-	-	-	-	-
5	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	2	-	-	2	-	-	1	2	-	3	2
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-	-
17	20	18	16	7	3	5	-	2	1	2	-	3	2

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

陰莖及其他男性生殖器官 C60, C63

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80513 80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	68	-	-	-	-
80903	基底細胞癌 BASAL CELL CARCINOMA	男	4	-	-	-	-
85423	Paget 氏症 PAGET DISEASE	男	19	-	-	-	-
81403	腺癌 ADENOCARCINOMA	男	1	-	-	-	-
87203	惡性黑色素瘤 MALIGNANT MELANOMA	男	1	-	-	-	-
80833 81233 82603 84133	其他明示癌 OTHER SPECIFIED CARCINOMA	男	4	-	-	-	-
88523 89103 89203 91403	明示之肉瘤 SPECIFIED SARCOMA	男	5	-	-	-	3
88003	未明示之肉瘤 SARCOMA, NOS	男	2	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	1	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	2	-	-	-	-
	總計 TOTAL	男	107	-	-	-	3

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	1	2	3	6	3	2	2	4	4	10	15	10	5
-	-	-	-	-	-	-	-	1	-	1	-	1	1
-	-	-	-	-	2	2	1	6	1	3	2	2	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	1	1
-	-	-	-	-	-	1	-	1	-	-	-	-	-
-	1	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-
1	2	2	3	6	6	5	3	13	9	15	18	14	7

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

膀胱 C67

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80203 81203	移行細胞癌	男	1,243	-	-	1	1
81223 81303	TRANSITIONAL CELL CARCINOMA	女	492	-	-	-	-
81313							
81403 82603	腺癌	男	23	-	-	-	-
83103 84803	ADENOCARCINOMA	女	13	-	-	-	-
80703 80713	鱗狀細胞癌	男	9	-	-	-	-
	SQUAMOUS CELL CARCINOMA	女	7	-	-	-	-
80213 80303	其他明示癌	男	10	-	-	-	-
80333 80413	OTHER SPECIFIED CARCINOMA	女	5	-	-	-	-
81443 84703							
84903 85603							
80103	未明示癌	男	11	-	-	-	-
	CARCINOMA, NOS	女	7	-	-	-	-
89103 89803	明示之肉瘤	男	-	-	-	-	-
	SPECIFIED SARCOMA	女	2	-	-	-	-
88003	未明示之肉瘤	男	-	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	2	-	-	-	-
97643							
80003	其他惡性腫瘤	男	20	-	-	-	-
	OTHER MALIGNANCY	女	11	-	-	-	-
	總計	男	1,318	-	-	1	1
	TOTAL	女	540	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	9	13	14	33	44	104	83	123	187	234	197	131	68
-	-	2	4	11	24	32	37	53	71	95	80	53	30
-	-	-	1	-	1	-	1	3	5	4	3	3	2
-	-	1	-	-	3	1	-	2	2	3	-	1	-
-	-	-	-	2	-	-	-	-	3	2	-	2	-
-	-	-	-	-	-	-	-	1	1	2	1	2	-
-	-	-	1	-	-	-	1	-	1	3	2	2	-
-	-	-	-	-	-	-	1	1	1	1	-	1	-
-	-	-	-	-	-	-	1	1	2	-	4	1	2
-	-	-	-	-	-	-	-	1	1	2	-	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	1	1	-	-	-	-	-	-
-	-	-	1	-	1	1	3	2	6	2	1	2	1
-	-	-	-	-	-	-	-	1	1	1	-	6	2
1	9	13	17	35	46	105	89	129	205	245	207	142	73
1	-	3	4	11	27	34	39	60	77	105	81	65	33

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

腎 C64

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
83103 83123	腎細胞癌	男	353	-	-	-	2
83163 83173 83183	RENAL CELL CARCINOMA	女	192	-	-	-	-
89003 89603	腎胚細胞瘤	男	7	5	1	-	-
	NEPHROBLASTOMA (WILMS TUMOR)	女	7	3	2	-	-
80203 80333	其他明示癌	男	9	-	-	-	-
80413 82903	OTHER SPECIFIED CARCINOMA	女	3	-	-	-	-
83193 83203 89593							
80103	未明示癌	男	8	-	-	-	-
	CARCINOMA, NOS	女	3	-	-	-	-
88513 88603	明示之肉瘤	男	6	-	2	-	1
88903 88943	SPECIFIED SARCOMA	女	5	1	-	-	-
89633 89643							
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	3	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	1	-	-	-	-
97643							
80003 93643	其他惡性腫瘤	男	17	-	-	-	-
	OTHER MALIGNANCY	女	11	-	-	-	-
	總計	男	403	5	3	-	3
	TOTAL	女	225	4	2	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3	2	4	16	19	26	48	33	39	47	43	33	26	12
-	1	6	7	11	21	22	11	22	22	34	16	15	4
-	-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	1	-	2	-	2	2	-	-
-	-	-	-	1	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	2	2	1	1	-	1	1
1	-	1	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	2	-	-	2	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	1	-	-	2	1	1	1	4	1	4	2
-	-	1	-	-	-	1	-	-	3	-	4	2	-
3	2	4	17	20	29	52	36	44	51	50	38	31	15
3	1	9	7	12	22	23	11	25	26	37	22	17	4

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

腎盂 C65

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81203 81223	移行細胞癌	男	219	-	-	-	-
81303	TRANSITIONAL CELL CARCINOMA	女	236	-	-	-	-
80703 80713	鱗狀細胞癌	男	12	-	-	-	-
80743	SQUAMOUS CELL CARCINOMA	女	7	-	-	-	-
81403 82553	腺癌	男	23	-	-	-	-
82603 84803	ADENOCARCINOMA	女	8	-	-	-	-
80303 80823	其他明示癌	男	-	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	2	-	-	-	-
80103	未明示癌	男	1	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	-	-	-	-	-
97643							
80003	其他惡性腫瘤	男	-	-	-	-	-
	OTHER MALIGNANCY	女	5	-	-	-	-
	總計	男	256	-	-	-	-
	TOTAL	女	259	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	1	3	5	4	17	21	15	31	38	27	34	13	10
-	1	2	5	6	6	17	25	20	43	60	32	14	5
-	-	-	-	-	-	3	3	2	-	3	-	1	-
-	-	-	-	-	-	1	-	-	1	2	1	1	1
-	-	1	-	1	1	2	3	2	3	2	1	6	1
-	-	-	-	-	1	-	1	1	4	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	1	-	1	1	-	1
-	1	4	5	5	18	26	21	35	41	33	36	20	11
-	1	2	5	6	7	18	27	22	50	64	34	15	8

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

輸尿管 C66

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	137	-	-	-	-
		女	167	-	-	-	-
80703 80723	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	2	-	-	-	-
		女	5	-	-	-	-
81403	腺癌 ADENOCARCINOMA	男	1	-	-	-	-
		女	1	-	-	-	-
80203 80413	其他明示癌 OTHER SPECIFIED CARCINOMA	男	1	-	-	-	-
		女	2	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	2	-	-	-	-
		女	2	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	1	-	-	-	-
		女	-	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-	-
		女	10	-	-	-	-
	總計 TOTAL	男	145	-	-	-	-
		女	187	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	-	2	7	3	14	14	8	24	24	20	15	5
-	-	-	-	3	5	7	21	24	32	30	25	14	6
-	-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	2	2	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	2	4	3	-
-	1	-	2	7	4	15	16	9	24	26	20	16	5
-	-	-	-	3	5	8	21	26	35	33	30	19	7

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

尿道及其週邊腺體 C68.0 - C68.1

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	6	-	-	-	-
		女	6	-	-	-	-
80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	3	-	-	-	-
		女	1	-	-	-	-
81403 81443	腺癌 ADENOCARCINOMA	男	2	-	-	-	-
		女	1	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	-	-	-	-	-
		女	1	-	-	-	-
87203	惡性黑色素瘤 MALIGNANT MELANOMA	男	-	-	-	-	-
		女	2	-	-	-	-
	總計 TOTAL	男	11	-	-	-	-
		女	11	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	1	-	-	1	1	-	1	-	-	1	-	-
-	-	-	-	-	-	1	1	2	-	-	-	1	1
-	-	-	-	1	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-	-
-	1	1	1	1	1	1	-	2	-	1	2	-	-
-	-	-	-	-	-	1	1	4	1	1	1	1	1

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

跨越泌尿器官兩個以上相鄰部位之病變 C68.8

ICD-O-3	組織形態	性別	年齡			
			0 4	5 9	10 14	15 19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	8	-	-	-
		女	12	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	-	-	-	-
		女	1	-	-	-
80003 89803	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-
		女	1	-	-	-
	總計 TOTAL	男	9	-	-	-
		女	14	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	1	-	2	-	2	-	1	1	-	1
-	-	-	-	-	-	2	1	6	-	1	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	1	-	2	-	2	-	2	1	-	1
-	-	-	-	-	1	2	1	6	-	1	1	1	1

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

		泌尿系統，未明示部位 C68.9					
ICD-O-3	組織形態	性別	年齡	0	5	10	15
			總計	4	9	14	19
81203 81223 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	72	-	-	-	-
		女	87	-	-	-	-
80703	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	1	-	-	-	-
		女	-	-	-	-	
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	1	-	-	-	-
		女	-	-	-	-	
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	-	-	-	-	
		女	2	-	-	-	
	總計 TOTAL	男	74	-	-	-	
		女	89	-	-	-	

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	1	-	7	8	9	9	10	16	7	4	1
-	-	-	2	7	5	4	6	17	15	12	11	5	3
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-	-
-	1	-	1	-	7	8	9	9	11	16	7	4	1
-	-	-	2	7	5	4	7	17	15	13	11	5	3

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

眼及淚腺 C69

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
95103	視網膜芽細胞瘤 RETINOBLASTOMA	男	3	3	-	-	-
		女	6	5	1	-	-
87203 87743	惡性黑色素瘤 MALIGNANT MELANOMA	男	6	-	-	-	-
		女	4	-	-	-	1
80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	3	-	-	-	-
		女	3	-	-	-	-
81403 82003 89403	淚腺癌 LACRIMAL GLAND CARCINOMA	男	2	-	-	-	-
		女	2	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	2	-	-	-	-
		女	1	-	-	-	-
89103	明示之肉瘤 SPECIFIED SARCOMA	男	1	-	-	-	1
		女	1	-	1	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	15	-	-	-	-
		女	12	-	-	-	-
	總計 TOTAL	男	32	3	-	-	1
		女	29	5	2	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	2	-	1	-	1	1	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-	2
-	-	-	-	-	1	-	-	-	-	1	-	-	-
-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	2	5	1	-	1	2	2	-	-
1	-	1	2	1	-	3	-	2	2	-	-	-	-
-	-	-	2	1	3	8	1	2	1	5	4	-	1
1	1	2	2	2	1	3	-	2	5	-	-	-	2

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

腦 C71

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
94003 94013	惡性星形細胞瘤 MALIGNANT ASTROCYTOMA	男	87	2	4	4	5
		女	48	3	1	3	2
94403	多形性神經膠芽細胞瘤 GLIOBLASTOMA MULTIFORME	男	115	-	-	-	-
		女	86	-	-	4	2
93813 94103 94113 94203 94243	其他明示之星形細胞瘤 OTHER SPECIFIED ASTROCYTOMA	男	9	-	-	1	-
		女	4	-	-	-	-
94503 94513	寡樹突膠質細胞瘤 OLIGODENDROGLIOMA	男	26	1	-	1	-
		女	21	-	-	-	-
93803 93823	未明示之神經膠質瘤 GLIOMA,NOS	男	17	2	1	1	-
		女	17	-	2	-	-
94303	星形芽細胞瘤 ASTROBLASTOMA	男	-	-	-	-	-
		女	1	1	-	-	-
94703 94713 94733 95003	神經管芽細胞瘤 MEDULLOBLASTOMA	男	26	8	5	4	1
		女	7	2	-	1	-
95223	感覺神經芽細胞瘤 ESTHESIONEUROBLASTOMA	男	7	-	-	-	1
		女	-	-	-	-	-
93913 93923	室管膜瘤 EPENDYMOMA	男	5	2	-	1	-
		女	8	2	1	-	-
90643 90713 90803 90813 90853 91003 95083	胚細胞瘤及惡性畸胎瘤 GERM CELL TUMOR AND MALIGNANT TERATOMA	男	17	5	2	3	3
		女	4	-	2	-	1
91503 93623 93703 93713 94423 95603	明示之肉瘤 SPECIFIED SARCOMA	男	7	-	-	-	-
		女	6	1	1	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男	2	-	-	-	1
		女	1	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	6	1	12	9	7	6	7	3	10	6	3	1	-
2	1	3	5	7	5	4	1	3	2	4	1	-	1
-	3	3	8	6	7	10	14	10	12	20	16	5	1
-	-	5	5	4	5	13	9	8	12	10	6	3	-
1	1	2	1	-	1	1	1	-	-	-	-	-	-
-	-	-	1	1	-	1	-	1	-	-	-	-	-
-	3	1	3	3	5	1	2	1	1	1	-	3	-
2	3	2	2	3	3	2	1	2	-	1	-	-	-
1	-	-	1	1	2	4	1	-	1	-	2	-	-
-	2	2	1	4	2	2	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	2	-	1	1	1	-	1	-	-	-	-	-
1	-	1	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	2	3	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	-	-	-	-	-	-
1	-	-	1	-	1	-	-	-	-	-	1	1	-
2	1	-	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	2	-	-	1	-	-	1	-	1	-	-	-
-	-	-	-	-	1	1	-	1	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

腦 C71 (續)

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
95903-97293	惡性淋巴瘤	男	27	-	1	1	-
97503-97583	MALIGNANT LYMPHOMA	女	18	-	-	-	1
97643							
82723	腦垂體癌	男	-	-	-	-	-
	PITUITARY CARCINOMA	女	1	-	-	-	-
82003 87203	其他惡性腫瘤	男	4	-	2	-	-
93503 95053	OTHER MALIGNANCY	女	2	-	-	-	-
	總計	男	349	20	15	16	11
	TOTAL	女	224	9	7	8	6

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	2	1	1	3	1	3	7	1	3	3	-
-	-	1	1	2	3	-	1	3	1	2	2	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-	-
7	17	12	27	23	28	30	27	19	31	29	24	12	1
7	7	14	18	22	20	25	12	18	15	17	12	6	1

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

其他神經系統及未詳細說明部位 C70, C72

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
94733 95003	原始性神經外胚層腫瘤 PRIMITIVE NEUROECTODERMAL TUMOR	男	2	1	-	-	-
		女	1	-	-	-	-
94003 94213	星形細胞瘤 ASTROCYTOMA	男	4	1	-	-	-
		女	6	-	-	1	1
93913	室管膜瘤 EPENDYMOMA	男	2	-	-	-	-
		女	4	-	-	-	-
95303 95383	惡性腦膜瘤 MALIGNANT MENINGIOMA	男	15	-	-	-	-
		女	11	-	-	-	-
93703	脊索瘤 CHORDOMA	男	-	-	-	-	-
		女	1	-	-	-	-
90643 90713 95083	胚細胞瘤 GERM CELL TUMOR	男	2	-	-	-	-
		女	2	-	-	1	1
95393 95403 95613	明示之肉瘤 SPECIFIED SARCOMA	男	1	-	-	-	-
		女	3	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	3	-	-	-	-
		女	5	-	-	-	-
80003 93933	其他惡性腫瘤 OTHER MALIGNANCY	男	4	-	-	-	-
		女	2	-	-	1	-
	總計	男	33	2	-	-	-
	TOTAL	女	35	-	-	3	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	1	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	1	-	-
1	-	2	-	-	-	1	-	-	-	-	-	-	-
-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	1	1	-	-	-	-
-	-	1	-	2	4	2	-	2	4	-	-	-	-
1	-	-	1	2	1	2	-	-	1	1	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
2	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	1	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	2	1	1	-	1	-	-
-	-	-	-	-	1	-	-	2	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	4	1	2	6	3	1	6	5	1	1	-	-
5	-	3	1	3	1	4	2	2	4	1	2	2	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

甲狀腺 C73

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80503 82603	乳頭狀癌	男	206	-	1	1	3
83403 83413	PAPILLARY CARCINOMA	女	797	-	-	3	20
83433 83503							
82903 83303	濾泡性腺癌	男	33	-	-	-	4
83313 83353	FOLLICULAR ADENOCARCINOMA	女	93	-	-	1	5
85103	髓質癌	男	8	-	-	-	-
	MEDULLARY CARCINOMA	女	11	-	-	-	-
80703 80713	鱗狀細胞癌	男	3	-	-	-	-
	SQUAMOUS CELL CARCINOMA	女	2	-	-	-	-
81403	腺癌	男	1	-	-	-	-
	ADENOCARCINOMA, NOS	女	-	-	-	-	-
80203 80213	未分化癌	男	6	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	10	-	-	-	-
83373 89803	其他明示癌	男	1	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	4	-	-	-	-
80103	未明示癌	男	11	-	-	-	1
	CARCINOMA, NOS	女	13	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	1
97503-97583	MALIGNANT LYMPHOMA	女	4	1	-	-	-
97643							
80003 80013	其他惡性腫瘤	男	40	1	-	2	2
	OTHER MALIGNANCY	女	41	1	1	-	-
	總計	男	311	1	1	3	11
	TOTAL	女	975	2	1	4	25

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
6 51	14 65	19 69	28 86	18 126	20 101	26 103	18 43	13 52	8 33	13 20	14 17	3 5	1 3
1 4	1 12	1 10	4 11	3 11	3 8	1 11	5 5	3 2	- 3	5 5	2 3	- 2	- -
- 1	- -	1 1	- 1	1 -	1 2	3 2	- 1	- 2	1 1	1 -	- -	- -	- -
- -	- -	- 1	- -	- -	- -	1 -	- -	- -	- -	2 -	- -	- 1	- -
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -
- -	- -	- -	- 1	- -	- -	- -	- 2	- -	- 1	5 2	- 3	- -	1 1
- -	- -	- -	- -	- -	- -	1 1	- -	- 1	- -	- 2	- -	- -	- -
- -	- 1	- 2	- -	1 -	- 1	2 -	2 -	1 2	- -	- 2	- -	3 3	1 2
- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	1 -	- 1	- -	- -
- 1	1 2	2 1	1 4	2 1	- 6	3 4	1 2	5 3	5 -	1 4	9 3	2 4	3 4
7 57	16 80	23 84	33 103	25 138	24 118	37 121	26 54	22 63	14 38	29 35	28 27	6 15	5 10

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

		其他內分泌腺 C74 - C75					
ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
94903 95003	神經母細胞瘤 NEUROBLASTOMA	男	9	6	1	1	-
		女	7	5	1	-	-
83703	腎上腺皮質癌 ADRENAL CORTICAL CARCINOMA	男	5	1	-	-	-
		女	8	1	-	-	-
87003	惡性嗜鉻細胞瘤 MALIGNANT PHEOCHROMOCYTOMA	男	5	-	-	-	-
		女	4	-	-	-	-
81403	腺癌 ADENOCARCINOMA, NOS	男	-	-	-	-	-
		女	1	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	7	-	-	-	-
		女	7	-	-	-	-
88903	明示之肉瘤 SPECIFIED SARCOMA	男	-	-	-	-	-
		女	1	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	-	-	-	-	-
		女	2	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-	-
		女	3	-	-	-	-
	總計 TOTAL	男	27	7	1	1	-
		女	33	6	1	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	2	-	1	-	-	1	-	-	-
-	1	-	2	1	-	-	-	1	1	1	-	-	-
-	-	-	3	-	1	-	-	1	-	-	-	-	-
-	-	-	-	1	1	-	1	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	1	1	-	-	2	1	-	-
-	-	-	1	1	-	1	1	1	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	1	-
-	-	-	3	-	5	1	3	1	-	3	1	1	-
-	1	1	3	3	3	1	2	3	1	3	1	3	1

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

其他分界不明的部位 C76

ICD-O-3	組織形態			年齡			
		性別	總計	0 4	5 9	10 14	15 19
80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	1	-	-	-	-
		女	-	-	-	-	-
81403	腺癌 ADENOCARCINOMA, NOS	男	1	-	-	-	-
		女	-	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	-	-	-	-	-
		女	1	-	-	-	-
	總計 TOTAL	男	2	-	-	-	-
		女	1	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

淋巴結 C77

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
95903 95913	非何杰金氏淋巴瘤	男	431	3	8	8	9
96703 96713	NON-HODGKIN LYMPHOMA	女	336	1	3	5	3
96733 96753							
96803 96843							
96873 96903							
96913 96953							
96983 96993							
97023 97053							
97143 97163							
97193 97273							
97283 97293							
97583							
96503 96513	何杰金氏淋巴瘤	男	69	-	1	6	10
96523 96533	HODGKIN LYMPHOMA	女	47	-	-	3	4
96593 96633							
96643 96653							
96673							
80003	其他惡性腫瘤	男	2	-	-	-	-
	OTHER MALIGNANCY	女	-	-	-	-	-
	總計	男	502	3	9	14	19
	TOTAL	女	383	1	3	8	7

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
8	13	10	12	21	39	28	31	43	50	56	54	26	12
24	29	34	39	44	49	54	59	64	69	74	79	84	
8	6	10	15	27	29	22	34	30	36	39	31	21	16
8	8	3	-	2	4	4	7	3	5	2	5	1	-
11	5	6	4	3	3	1	-	3	1	3	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	21	14	12	23	43	32	38	46	55	58	59	28	12
19	11	16	19	30	32	23	34	33	37	42	31	21	16

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

不明原發部位 C80

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 84803	腺癌 ADENOCARCINOMA	男	211	-	-	-	-
		女	197	-	-	-	-
80703 80713 80723	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	109	-	-	-	-
		女	28	-	-	-	1
80203 80213	未分化癌 CARCINOMA, UNDIFFERENTIATED	男	14	-	-	-	-
		女	6	-	-	-	2
80413	小細胞癌 SMALL CELL CARCINOMA	男	16	-	-	-	-
		女	7	-	-	-	-
91003	絨毛膜癌 CHORIOCARCINOMA	男	-	-	-	-	-
		女	1	-	-	-	-
80223 80323 80333 80463 80503 82403 82433 82463 82603 83103 84613 84903 85603 85743 93103	其他明示癌 OTHER SPECIFIED CARCINOMA	男	29	-	-	-	1
		女	36	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	139	-	-	1	-
		女	75	-	-	-	-
95003	惡性神經性瘤 MALIGNANT NEUROGENIC TUMORS	男	1	1	-	-	-
		女	-	-	-	-	-
88013 88303 88903 89363 89803 91203	明示之肉瘤 SPECIFIED SARCOMA	男	9	-	-	-	-
		女	5	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男	3	-	-	-	-
		女	-	-	-	-	-
87203	惡性黑色素瘤 MALIGNANT MELANOMA	男	2	-	-	-	-
		女	2	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	3	6	9	11	18	10	25	31	30	37	20	10
-	1	-	5	8	9	14	15	21	28	31	31	19	15
1	-	-	9	3	14	10	11	20	5	18	9	5	4
1	-	-	-	3	2	-	2	2	6	3	3	4	1
-	-	1	1	1	1	4	1	2	1	1	1	-	-
-	-	-	-	-	1	1	1	-	-	-	-	-	1
-	-	-	-	-	-	-	-	1	1	6	3	4	1
-	-	-	-	-	2	3	1	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	4	2	2	2	-	8	5	-	4	1
1	1	2	1	1	3	5	4	2	9	2	5	-	-
-	2	-	5	1	10	13	14	12	13	28	19	16	5
1	3	1	4	5	5	8	8	3	13	7	3	6	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	1	2	2	-	1	1	-
-	-	-	-	-	-	-	2	1	1	-	1	-	-
-	-	-	-	-	1	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	-	-	1	-	1	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

不明原發部位 C80 (續)

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
95903-97293	惡性淋巴瘤	男	5	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	4	-	-	-	-
97643							
80003 80043	其他惡性腫瘤	男	119	-	-	1	-
90643 90713	OTHER MALIGNANCY	女	121	-	-	-	1
	總計	男	657	1	-	2	1
	TOTAL	女	482	-	-	-	4

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	1	-	-	-	-	1	-	-	1	-	1	1	-
1	-	-	-	-	-	1	-	-	1	-	-	1	-
-	-	-	1	4	5	4	7	16	8	19	23	15	16
-	-	2	3	3	4	9	3	5	15	15	21	21	19
1	5	4	22	22	44	54	46	79	70	107	95	66	38
4	5	5	13	20	26	42	36	34	73	59	64	52	45

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年(續)
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONTINUED)

何杰金氏淋巴瘤 ICD-O-3 M-96503 - M-96673

ICD-O-3	組織形態	性別	年齡				
			0 4	5 9	10 14	15 19	
96513	富淋巴球性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, LYMPHOCYTE-RICH	男	5	-	-	1	1
		女	4	-	-	-	1
96533	淋巴球缺乏性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, LYMPHOCYTE- DEPLETED	男	-	-	-	-	
		女	2	-	-	-	
96523	混合細胞性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, MIXED CELLULARITY	男	10	-	-	1	-
		女	6	-	-	-	-
96593 96633	小結性何杰金氏淋巴瘤 NODULAR HODGKIN LYMPHOMA	男	29	-	-	2	7
96643 96653 96673		女	28	-	-	1	3
96503	未明示之何杰金氏淋巴瘤 HODGKIN LYMPHOMA, NOS	男	30	-	1	2	3
		女	14	-	-	2	1
	總計 TOTAL	男	74	-	1	6	11
		女	54	-	-	3	5

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	1	-	2	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	1	-	-	2	-	4	-	-	-	2	-	-
1	1	-	-	1	2	-	-	1	-	-	-	-	-
5	5	1	-	-	2	2	1	-	2	1	1	-	-
7	4	6	1	3	-	1	-	1	1	-	-	-	-
3	3	2	-	2	-	2	2	1	4	2	2	1	-
4	2	1	3	-	-	-	-	-	-	1	-	-	-
8	8	4	-	2	4	5	7	3	6	3	5	1	-
12	7	7	4	4	3	1	-	3	1	3	1	-	-

表七 臺灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國九十二年（續完）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2003 (CONCLUDED)

非何杰金氏淋巴瘤 ICD-O-3 M-95903 - M-95963, M-96703 - M-97293, M-97503 - M-97583, M-97643

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
96703	小淋巴球性惡性淋巴瘤 MALIGNANT LYMPHOMA, SMALL LYMPHOCYTIC	男 女	22 14	- -	- -	- -	- -
96803 96843	大淋巴球性惡性淋巴瘤 MALIGNANT LYMPHOMA, LARGE LYMPHOCYTIC	男 女	404 335	2 1	5 -	5 -	4 5
96733	外套細胞惡性淋巴瘤 MALIGNANT MANTLE CELL LYMPHOMA	男 女	17 3	- -	- -	- -	- -
96873	Burkitt 氏淋巴瘤 BURKITT LYMPHOMA, NOS	男 女	15 11	- 1	3 -	3 2	- -
96753 96903 96913 96953 96983	濾泡性惡性淋巴瘤 MALIGNANT FOLLICULAR LYMPHOMA	男 女	83 68	- -	- -	1 1	- -
96893 96993	邊緣區 B 細胞惡性淋巴瘤 (包含與黏膜相關淋巴樣組織淋巴瘤) MALIGNANT MARGINAL ZONE B-CELL LYMPHOMA (INCLUDING MALT LYMPHOMA)	男 女	55 50	- -	- -	- -	1 -
95963 96713 97003 97023 97053 97083 97093 97143 97163 97173 97183 97193	其他明示之非何杰金氏淋巴瘤 OTHER SPECIFIED NON-HODGKIN LYMPHOMA	男 女	157 79	- -	- 2	1 4	8 3
95903 95913	未明示之非何杰金氏淋巴瘤 MALIGNANT NON-HODGKIN LYMPHOMA, NOS	男 女	135 103	- -	1 1	1 1	1 -
97273 97283 97293 97503 97513 97543 97553 97583	其他淋巴網狀贅瘤 (不成熟型淋巴芽細胞性淋巴瘤) OTHER LYMPHO-RETICULAR NEOPLASMS (PRECURSOR CELL LYMPHOBLASTIC LYMPHOMA)	男 女	29 13	5 4	2 1	4 1	2 -
	總計 TOTAL	男 女	917 676	7 6	11 4	15 9	16 8

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	2	1	1	1	1	1	3	2	5	5	-
-	-	-	1	-	1	3	2	2	1	2	-	1	1
5	5	8	16	21	32	27	30	36	43	57	60	34	14
8	5	8	10	17	28	25	35	41	40	38	34	23	17
-	-	-	-	-	2	2	4	6	-	2	-	-	1
-	-	-	-	1	1	-	-	-	1	-	-	-	-
1	1	1	1	1	-	-	-	1	1	-	1	1	-
1	-	-	1	-	1	-	1	1	2	1	-	-	-
3	1	2	1	8	10	8	8	4	10	11	10	6	-
-	3	3	3	11	12	7	5	7	4	5	3	4	-
-	1	-	1	3	6	9	6	5	5	7	6	5	-
1	-	3	4	8	2	8	7	5	5	2	2	1	2
7	8	4	9	8	14	12	13	18	14	20	14	5	2
2	3	3	5	4	7	7	7	7	9	6	7	1	2
1	2	6	4	6	9	8	10	19	18	16	21	6	6
3	2	6	2	6	5	7	8	12	9	8	9	14	10
-	4	1	1	-	1	2	1	-	-	4	1	-	1
-	2	1	2	1	-	-	-	-	-	-	-	-	1
17	22	22	35	48	75	69	73	90	94	119	118	62	24
15	15	24	28	48	57	57	65	75	71	62	55	44	33