

表十之一 臺灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 92 年

NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2003

ICD-O-3	原發部位別	年度												
		性別	68	69	70	71	72	73	74	75	76	77		
C00-C80	全癌症（總計）	男	7,398	8,997	9,237	8,588	9,853	10,189	10,879	11,256	13,551	12,967		
		女	5,514	6,465	6,645	6,598	7,850	7,890	8,386	8,093	9,653	9,519		
		計	12,912	15,462	15,882	15,186	17,703	18,079	19,265	19,349	23,204	22,486		
C00-C14	唇、口腔及咽	男	1,159	1,282	1,291	1,115	1,266	1,374	1,375	1,339	1,496	1,617		
		女	383	433	438	438	466	441	453	426	480	443		
		計	1,542	1,715	1,729	1,553	1,732	1,815	1,828	1,765	1,976	2,060		
C00-C14 ¹	口腔、口咽及下咽	男	374	428	386	369	469	555	599	608	734	779		
		女	78	92	103	95	116	87	122	94	128	127		
		計	452	520	489	464	585	642	721	702	862	906		
C00	唇（唇的皮膚 C44.0 除外）	男	16	8	15	6	17	20	26	21	23	26		
		女	4	3	5	4	7	3	5	5	9	6		
		計	20	11	20	10	24	23	31	26	32	32		
C01-C02	舌	男	90	123	89	92	123	143	166	145	213	176		
		女	23	28	28	27	34	20	38	28	35	46		
		計	113	151	117	119	157	163	204	173	248	222		
C03	齒齦	男	27	40	19	18	27	24	24	19	30	42		
		女	6	9	4	2	13	3	7	7	3	7		
		計	33	49	23	20	40	27	31	26	33	49		
C04	口底	男	11	21	8	8	7	13	12	14	15	23		
		女	2	1	-	2	3	4	4	-	2	1		
		計	13	22	8	10	10	17	16	14	17	24		
C05-C06	口腔之其他及未詳細說明部位	男	116	124	139	125	160	197	210	231	246	307		
		女	25	28	29	30	28	36	45	32	42	44		
		計	141	152	168	155	188	233	255	263	288	351		
C09-C10	口咽	男	54	49	49	45	51	66	64	73	78	67		
		女	12	15	23	18	24	19	14	15	23	13		
		計	66	64	72	63	75	85	78	88	101	80		
C12-C13	下咽	男	54	56	61	70	82	87	90	99	116	131		
		女	4	6	11	8	6	2	5	5	8	7		
		計	58	62	72	78	88	89	95	104	124	138		
C14	咽和唇、口腔及咽之分界不明部位	男	6	7	6	5	2	5	7	6	13	7		
		女	2	2	3	4	1	-	4	2	6	3		
		計	8	9	9	9	3	5	11	8	19	10		
C07-C08	主唾液腺	男	29	39	34	43	42	41	31	29	46	50		
		女	19	25	40	31	32	29	26	32	33	27		
		計	48	64	74	74	74	70	57	61	79	77		

註：1. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	ICD-O-3
15,562	14,034	17,075	18,732	19,476	20,273	21,236	24,382	26,480	29,462	31,986	33,396	34,021	34,487	36,285	C00-C80
11,258	10,174	12,824	14,243	14,701	15,084	15,835	18,233	20,232	22,013	23,746	24,760	25,091	25,036	26,257	
26,820	24,208	29,899	32,975	34,177	35,357	37,071	42,615	46,712	51,475	55,732	58,156	59,112	59,523	62,542	
1,761	1,674	2,015	2,315	2,406	2,570	2,692	3,046	3,354	3,707	4,100	4,349	4,451	4,396	5,313	C00-C14
499	446	538	607	601	612	618	656	684	749	776	762	850	736	802	
2,260	2,120	2,553	2,922	3,007	3,182	3,310	3,702	4,038	4,456	4,876	5,111	5,301	5,132	6,115	
890	893	1,102	1,329	1,435	1,602	1,703	2,018	2,279	2,573	2,988	3,183	3,292	3,290	4,040	C00-C14 ¹
152	129	167	198	193	184	208	260	269	283	326	319	366	340	395	
1,042	1,022	1,269	1,527	1,628	1,786	1,911	2,278	2,548	2,856	3,314	3,502	3,658	3,630	4,435	
36	29	32	53	52	58	67	87	88	103	117	147	150	120	127	C00
10	6	7	8	5	10	20	13	15	12	14	19	12	16	27	
46	35	39	61	57	68	87	100	103	115	131	166	162	136	154	
217	228	308	366	379	436	479	520	583	709	800	822	890	837	1,125	C01-C02
43	48	51	69	76	61	67	101	97	85	129	121	138	128	146	
260	276	359	435	455	497	546	621	680	794	929	943	1,028	965	1,271	
34	43	59	73	61	82	95	107	146	160	172	214	232	214	245	C03
12	13	8	11	11	15	12	24	19	17	32	23	31	27	34	
46	56	67	84	72	97	107	131	165	177	204	237	263	241	279	
20	22	25	30	31	41	30	37	58	55	83	80	79	77	83	C04
5	4	2	7	4	11	4	3	14	6	9	10	5	10	3	
25	26	27	37	35	52	34	40	72	61	92	90	84	87	86	
355	340	395	483	531	596	662	790	882	941	1,169	1,234	1,189	1,238	1,531	C05-C06
47	35	57	59	58	52	53	71	83	90	83	84	91	91	107	
402	375	452	542	589	648	715	861	965	1,031	1,252	1,318	1,280	1,329	1,638	
64	86	92	112	130	142	129	153	203	210	246	265	312	297	362	C09-C10
21	13	25	33	27	23	43	37	32	53	43	45	62	46	63	
85	99	117	145	157	165	172	190	235	263	289	310	374	343	425	
149	133	178	200	237	232	220	294	298	366	375	386	407	460	519	C12-C13
9	6	10	7	7	10	7	8	7	15	13	12	20	16	14	
158	139	188	207	244	242	227	302	305	381	388	398	427	476	533	
15	12	13	12	14	15	21	30	21	29	26	35	33	47	48	C14
5	4	7	4	5	2	2	3	2	5	3	5	7	6	1	
20	16	20	16	19	17	23	33	23	34	29	40	40	53	49	
35	51	71	72	46	69	57	66	72	84	105	92	105	95	116	C07-C08
39	33	46	49	47	49	47	50	44	55	70	72	94	74	56	
74	84	117	121	93	118	104	116	116	139	175	164	199	169	172	

表十之一 臺灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 92 年（續）

NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2003
(CONTINUED)

ICD-O-3	原發部位別	年度		68	69	70	71	72	73	74	75	76	77
		男	女										
C11	鼻咽	男		756	815	871	703	755	778	745	702	716	788
		女		286	316	295	312	318	325	305	300	319	289
		計		1,042	1,131	1,166	1,015	1,073	1,103	1,050	1,002	1,035	1,077
C15-C26, C48	消化器官及腹膜	男		3,394	3,970	4,274	3,911	4,625	4,757	5,067	5,373	6,471	6,128
		女		1,177	1,464	1,490	1,525	1,764	1,924	1,988	2,082	2,632	2,516
		計		4,571	5,434	5,764	5,436	6,389	6,681	7,055	7,455	9,103	8,644
C15	食道	男		332	436	440	395	447	429	406	461	464	458
		女		46	41	63	39	54	51	43	42	51	42
		計		378	477	503	434	501	480	449	503	515	500
C16	胃	男		1,133	1,281	1,388	1,250	1,455	1,388	1,528	1,466	1,779	1,570
		女		368	469	481	474	558	575	600	601	717	626
		計		1,501	1,750	1,869	1,724	2,013	1,963	2,128	2,067	2,496	2,196
C17	小腸	男		30	40	44	34	39	50	51	55	62	50
		女		20	29	17	24	26	37	31	30	44	45
		計		50	69	61	58	65	87	82	85	106	95
C18-C21	結腸及直腸	男		767	923	933	880	944	1,054	1,096	1,214	1,497	1,356
		女		492	624	608	639	699	757	831	857	1,059	1,071
		計		1,259	1,547	1,541	1,519	1,643	1,811	1,927	2,071	2,556	2,427
C18	結腸	男		366	445	504	470	475	554	572	623	776	730
		女		243	317	324	369	378	388	463	480	563	590
		計		609	762	828	839	853	942	1,035	1,103	1,339	1,320
C19-C21	直腸、乙狀結腸連結 部及肛門	男		401	478	429	410	469	500	524	591	721	626
		女		249	307	284	270	321	369	368	377	496	481
		計		650	785	713	680	790	869	892	968	1,217	1,107
C22	肝及肝內膽管	男		974	1,104	1,250	1,126	1,461	1,548	1,699	1,875	2,278	2,316
		女		163	197	211	222	248	313	288	360	508	462
		計		1,137	1,301	1,461	1,348	1,709	1,861	1,987	2,235	2,786	2,778
C23-C24	膽囊及肝外膽管	男		40	51	66	57	65	74	80	90	112	117
		女		24	42	38	50	49	74	73	75	80	87
		計		64	93	104	107	114	148	153	165	192	204
C25	胰	男		93	109	128	138	168	172	180	179	224	219
		女		46	48	54	45	90	86	91	91	125	136
		計		139	157	182	183	258	258	271	270	349	355
C48	後腹膜腔及腹膜	男		15	17	19	19	29	32	20	25	37	33
		女		11	8	11	27	24	19	22	18	31	34
		計		26	25	30	46	53	51	42	43	68	67

78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	ICD-O-3
836	730	842	914	925	899	932	962	1,003	1,050	1,007	1,074	1,054	1,011	1,157	C11
308	284	325	360	361	379	363	346	371	411	380	371	390	322	351	
1,144	1,014	1,167	1,274	1,286	1,278	1,295	1,308	1,374	1,461	1,387	1,445	1,444	1,333	1,508	
7,437	6,513	7,990	8,618	8,903	9,005	9,668	11,070	12,063	13,559	14,502	15,082	15,473	15,776	16,267	C15-C26, C48
2,982	2,757	3,665	4,032	4,166	4,379	4,577	5,377	6,188	6,791	7,361	7,769	7,955	8,155	8,521	
10,419	9,270	11,655	12,650	13,069	13,384	14,245	16,447	18,251	20,350	21,863	22,851	23,428	23,931	24,788	
524	467	560	599	609	636	657	790	816	867	917	994	1,164	1,140	1,258	C15
55	56	62	82	62	65	65	90	76	92	91	83	90	110	111	
579	523	622	681	671	701	722	880	892	959	1,008	1,077	1,254	1,250	1,369	
1,802	1,562	1,811	1,958	1,895	1,794	1,996	2,116	2,138	2,270	2,334	2,266	2,414	2,470	2,308	C16
748	672	895	908	870	868	941	1,067	1,183	1,154	1,175	1,217	1,213	1,243	1,226	
2,550	2,234	2,706	2,866	2,765	2,662	2,937	3,183	3,321	3,424	3,509	3,483	3,627	3,713	3,534	
77	68	80	90	95	77	77	110	123	129	154	157	153	168	174	C17
52	35	52	47	59	55	59	63	80	68	89	102	111	98	146	
129	103	132	137	154	132	136	173	203	197	243	259	264	266	320	
1,739	1,515	1,948	2,243	2,387	2,517	2,531	3,041	3,282	3,751	4,054	4,319	4,240	4,444	4,677	C18-C21
1,180	1,136	1,488	1,654	1,805	1,871	1,899	2,254	2,511	2,857	3,018	3,252	3,250	3,318	3,561	
2,919	2,651	3,436	3,897	4,192	4,388	4,430	5,295	5,793	6,608	7,072	7,571	7,490	7,762	8,238	
918	807	1,000	1,156	1,233	1,327	1,305	1,664	1,700	2,006	2,213	2,363	2,289	2,428	2,472	C18
641	595	780	907	998	992	1,081	1,302	1,379	1,612	1,759	1,838	1,870	1,864	2,062	
1,559	1,402	1,780	2,063	2,231	2,319	2,386	2,966	3,079	3,618	3,972	4,201	4,159	4,292	4,534	
821	708	948	1,087	1,154	1,190	1,226	1,377	1,582	1,745	1,841	1,956	1,951	2,016	2,205	C19-C21
539	541	708	747	806	879	818	952	1,132	1,245	1,259	1,414	1,380	1,454	1,499	
1,360	1,249	1,656	1,834	1,960	2,069	2,044	2,329	2,714	2,990	3,100	3,370	3,331	3,470	3,704	
2,815	2,507	3,094	3,171	3,280	3,416	3,779	4,312	4,930	5,664	6,093	6,304	6,462	6,517	6,753	C22
622	606	815	958	942	1,074	1,187	1,373	1,741	1,968	2,256	2,345	2,509	2,522	2,651	
3,437	3,113	3,909	4,129	4,222	4,490	4,966	5,685	6,671	7,632	8,349	8,649	8,971	9,039	9,404	
151	129	156	144	230	192	211	213	235	288	311	327	325	344	355	C23-C24
110	90	140	149	193	180	185	197	239	244	281	289	303	336	290	
261	219	296	293	423	372	396	410	474	532	592	616	628	680	645	
269	221	280	347	345	313	359	414	461	519	556	639	638	618	676	C25
153	124	163	178	181	198	184	274	299	330	369	380	388	453	466	
422	345	443	525	526	511	543	688	760	849	925	1,019	1,026	1,071	1,142	
42	33	44	49	42	46	40	60	63	60	71	60	61	66	53	C48
45	22	33	39	38	45	42	53	50	66	61	78	66	67	60	
87	55	77	88	80	91	82	113	113	126	132	138	127	133	113	

表十之一 臺灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 92 年（續）

NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2003
(CONTINUED)

ICD-O-3	原發部位別	年度		68	69	70	71	72	73	74	75	76	77
		男	女										
C26	消化器官之其他部位及 與腹膜分界不明部位	男		10	9	6	12	17	10	7	8	18	9
		女		7	6	7	5	16	12	9	8	17	13
		計		17	15	13	17	33	22	16	16	35	22
C30-C39	呼吸系統及胸腔內器官	男		1,286	1,665	1,701	1,584	1,784	1,874	2,005	2,108	2,475	2,360
		女		396	485	526	476	607	580	670	712	868	798
		計		1,682	2,150	2,227	2,060	2,391	2,454	2,675	2,820	3,343	3,158
C30-C31	鼻腔、副竇、中耳及內 耳	男		62	58	78	70	78	88	81	54	84	103
		女		19	25	46	35	44	28	45	33	50	39
		計		81	83	124	105	122	116	126	87	134	142
C32	喉	男		154	180	187	214	195	185	208	233	294	251
		女		12	10	19	15	12	12	14	13	23	11
		計		166	190	206	229	207	197	222	246	317	262
C33-C34	肺、支氣管及氣管	男		1,050	1,403	1,409	1,271	1,484	1,559	1,666	1,756	2,040	1,931
		女		353	436	450	408	524	526	581	632	760	723
		計		1,403	1,839	1,859	1,679	2,008	2,085	2,247	2,388	2,800	2,654
C38.4	胸膜	男		2	5	5	7	6	2	1	13	11	19
		女		3	1	2	2	6	2	7	9	10	6
		計		5	6	7	9	12	4	8	22	21	25
C37-C38.3, C38.8	胸腺、心臟及中隔	男		18	19	22	22	21	40	49	52	45	56
		女		9	13	9	16	21	11	23	25	25	19
		計		27	32	31	38	42	51	72	77	70	75
C39	呼吸系統及胸內器官之 其他分界不明之部位	男		-	-	-	-	-	-	-	-	1	-
		女		-	-	-	-	-	1	-	-	-	-
		計		-	-	-	-	-	1	-	-	1	-
C42 ²	白血病	男		197	279	292	299	303	302	298	288	340	280
		女		132	179	227	179	172	204	185	220	246	197
		計		329	458	519	478	475	506	483	508	586	477
C42	造血系統及網狀內皮系 統（白血病除外）	男		106	119	100	125	97	86	94	108	160	185
		女		54	72	70	86	75	67	65	81	101	89
		計		160	191	170	211	172	153	159	189	261	274
C40-C41	骨、關節及關節軟骨	男		46	81	54	49	45	63	42	57	65	91
		女		30	35	29	32	36	34	44	37	53	58
		計		76	116	83	81	81	97	86	94	118	149
C47, C49	結締組織、軟組織及其 他皮下組織	男		50	42	64	63	81	89	91	83	96	86
		女		32	34	45	47	31	39	50	52	52	78
		計		82	76	109	110	112	128	141	135	148	164

註：2. 白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99863、M-99893。

78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	ICD-O-3
18	11	17	17	20	14	18	14	15	11	11	16	16	9	13	C26
17	16	17	17	17	23	15	6	9	12	21	24	25	8	10	
35	27	34	34	37	37	33	20	24	23	32	40	41	17	23	
2,769	2,481	3,022	3,328	3,366	3,555	3,648	4,275	4,493	4,870	5,294	5,637	5,520	5,439	5,760	C30-C39
1,019	934	1,177	1,251	1,269	1,354	1,387	1,670	1,784	2,017	2,246	2,294	2,404	2,513	2,577	
3,788	3,415	4,199	4,579	4,635	4,909	5,035	5,945	6,277	6,887	7,540	7,931	7,924	7,952	8,337	
88	85	88	115	88	101	98	110	120	97	128	153	117	117	122	C30-C31
40	42	62	64	55	47	35	49	52	52	61	74	61	62	62	
128	127	150	179	143	148	133	159	172	149	189	227	178	179	184	
251	222	274	320	282	340	349	365	393	394	430	480	492	463	462	C32
22	11	23	19	15	18	18	31	30	16	24	24	23	24	27	
273	233	297	339	297	358	367	396	423	410	454	504	515	487	489	
2,369	2,099	2,571	2,797	2,887	3,023	3,100	3,674	3,862	4,274	4,603	4,853	4,766	4,740	5,025	C33-C34
921	845	1,055	1,104	1,138	1,233	1,281	1,522	1,643	1,863	2,086	2,119	2,238	2,332	2,390	
3,290	2,944	3,626	3,901	4,025	4,256	4,381	5,196	5,505	6,137	6,689	6,972	7,004	7,072	7,415	
18	14	6	14	10	7	14	13	16	16	16	22	16	17	26	C38.4
11	5	4	14	6	4	4	7	6	5	5	7	8	7	9	
29	19	10	28	16	11	18	20	22	21	21	29	24	24	35	
42	61	83	80	97	84	87	113	102	89	117	129	129	102	125	C37-C38.3,
25	31	32	50	55	51	49	61	53	81	70	70	74	88	89	C38.8
67	92	115	130	152	135	136	174	155	170	187	199	203	190	214	
1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	C39
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
1	-	1	2	2	1	-	-	-	-	-	-	-	-	-	
331	326	360	362	415	429	473	468	490	508	542	588	591	789	804	C42²
261	214	247	282	280	319	336	347	359	387	380	433	420	525	519	
592	540	607	644	695	748	809	815	849	895	922	1,021	1,011	1,314	1,323	
158	133	192	169	200	200	195	222	191	234	242	265	292	257	268	C42
99	89	110	104	117	121	92	123	133	127	134	167	158	161	172	
257	222	302	273	317	321	287	345	324	361	376	432	450	418	440	
107	61	85	89	86	85	86	91	86	98	85	79	90	81	69	C40-C41
72	47	73	74	68	45	63	65	61	64	56	74	67	70	46	
179	108	158	163	154	130	149	156	147	162	141	153	157	151	115	
112	97	119	110	122	130	168	164	154	203	200	213	252	245	219	C47, C49
72	62	72	92	112	103	94	133	141	143	177	166	152	161	193	
184	159	191	202	234	233	262	297	295	346	377	379	404	406	412	

表十之一 臺灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 92 年（續）

NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2003
(CONTINUED)

ICD-O-3	原發部位別	年度 性別	68	69	70	71	72	73	74	75	76	77
			C44	皮膚	男	158	178	170	193	287	256	290
		女	87	85	114	93	201	168	215	145	206	217
		計	245	263	284	286	488	424	505	408	492	512
C44 ³	皮膚，惡性黑色素瘤	男	7	12	8	17	35	24	32	28	27	22
		女	7	13	15	7	13	14	20	13	25	16
		計	14	25	23	24	48	38	52	41	52	38
C44	皮膚，非惡性黑色素瘤	男	151	166	162	176	252	232	258	235	259	273
		女	80	72	99	86	188	154	195	132	181	201
		計	231	238	261	262	440	386	453	367	440	474
C50	女性乳房	女	694	785	892	895	1,059	1,062	1,157	1,129	1,286	1,394
C50	男性乳房	男	6	1	2	6	15	15	17	6	10	5
C51-C58	女性生殖器官	女	2,037	2,159	2,076	2,146	2,695	2,641	2,694	2,355	2,579	2,582
C55	子宮，未明示部位	女	28	26	23	27	35	29	29	25	40	53
C53	子宮頸	女	1,770	1,816	1,748	1,778	2,262	2,230	2,250	1,879	2,041	2,036
C54	子宮體	女	57	98	88	93	119	122	159	154	138	162
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶	女	130	161	157	179	200	180	194	243	309	263
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳細說明之女性生殖器官	女	52	58	60	69	79	80	62	54	51	68
C60-C63	男性生殖器官	男	163	243	197	220	302	305	345	340	452	453

註：3. 皮膚，惡性黑色素瘤：ICD-O-3 C44，M-87203 - M-87903。

78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	ICD-O-3
376	339	402	473	463	549	494	667	730	826	930	917	984	1,105	960	C44
288	280	307	378	385	434	461	542	638	756	746	767	882	907	783	
664	619	709	851	848	983	955	1,209	1,368	1,582	1,676	1,684	1,866	2,012	1,743	
33	35	39	51	50	48	37	71	59	75	90	78	79	88	74	C44 ³
24	25	31	46	39	38	42	53	64	69	75	79	75	69	66	
57	60	70	97	89	86	79	124	123	144	165	157	154	157	140	
343	304	363	422	413	501	457	596	671	751	840	839	905	1,017	886	C44
264	255	276	332	346	396	419	489	574	687	671	688	807	838	717	
607	559	639	754	759	897	876	1,085	1,245	1,438	1,511	1,527	1,712	1,855	1,603	
1,685	1,577	1,951	2,238	2,368	2,464	2,792	3,052	3,575	3,764	4,437	4,619	4,784	4,879	5,325	C50
6	10	13	20	18	20	18	11	23	23	28	23	27	35	32	C50
2,867	2,485	3,022	3,293	3,300	3,223	3,375	3,935	4,039	4,290	4,312	4,402	4,080	3,707	3,832	C51-C58
56	36	43	33	22	35	16	5	7	9	10	10	5	4	2	C55
2,149	1,871	2,235	2,443	2,421	2,324	2,415	2,895	2,828	2,943	2,916	2,869	2,497	2,111	2,061	C53
210	175	254	304	316	314	334	391	488	544	542	615	690	741	793	C54
372	331	411	402	454	474	499	545	626	670	717	783	772	753	833	C56, C57.0-C57.4
80	72	79	111	87	76	111	99	90	124	127	125	116	98	143	C51-C52 C57.7-C57.9
587	575	707	797	939	952	1,132	1,333	1,643	1,905	2,124	2,262	2,301	2,425	2,464	C60-C63

表十之一 臺灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 92 年（續）

NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2003
(CONTINUED)

ICD-O-3	原發部位別	年度		68	69	70	71	72	73	74	75	76	77
		性別											
C61	攝護腺	男		99	145	139	141	204	216	269	261	350	362
C62	睪丸	男		27	40	28	42	54	36	44	42	49	45
C60,C63	陰莖及其他男性生殖器官	男		37	58	30	37	44	53	32	37	53	46
C64-C68	泌尿器官	男		348	432	441	470	531	524	646	617	773	700
		女		115	186	185	188	232	215	260	236	308	345
		計		463	618	626	658	763	739	906	853	1,081	1,045
C67	膀胱	男		237	294	304	334	392	379	425	405	496	473
		女		57	87	96	109	139	112	158	133	176	170
		計		294	381	400	443	531	491	583	538	672	643
C64-C66, C68	腎及其他泌尿器官	男		111	138	137	136	139	145	221	212	277	227
		女		58	99	89	79	93	103	102	103	132	175
		計		169	237	226	215	232	248	323	315	409	402
C64	腎	男		64	67	67	71	72	65	117	110	132	131
		女		31	44	39	35	39	46	44	54	62	79
		計		95	111	106	106	111	111	161	164	194	210
C65-C66, C68	腎盂及其他泌尿器官 (膀胱、腎除外)	男		47	71	70	65	67	80	104	102	145	96
		女		27	55	50	44	54	57	58	49	70	96
		計		74	126	120	109	121	137	162	151	215	192
C69	眼及淚腺	男		11	29	31	18	25	20	20	23	26	25
		女		21	10	33	27	25	15	16	16	20	18
		計		32	39	64	45	50	35	36	39	46	43
C70-C72	中樞神經系統	男		121	141	173	171	184	176	172	208	234	214
		女		55	85	117	110	120	119	119	141	180	177
		計		176	226	290	281	304	295	291	349	414	391
C71	腦	男		116	115	163	158	168	162	160	187	208	202
		女		51	76	107	103	107	108	106	130	168	152
		計		167	191	270	261	275	270	266	317	376	354
C70, C72	其他神經系統及未詳細說明部位	男		5	26	10	13	16	14	12	21	26	12
		女		4	9	10	7	13	11	13	11	12	25
		計		9	35	20	20	29	25	25	32	38	37

78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	ICD-O-3
482	477	592	665	798	814	993	1,208	1,518	1,743	1,952	2,078	2,105	2,204	2,237	C61
53	38	61	73	77	84	86	62	65	91	100	111	114	124	120	C62
52	60	54	59	64	54	53	63	60	71	72	73	82	97	107	C60,C63
901	862	1,015	1,152	1,184	1,338	1,297	1,506	1,697	1,824	2,094	1,994	2,144	1,987	2,216	C64-C68
422	406	457	538	612	664	637	741	946	983	1,124	1,205	1,211	1,126	1,325	
1,323	1,268	1,472	1,690	1,796	2,002	1,934	2,247	2,643	2,807	3,218	3,199	3,355	3,113	3,541	
593	568	663	742	746	822	795	943	1,057	1,144	1,293	1,243	1,276	1,195	1,318	C67
203	192	236	262	290	312	285	351	431	415	480	494	521	468	540	
796	760	899	1,004	1,036	1,134	1,080	1,294	1,488	1,559	1,773	1,737	1,797	1,663	1,858	
308	294	352	410	438	516	502	563	640	680	801	751	868	792	898	C64-C66,C68
219	214	221	276	322	352	352	390	515	568	644	711	690	658	785	
527	508	573	686	760	868	854	953	1,155	1,248	1,445	1,462	1,558	1,450	1,683	
144	155	179	216	205	264	262	283	318	330	377	380	402	386	403	C64
94	96	85	112	118	131	151	157	199	207	206	211	201	200	225	
238	251	264	328	323	395	413	440	517	537	583	591	603	586	628	
164	139	173	194	233	252	240	280	322	350	424	371	466	406	495	C65-C66,C68
125	118	136	164	204	221	201	233	316	361	438	500	489	458	560	
289	257	309	358	437	473	441	513	638	711	862	871	955	864	1,055	
26	25	36	31	35	34	32	32	33	27	35	53	44	48	32	C69
21	28	29	30	29	25	31	22	25	30	29	33	44	32	29	
47	53	65	61	64	59	63	54	58	57	64	86	88	80	61	
261	258	312	293	330	352	297	344	359	343	411	409	408	386	382	C70-C72
187	168	213	218	208	224	206	233	233	294	270	320	307	270	259	
448	426	525	511	538	576	503	577	592	637	681	729	715	656	641	
239	237	283	267	291	321	281	323	329	307	378	380	367	342	349	C71
168	154	191	198	182	202	177	209	209	266	247	281	282	242	224	
407	391	474	465	473	523	458	532	538	573	625	661	649	584	573	
22	21	29	26	39	31	16	21	30	36	33	29	41	44	33	C70, C72
19	14	22	20	26	22	29	24	24	28	23	39	25	28	35	
41	35	51	46	65	53	45	45	54	64	56	68	66	72	68	

表十之一 臺灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 92 年（續完）
 NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2003
 (CONCLUDED)

ICD-O-3	原發部位別	年度		68	69	70	71	72	73	74	75	76	77
		男	女										
C73	甲狀腺	男		36	46	62	80	60	84	77	76	91	76
		女		112	167	162	165	200	221	275	232	300	281
		計		148	213	224	245	260	305	352	308	391	357
C74-C75	其他內分泌腺	男		4	9	11	11	10	17	24	19	23	24
		女		5	1	9	8	7	7	5	10	20	19
		計		9	10	20	19	17	24	29	29	43	43
C76	其他分界不明的部位	男		34	71	73	46	44	35	35	43	106	53
		女		24	38	48	43	30	18	33	29	67	71
		計		58	109	121	89	74	53	68	72	173	124
C77	淋巴結	男		119	197	183	154	155	172	191	201	276	231
		女		55	112	96	96	88	84	96	106	123	119
		計		174	309	279	250	243	256	287	307	399	350
C80	不明原發部位	男		160	212	118	73	39	40	90	104	171	144
		女		105	135	88	44	42	51	61	84	132	117
		計		265	347	206	117	81	91	151	188	303	261

註：本表之數值與歷年出版之年報略有差異，此因癌症資料庫隨時保持最新狀態，若有任何異動或以往尚未入檔之個案，癌症小組會隨時加以更新。

78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	ICD-O-3
88	107	133	193	196	181	176	198	194	237	213	289	263	348	311	C73
349	330	461	580	656	572	610	677	762	875	976	956	984	1,034	975	
437	437	594	773	852	753	786	875	956	1,112	1,189	1,245	1,247	1,382	1,286	
17	16	33	33	25	31	38	28	43	34	38	52	30	44	27	C74-C75
13	16	30	25	17	24	22	26	32	28	29	28	27	21	33	
30	32	63	58	42	55	60	54	75	62	67	80	57	65	60	
60	62	58	69	59	47	32	3	6	2	6	10	3	1	2	C76
78	37	68	61	46	36	36	11	7	2	5	7	3	5	1	
138	99	126	130	105	83	68	14	13	4	11	17	6	6	3	
261	241	301	315	327	323	329	410	395	423	459	457	521	498	502	C77
147	122	156	184	179	177	186	252	252	280	252	288	317	308	383	
408	363	457	499	506	500	515	662	647	703	711	745	838	806	885	
304	254	282	365	402	472	461	514	526	639	684	717	627	627	657	C80
197	176	248	256	288	308	312	371	373	433	436	469	446	426	482	
501	430	530	621	690	780	773	885	899	1,072	1,120	1,186	1,073	1,053	1,139	

表十之二 臺灣白血病及惡性淋巴瘤申報發生人數按性別及報告年分類，民國 68 至 92 年
 NUMERICAL COMPARISON OF LEUKEMIA AND LYMPHOMA, 1979 TO 2003

白血病及惡性淋巴瘤	年度 性別	68	69	70	71	72	73	74	75	76	77
		白血病 (ICD-O-3 M-98003 - M-99643、 M-99803 - M-99863、M-99893)	男	197	279	292	299	303	302	298	288
	女	132	179	227	179	172	204	185	220	246	197
	計	329	458	519	478	475	506	483	508	586	477
急性淋巴芽細胞白血病 (ICD-O-3 M-98353 - M-98373)	男	56	80	108	98	108	118	114	93	93	59
	女	48	61	83	61	69	79	76	92	65	41
	計	104	141	191	159	177	197	190	185	158	100
慢性淋巴球白血病 (ICD-O-3 M-98233)	男	65	94	78	111	98	89	102	90	114	103
	女	43	68	78	66	56	73	58	53	87	87
	計	108	162	156	177	154	162	160	143	201	190
急性骨髓樣白血病 (ICD-O-3 M-98403、M-98613、M-98663、 M-98673、M-98713 - M-98743、M-98953 - M-98973、M-99203)	男	10	9	10	10	10	12	8	15	12	12
	女	1	-	5	3	-	5	5	4	5	3
	計	11	9	15	13	10	17	13	19	17	15
慢性骨髓樣白血病 (ICD-O-3 M-98633、M-98753、M-98763、 M-99453、M-99463、M-99633)	男	25	42	41	36	48	45	35	33	63	43
	女	16	16	18	21	21	18	19	28	30	24
	計	41	58	59	57	69	63	54	61	93	67
其他類型白血病 ¹	男	41	54	55	44	39	38	39	57	58	63
	女	24	34	43	28	26	29	27	43	59	42
	計	65	88	98	72	65	67	66	100	117	105
惡性淋巴瘤 (ICD-O-3 M-95903 - M-97293、 M-97503 - M-97583、M-97643)	男	233	261	250	256	254	318	320	347	424	307
	女	126	158	166	167	159	159	180	199	225	164
	計	359	419	416	423	413	477	500	546	649	471
何杰金氏淋巴瘤 (ICD-O-3 M-96503 - M-96673)	男	28	37	28	37	32	34	33	31	53	20
	女	16	13	19	14	11	11	12	14	23	13
	計	44	50	47	51	43	45	45	45	76	33
非何杰金氏淋巴瘤 (ICD-O-3 M-95903 - M-95963、M-96703 -M-97293、M-97503 - M-97583、M-97643)	男	200	213	210	205	214	271	278	307	361	278
	女	106	139	136	144	137	143	157	178	198	142
	計	306	352	346	349	351	414	435	485	559	420
其他惡性淋巴瘤 ²	男	5	11	12	14	8	13	9	9	10	9
	女	4	6	11	9	11	5	11	7	4	9
	計	9	17	23	23	19	18	20	16	14	18

註 1：其他類型白血病¹：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

註 2：其他惡性淋巴瘤²為 ICD-O-FT 版本資料，91 年起採用 ICD-O-3 版本，此部分已納入非何杰金氏淋巴瘤。

註 3：本表之數值與歷年出版之年報略有差異，此因癌登資料庫隨時保持最新狀態，若有任何異動或以往尚未入檔之個案，癌登小組會隨時加以更新。

78	79	80	81	82	83	84	85	86	87	88	89	90	91	92
331	326	360	362	415	429	473	468	490	508	542	588	591	789	804
261	214	247	282	280	319	336	347	359	387	380	433	420	525	519
592	540	607	644	695	748	809	815	849	895	922	1,021	1,011	1,314	1,323
102	72	83	98	119	114	130	115	111	128	137	120	139	136	125
60	54	74	87	84	110	87	79	95	106	97	118	99	109	92
162	126	157	185	203	224	217	194	206	234	234	238	238	245	217
110	109	117	119	129	154	176	202	195	181	202	242	205	282	283
102	91	90	91	93	103	134	137	148	140	146	174	172	195	206
212	200	207	210	222	257	310	339	343	321	348	416	377	477	489
13	14	19	16	27	26	39	36	38	36	38	36	47	52	52
3	2	2	16	11	12	11	16	9	16	19	23	19	24	29
16	16	21	32	38	38	50	52	47	52	57	59	66	76	81
37	46	62	55	69	59	54	55	72	86	71	82	91	114	118
34	26	38	25	37	38	38	46	46	49	44	53	51	61	63
71	72	100	80	106	97	92	101	118	135	115	135	142	175	181
69	85	79	74	71	76	74	60	74	77	94	108	109	205	226
62	41	43	63	55	56	66	69	61	76	74	65	79	136	129
131	126	122	137	126	132	140	129	135	153	168	173	188	341	355
381	349	438	539	598	575	605	734	660	743	799	816	920	922	991
203	202	243	339	348	357	365	429	482	539	483	549	649	678	730
584	551	681	878	946	932	970	1,163	1,142	1,282	1,282	1,365	1,569	1,600	1,721
24	25	33	30	29	35	37	27	42	48	46	46	59	75	74
18	17	22	23	19	15	12	19	23	34	30	31	34	43	54
42	42	55	53	48	50	49	46	65	82	76	77	93	118	128
347	316	399	502	567	533	561	703	614	691	747	764	846	847	917
172	181	219	312	326	338	349	407	451	499	450	516	613	635	676
519	497	618	814	893	871	910	1,110	1,065	1,190	1,197	1,280	1,459	1,482	1,593
10	8	6	7	2	7	8	4	5	4	6	6	15	-	-
13	4	2	4	3	4	4	3	8	7	3	2	2	-	-
23	12	8	11	5	11	12	7	13	11	9	8	17	-	-