

表六 台灣 10 種常見癌症申報發生人數按年齡及性別分類，民國 93 年

RANKING OF CANCER INCIDENCE RATE BY ANATOMIC SITES IN VARIOUS AGE GROUPS,
2004

順位	0-9		10-19		20-29	
	男	女	男	女	男	女
1	(M-980-998) 白血病	(M-980-998) 白血病	(M-980-998) 白血病	(C70-C72) 中樞神經系統	(C22) 肝及肝內膽管	(C73) 甲狀腺
發生數	77	58	51	30	68	130
發生率	5.34	4.38	3.05	1.94	3.43	6.84
百分比	40.10%	37.18%	23.50%	17.34%	11.81%	20.44%
2	(C70-C72) 中樞神經系統	(C70-C72) 中樞神經系統	(C77) 淋巴結	(C73) 甲狀腺	(C18-C21) 結腸、直腸、乙狀 結腸連結部及肛門	(C50) 女性乳房
發生數	18	26	29	28	63	111
發生率	1.25	1.97	1.74	1.81	3.17	5.84
百分比	9.38%	16.67%	13.36%	16.18%	10.94%	17.45%
3	(C22) 肝及肝內膽管	(C48) 後腹膜腔及腹膜	(C70-C72) 中樞神經系統	(M-980-998) 白血病	(M-980-998) 白血病	(C56, C57.0-C57.4) 卵巢、輸卵管及寬 韌帶
發生數	12	10	28	25	59	47
發生率	0.83	0.76	1.68	1.62	2.97	2.47
百分比	6.25%	6.41%	12.90%	14.45%	10.24%	7.39%
4	(C77) 淋巴結	(C77) 淋巴結	(C40-C41) 骨、關節及關節 軟骨	(C56, C57.0-C57.4) 卵巢、輸卵管及寬 韌帶	(C62) 睪丸	(C18-C21) 結腸及直腸
發生數	11	9	22	18	58	42
發生率	0.76	0.68	1.32	1.17	2.92	2.21
百分比	5.73%	5.77%	10.14%	10.40%	10.07%	6.60%
5	(C47, C49), (C74-C75) 結締組織、軟組織 及其他皮下組織， 其他內分泌腺並列	(C22) 肝及肝內膽管	(C47, C49) 結締組織、軟組 織及其他皮下組 織	(C47, C49), (C77) 結締組織、軟組 織及其他皮下組 織，淋巴結並列	(C11) 鼻咽	(M-980-998) 白血病
發生數	10	8	15	13	42	36
發生率	0.69	0.60	0.90	0.84	2.12	1.89
百分比	5.21%	5.13%	6.91%	7.51%	7.29%	5.66%

註：1. 括號內為國際疾病分類-腫瘤學第三版代號，ICD-O-3；白血病包含 M-98003 - M-99643、M-99803 - M-99893。

2. 由上至下依序為腫瘤學代號，癌症部位，申報發生數，每 10 萬人口年齡別發生率及佔該性別年齡層所有癌症個案之百分比。

30-39		40-49		50-59		60-69		70+	
男	女	男	女	男	女	男	女	男	女
(C00-C14) ³	(C50)	(C00-C14) ³	(C50)	(C22)	(C50)	(C22)	(C18-C21)	(C33-C34)	(C18-C21)
口腔	女性乳房	口腔	女性乳房	肝及肝內膽管	女性乳房	肝及肝內膽管	結腸、直腸、乙狀結腸連結部及肛門	肺、支氣管及氣管	結腸、直腸、乙狀結腸連結部及肛門
477	785	1,419	2,155	1,627	1,635	1,900	1,071	3,183	1,702
25.66	43.24	75.80	117.24	131.86	131.60	261.92	137.30	422.48	242.22
25.99%	35.49%	27.34%	39.36%	23.59%	29.00%	21.88%	17.55%	20.56%	20.20%
(C22)	(C53)	(C22)	(C53)	(C00-C14) ³	(C18-C21)	(C18-C21)	(C50)	(C18-C21)	(C22)
肝及肝內膽管	子宮頸	肝及肝內膽管	子宮頸	口腔	結腸、直腸、乙狀結腸連結部及肛門	結腸、直腸、乙狀結腸連結部及肛門	女性乳房	結腸、直腸、乙狀結腸連結部及肛門	肝及肝內膽管
353	272	1,078	622	1,205	719	1,382	939	2,408	1,203
18.99	14.98	57.58	33.84	97.66	57.87	190.51	120.38	319.62	171.20
19.24%	12.30%	20.77%	11.36%	17.47%	12.75%	15.92%	15.38%	15.55%	14.28%
(C18-C21)	(C73)	(C18-C21)	(C18-C21)	(C18-C21)	(C53)	(C33-C34)	(C22)	(C22)	(C33-C34)
結腸、直腸、乙狀結腸連結部及肛門	甲狀腺	結腸、直腸、乙狀結腸連結部及肛門	結腸、直腸、乙狀結腸連結部及肛門	結腸、直腸、乙狀結腸連結部及肛門	子宮頸	肺、支氣管及氣管	肝及肝內膽管	肝及肝內膽管	肺、支氣管及氣管
192	244	469	436	907	452	1,291	896	2,009	1,145
10.33	13.44	25.05	23.72	73.51	36.38	177.97	114.87	266.66	162.95
10.46%	11.03%	9.03%	7.96%	13.15%	8.02%	14.87%	14.68%	12.98%	13.59%
(C11)	(C18-C21)	(C11)	(C73)	(C33-C34)	(C22)	(C00-C14) ³	(C33-C34)	(C61)	(C16)
鼻咽	結腸、直腸、乙狀結腸連結部及肛門	鼻咽	甲狀腺	肺、支氣管及氣管	肝及肝內膽管	口腔	肺、支氣管及氣管	攝護腺	胃
185	139	361	311	677	417	763	690	1,956	577
9.95	7.66	19.28	16.92	54.87	33.56	105.18	88.46	259.62	82.11
10.08%	6.28%	6.95%	5.68%	9.81%	7.40%	8.79%	11.30%	12.63%	6.85%
(C16)	(C56, C57.0-C57.4)	(C33-C34)	(C33-C34)	(C15)	(C33-C34)	(C61)	(C53)	(C16)	(C50)
胃	卵巢、輸卵管及寬韌帶	肺、支氣管及氣管	肺、支氣管及氣管	食道	肺、支氣管及氣管	攝護腺	子宮頸	胃	女性乳房
70	92	307	278	381	402	568	420	1,283	550
3.77	5.07	16.40	15.12	30.88	32.36	78.30	53.84	170.29	78.27
3.81%	4.16%	5.91%	5.08%	5.52%	7.13%	6.54%	6.88%	8.29%	6.53%

3. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

表六 台灣 10 種常見癌症申報發生人數按年齡及性別分類，民國 93 年（續完）

RANKING OF CANCER INCIDENCE RATE BY ANATOMIC SITES IN VARIOUS AGE GROUPS,
2004 (CONCLUDED)

順位	0-9		10-19		20-29	
	男	女	男	女	男	女
6	(C47, C49) · (C74-C75) 結締組織、軟組織及其他皮下組織，其他內分泌腺並列	(C64.9) · (C74-C75) 腎，其他內分泌腺並列	(C62) 睪丸	(C47, C49) · (C77) 結締組織、軟組織及其他皮下組織，淋巴結並列	(C00-C14) ³ 口腔	(C44) 皮膚
發生數	10	7	10	13	41	29
發生率	0.69	0.53	0.60	0.84	2.07	1.52
百分比	5.21%	4.49%	4.61%	7.51%	7.12%	4.56%
7	(C69) 眼及淚腺	(C64.9) · (C74-C75) 腎，其他內分泌腺並列	(C11) 鼻咽	(C44) 皮膚	(C77) 淋巴結	(C53) 子宮頸
發生數	9	7	7	12	31	28
發生率	0.62	0.53	0.42	0.78	1.56	1.47
百分比	4.69%	4.49%	3.23%	6.94%	5.38%	4.40%
8	(C48) 後腹膜腔及腹膜	(C47, C49) 結締組織、軟組織及其他皮下組織	(C48) · (C37-C38.3, C38.8) 後腹膜腔及腹膜，胸腺、心臟與縱隔並列	(C40-C41) 骨、關節及關節軟骨	(C73) 甲狀腺	(C22) 肝及肝內膽管
發生數	8	5	6	11	30	27
發生率	0.55	0.38	0.36	0.71	1.51	1.42
百分比	4.17%	3.21%	2.76%	6.36%	5.21%	4.25%
9	(C64.9) 腎	(C42) · (C40-C41) · (C44) · (C69) 造血及網狀內皮系統，骨、關節及關節軟骨，皮膚，眼及淚腺並列	(C48) · (C37-C38.3, C38.8) 後腹膜腔及腹膜，胸腺、心臟與縱隔並列	(C07-C08) 主唾液腺	(C44) 皮膚	(C11) 鼻咽
發生數	7	4	6	4	27	23
發生率	0.49	0.30	0.36	0.26	1.36	1.21
百分比	3.65%	2.56%	2.76%	2.31%	4.69%	3.62%
10	(C62) 睪丸	(C42) · (C40-C41) · (C44) · (C69) 造血及網狀內皮系統，骨、關節及關節軟骨，皮膚，眼及淚腺並列	(C18-C21) · (C73) 結腸、直腸、乙狀結腸連結部及肛門，甲狀腺並列	(C37-C38.3, C38.8) 胸腺、心臟與縱隔	(C70-C72) 中樞神經系統	(C77) 淋巴結
發生數	6	4	5	3	26	21
發生率	0.42	0.30	0.30	0.19	1.31	1.10
百分比	3.13%	2.56%	2.30%	1.73%	4.51%	3.30%

註：1. 括號內為國際疾病分類-腫瘤學第三版代號，ICD-O-3；白血病包含 M-98003 - M-99643、M-99803 - M-99893。

2. 由上至下依序為腫瘤學代號，癌症部位，申報發生數，每 10 萬人口年齡別發生率及佔該性別年齡層所有癌症個案之百分比。

30-39		40-49		50-59		60-69		70+	
男	女	男	女	男	女	男	女	男	女
(C33-C34) , (C73) 肺、支氣 管及氣 管，甲狀 腺並列	(C54) 子宮體	(C15) 食道	(C54) 子宮體	(C16) 胃	(C54) 子宮體	(C16) 胃	(C16) 胃	(C67) 膀胱	(C53) 子宮頸
58 3.12 3.16%	84 4.63 3.80%	298 15.92 5.74%	270 14.69 4.93%	315 25.53 4.57%	286 23.02 5.07%	490 67.55 5.64%	274 35.13 4.49%	718 95.30 4.64%	498 70.87 5.91%
(C33-C34) , (C73) 肺、支氣 管及氣 管，甲狀 腺並列	(C33-C34) 肺、支氣 管及氣 管	(C16) 胃	(C56, C57.0- C57.4) 卵巢、輸 卵管及寬 韌帶	(C11) 鼻咽	(C56, C57.0- C57.4) 卵巢、輸 卵管及寬 韌帶	(C67) 膀胱	(C44) 皮膚	(C44) 皮膚	(C44) 皮膚
58 3.12 3.16%	79 4.35 3.57%	204 10.90 3.93%	209 11.37 3.82%	262 21.23 3.80%	223 17.95 3.96%	317 43.70 3.65%	188 24.10 3.08%	595 78.97 3.84%	496 70.59 5.89%
(C44) , (M- 980-998) 皮膚，白 血病並列	(C16) 胃	(C44) 皮膚	(C16) 胃	(C67) 膀胱	(C73) 甲狀腺	(C15) 食道	(C65-C66, C68) 腎盂及其 他泌尿器 官	(C00-C14) ³ 口腔	(C65-C66, C68) 腎盂及其 他泌尿器 官
56 3.01 3.05%	66 3.64 2.98%	108 5.77 2.08%	206 11.21 3.76%	202 16.37 2.93%	214 17.22 3.80%	312 43.01 3.59%	167 21.41 2.74%	452 59.99 2.92%	267 38.00 3.17%
(C44) , (M- 980-998) 皮膚，白 血病並列	(C22) 肝及肝內 膽管	(C67) 膀胱	(C22) 肝及肝內 膽管	(C44) 皮膚	(C16) 胃	(C44) 皮膚	(C67) 膀胱	(C15) 食道	(C67) 膀胱
56 3.01 3.05%	64 3.53 2.89%	105 5.61 2.02%	162 8.81 2.96%	156 12.64 2.26%	197 15.86 3.49%	248 34.19 2.86%	147 18.85 2.41%	340 45.13 2.20%	251 35.72 2.98%
(C15) 食道	(C11) 鼻咽	(M-980-998) 白血病	(C11) 鼻咽	(C25) 胰	(C44) 皮膚	(C11) 鼻咽	(C56, C57.0- C57.4) 卵巢、輸 卵管及寬 韌帶	(C25) 胰	(C25) 胰
43 2.31 2.34%	63 3.47 2.85%	83 4.43 1.60%	116 6.31 2.12%	123 9.97 1.78%	107 8.61 1.90%	155 21.37 1.79%	138 17.69 2.26%	303 40.22 1.96%	226 32.16 2.68%

3. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。