

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004

口腔（含口咽及下咽） C00 - C06，C09 - C10，C12 - C14

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
80323 80523	鱗狀細胞癌	男	3,936	1	-	1	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	317	1	-	-	-
80723 80733							
80743 80753							
80763							
80513	疣狀癌	男	179	-	-	-	-
	VERRUCOUS CARCINOMA	女	8	-	-	-	-
80203	未分化癌	男	10	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	2	-	-	-	-
81403 81473	小唾液腺癌	男	65	-	-	-	-
82003 83103	CARCINOMA OF MINOR SALIVARY GLANDS	女	33	-	-	-	1
84303 85253							
85603							
80313 80333	其他明示癌	男	17	-	-	-	-
80413 80503	OTHER SPECIFIED CARCINOMA	女	2	-	-	-	-
80833 80903							
82403 89823							
93103							
80103	未明示癌	男	25	-	-	-	-
	CARCINOMA, NOS	女	3	-	-	-	-
95903-97293	惡性淋巴瘤	男	51	1	-	1	1
97503-97583	MALIGNANT LYMPHOMA	女	44	-	-	-	-
97643							
87203 87713	惡性黑色素瘤	男	2	-	-	-	-
87713	MALIGNANT MELANOMA	女	1	-	-	-	-
88013 88303	明示之肉瘤	男	5	-	1	-	-
88513 88523	SPECIFIED SARCOMA	女	2	-	-	-	-
89003 90423							
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
80003 80043	其他惡性腫瘤	男	72	-	-	-	-
93643	OTHER MALIGNANCY	女	7	-	-	-	-
	總計	男	4,363	2	1	2	1
	TOTAL	女	420	1	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
2	33	137	298	586	734	677	415	396	277	197	109	57	16
1	3	12	12	16	35	45	34	35	43	36	19	15	10
-	2	6	14	11	40	37	18	23	14	6	5	2	1
-	-	-	-	1	-	-	1	1	1	3	-	1	-
-	-	-	1	1	1	2	3	-	1	1	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	-
1	-	1	5	8	10	10	6	7	6	3	3	4	1
-	1	5	1	4	6	4	1	4	1	3	1	-	1
-	-	-	-	-	4	5	-	2	2	1	3	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	2	-	2	5	2	4	6	1	3	-	-
-	-	-	-	-	-	1	-	1	-	-	-	1	-
1	2	1	3	1	5	4	3	5	5	5	9	2	2
-	2	1	1	2	5	3	5	11	5	3	2	2	2
-	-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	1	-	-	1	-	1	-	1	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	4	4	8	8	6	10	9	3	6	7	4	3
-	-	-	2	1	-	1	-	2	-	-	-	1	-
4	37	149	328	615	804	748	457	447	316	221	139	69	23
1	6	18	16	26	46	55	41	54	51	46	23	21	14

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

		唇（唇的皮膚 C44.0 除外） C00					
ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80523 80703	鱗狀細胞癌	男	125	-	-	1	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	13	-	-	-	-
80763							
80513	疣狀癌	男	16	-	-	-	-
	VERRUCOUS CARCINOMA	女	1	-	-	-	-
81403 84303	小唾液腺癌	男	2	-	-	-	-
85253	CARCINOMA OF MINOR SALIVARY GLANDS	女	1	-	-	-	-
80333	其他明示癌	男	1	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	-	-	-	-	-
80003	其他惡性腫瘤	男	2	-	-	-	-
	OTHER MALIGNANCY	女	-	-	-	-	-
	總計	男	146	-	-	1	-
	TOTAL	女	15	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	7	4	10	21	24	20	15	7	9	2	3	1
-	-	1	-	1	-	1	2	1	3	3	-	1	-
-	-	1	1	-	3	1	3	2	1	2	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	8	5	11	25	25	24	17	8	12	3	4	2
-	-	1	-	1	-	1	2	1	3	3	-	2	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

舌 C01 - C02

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80323 80523	鱗狀細胞癌	男	1,088	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	160	-	-	-	-
80723 80743							
80763							
80513	疣狀癌	男	31	-	-	-	-
	VERRUCOUS CARCINOMA	女	2	-	-	-	-
80203	未分化癌	男	2	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	-	-	-	-	-
81403 82003	小唾液腺癌	男	36	-	-	-	-
84303 85603	CARCINOMA OF MINOR SALIVARY GLANDS	女	5	-	-	-	-
80313 80413	其他明示癌	男	3	-	-	-	-
82403	OTHER SPECIFIED CARCINOMA	女	-	-	-	-	-
80103	未明示癌	男	5	-	-	-	-
	CARCINOMA, NOS	女	-	-	-	-	-
88303 88513	明示之肉瘤	男	4	-	1	-	-
90423	SPECIFIED SARCOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	4	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	4	-	-	-	-
97643							
80003	其他惡性腫瘤	男	10	-	-	-	-
	OTHER MALIGNANCY	女	2	-	-	-	-
	總計	男	1,183	-	1	-	-
	TOTAL	女	173	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	20	52	112	200	193	187	94	84	60	39	29	13	4
1	3	6	6	7	22	27	20	18	15	13	13	4	5
-	-	-	3	2	8	7	4	4	1	1	1	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	5	4	8	5	3	2	3	2	-	2	1
-	-	-	-	1	-	-	-	2	-	1	1	-	-
-	-	-	-	-	1	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	2	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	-	1	-	-	1	-	-
-	-	-	-	-	1	-	1	-	1	1	-	-	-
-	-	-	2	-	1	-	-	2	1	-	2	2	-
-	-	-	-	-	-	1	-	1	-	-	-	-	-
1	20	53	125	207	212	200	101	97	67	42	35	17	5
1	3	6	6	9	23	28	21	21	17	15	14	4	5

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

齒齦 C03

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
80323 80523	鱗狀細胞癌	男	247	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	20	-	-	-	-
80723 80743							
80753 80763							
80833							
80513	疣狀癌	男	9	-	-	-	-
	VERRUCOUS CARCINOMA	女	-	-	-	-	-
81403 84303	小唾液腺癌	男	3	-	-	-	-
85603	CARCINOMA OF MINOR SALIVARY GLANDS	女	1	-	-	-	-
80103	未明示癌	男	-	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
89003	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	1	-	-	-	-
97643							
80003 80043	其他惡性腫瘤	男	3	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	265	-	-	-	-
	TOTAL	女	24	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	2	10	14	21	43	35	24	33	28	24	8	2	3
-	-	1	1	1	-	3	2	2	3	4	-	2	1
-	-	1	-	1	3	2	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	3	11	14	23	46	37	24	33	30	26	10	5	3
-	-	1	2	1	1	3	2	2	3	5	-	3	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

□底 C04

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80523 80703	鱗狀細胞癌	男	83	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	7	-	-	-	-
80733 80833							
81403 82003	小唾液腺癌	男	2	-	-	-	-
84303	CARCINOMA OF MINOR SALIVARY GLANDS	女	3	-	-	-	-
80003	其他惡性腫瘤	男	4	-	-	-	-
	OTHER MALIGNANCY	女	-	-	-	-	-
	總計	男	89	-	-	-	-
	TOTAL	女	10	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	1	7	9	21	18	10	8	5	2	1	1	-
-	-	-	-	-	1	1	1	-	1	-	1	1	1
-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	1	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	1	2	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	7	10	23	18	12	8	6	2	1	1	-
-	-	1	-	-	2	2	1	-	1	-	1	1	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

		口腔之其他及未詳細說明部位 C05 - C06					
ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80323 80523	鱗狀細胞癌	男	1,437	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	53	-	-	-	-
80723 80743							
80753 80763							
80513	疣狀癌	男	120	-	-	-	-
	VERRUCOUS CARCINOMA	女	5	-	-	-	-
80203	未分化癌	男	1	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	-	-	-	-	-
81403 81473	小唾液腺癌	男	19	-	-	-	-
82003 83103	CARCINOMA OF MINOR SALIVARY GLANDS	女	19	-	-	-	1
84303 85253							
80333 80503	其他明示癌	男	5	-	-	-	-
89823 93103	OTHER SPECIFIED CARCINOMA	女	1	-	-	-	-
80103	未明示癌	男	7	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
88003 88013	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	2	-	-	-	-
95903-97293	惡性淋巴瘤	男	3	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	5	-	-	-	-
97643							
87203 87713	惡性黑色素瘤	男	2	-	-	-	-
	MALIGNANT MELANOMA	女	1	-	-	-	-
80003 93643	其他惡性腫瘤	男	24	-	-	-	-
	OTHER MALIGNANCY	女	2	-	-	-	-
	總計	男	1,619	-	-	-	-
	TOTAL	女	89	-	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	8	53	109	199	288	251	168	150	113	53	26	16	3
-	-	3	2	2	2	3	4	10	9	7	2	6	3
-	2	4	9	8	25	27	11	16	11	3	4	-	-
-	-	-	-	-	-	-	1	1	-	3	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	4	1	4	1	4	1	-	2	1	-
-	1	3	1	3	3	2	1	1	1	2	-	-	-
-	-	-	-	-	2	2	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	1	-	1	1	1	-	2	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	-	1	1	-	-	-	-	-	1	-	-
-	-	-	1	-	1	-	1	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	3	1	3	3	4	5	1	-	2	2	-	-
-	-	-	-	-	-	-	-	1	-	-	-	1	-
1	10	60	120	215	321	291	186	171	129	58	37	17	3
-	1	6	4	5	6	5	7	15	11	13	3	8	4

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

□咽 C09 - C10

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80523 80703	鱗狀細胞癌	男	361	1	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	39	1	-	-	-
80763 80833							
80513	疣狀癌	男	1	-	-	-	-
	VERRUCOUS CARCINOMA	女	-	-	-	-	-
80203	未分化癌	男	3	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	2	-	-	-	-
81403 83103	小唾液腺癌	男	1	-	-	-	-
84303	CARCINOMA OF MINOR SALIVARY GLANDS	女	2	-	-	-	-
80903	其他明示癌	男	1	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	-	-	-	-	-
80103	未明示癌	男	3	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	39	1	-	-	1
97503-97583	MALIGNANT LYMPHOMA	女	32	-	-	-	-
97643							
80003	其他惡性腫瘤	男	7	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	416	2	-	-	1
	TOTAL	女	77	1	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	-	3	25	63	61	76	36	41	19	18	13	3	1
-	-	1	2	2	7	6	4	2	4	7	3	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	3	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	1	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
1	1	1	2	-	3	4	3	4	5	4	5	2	2
-	2	1	-	2	3	3	3	9	4	-	2	2	1
-	-	-	1	-	-	-	2	1	1	-	-	-	2
-	-	-	1	-	-	-	-	-	-	-	-	-	-
2	1	4	28	63	65	82	45	48	25	22	18	5	5
-	2	2	3	6	11	10	7	12	8	7	5	2	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

下咽 C12 - C13

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
80523 80703	鱗狀細胞癌	男	544	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	26	-	-	-	-
80753 80763							
80833							
80203	未分化癌	男	2	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	-	-	-	-	-
81403 84303	小唾液腺癌	男	1	-	-	-	-
85603	CARCINOMA OF MINOR SALIVARY GLANDS	女	2	-	-	-	-
80103	未明示癌	男	10	-	-	-	-
	CARCINOMA, NOS	女	-	-	-	-	-
88523	明示之肉瘤	男	-	-	-	-	-
	SPECIFIED SARCOMA	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	2	-	-	-	-
97643							
80003	其他惡性腫瘤	男	20	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	578	-	-	-	-
	TOTAL	女	32	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	9	25	75	96	80	60	58	45	45	28	18	4
-	-	-	1	3	3	4	1	2	8	3	-	1	-
-	-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	-	1	-	1	3	-	1	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	1
-	-	1	-	2	2	1	2	5	1	3	1	1	1
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	10	26	77	100	84	62	65	48	50	31	19	5
-	-	1	1	4	3	6	1	3	8	3	-	1	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

咽和唇、口腔及咽之分界不明部位 C14

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
80703 80713	鱗狀細胞癌	男	58	-	-	-	-
80723 80833	SQUAMOUS CELL CARCINOMA	女	-	-	-	-	-
80513	疣狀癌 VERRUCOUS CARCINOMA	男	2	-	-	-	-
		女	-	-	-	-	
80203	未分化癌 CARCINOMA, UNDIFFERENTIATED	男	2	-	-	-	-
		女	-	-	-	-	
81403	小唾液腺癌 CARCINOMA OF MINOR SALIVARY GLANDS	男	1	-	-	-	-
		女	-	-	-	-	
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	2	-	-	1	-
		女	-	-	-	-	
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	2	-	-	-	-
		女	-	-	-	-	
	總計 TOTAL	男	67	-	-	1	-
		女	-	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	2	2	9	11	8	3	8	2	8	3	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	3	9	12	11	3	8	3	9	4	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

主唾液腺 C07 - C08

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
84303	黏液表皮樣癌 MUCOEPIDERMOID CARCINOMA	男	13	-	1	-	1
		女	24	-	-	2	1
80703 80713 80723	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	13	-	-	-	-
		女	5	-	-	-	-
81403 84403 84413 84503	腺癌 ADENOCARCINOMA	男	14	-	-	-	-
		女	5	-	-	-	-
82003	腺樣囊狀癌 ADENOID CYSTIC CARCINOMA	男	15	-	-	-	-
		女	14	-	-	-	-
85503	腺泡細胞癌 ACINAR CELL CARCINOMA	男	9	-	-	-	-
		女	12	-	-	1	-
80103	未明示癌 CARCINOMA, NOS	男	7	-	-	-	-
		女	1	-	-	-	-
85253 89403 89413	惡性混合性腫瘤 MALIGNANT MIXED TUMOR	男	5	-	-	-	-
		女	2	-	-	-	-
80203	未分化癌 CARCINOMA, UNDIFFERENTIATED	男	-	-	-	-	-
		女	1	-	-	-	-
80223 80823 83103 84103	其他明示癌 OTHER SPECIFIED CARCINOMA	男	9	-	-	-	-
		女	15	-	-	-	-
85003 85603 85623 89823							
88513	明示之肉瘤 SPECIFIED SARCOMA	男	1	-	-	-	-
		女	-	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	2	-	-	-	-
		女	12	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-	-
		女	2	-	-	-	-
	總計 TOTAL	男	89	-	1	-	1
		女	93	-	-	3	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	1	1	-	4	1	2	-	1	1	-	-	-
4	1	1	2	-	2	3	4	1	1	-	1	-	1
-	-	-	-	-	3	1	2	1	3	2	1	-	-
-	1	1	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	1	-	1	2	3	1	1	2	3	-
-	-	-	-	1	2	-	2	-	-	-	-	-	-
-	-	-	1	-	1	4	2	2	4	-	1	-	-
-	2	-	1	1	3	3	-	2	1	1	-	-	-
-	-	1	1	1	2	-	1	2	-	1	-	-	-
1	2	1	-	1	1	3	1	-	-	-	-	1	-
-	-	-	2	-	1	-	1	-	-	1	2	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	-	1	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	1	1	1	2	3	-	-	-	-	-
-	-	3	-	4	1	3	1	1	1	1	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	1	1	-	1	1	-	2	1	2	2	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1
3	-	2	5	3	13	9	14	12	10	6	7	3	-
6	6	6	4	10	10	14	9	4	5	5	4	3	3

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

鼻咽 C11

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80703 80833	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	95	-	-	-	-
		女	27	-	-	-	1
80713 80783	角化鱗狀細胞癌 KERATINIZING SQUAMOUS CELL CARCINOMA	男	25	-	-	-	-
		女	8	-	-	-	-
80723	非角化鱗狀細胞癌 NON-KERATINIZING SQUAMOUS CELL CARCINOMA	男	384	-	-	-	1
		女	115	-	-	-	-
80203 80213	未分化癌	男	469	-	-	2	3
80743 80823	CARCINOMA, UNDIFFERENTIATED	女	152	-	-	-	-
81403 84303 90703	小唾液腺癌 CARCINOMA OF MINOR SALIVARY GLANDS	男	5	-	-	-	-
		女	1	-	-	-	-
80503 80733 81203	其他明示癌 OTHER SPECIFIED CARCINOMA	男	2	-	-	-	-
		女	1	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	96	-	-	-	1
		女	42	-	-	-	-
97313	明示之肉瘤 SPECIFIED SARCOMA	男	-	-	-	-	-
		女	1	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	18	-	1	-	-
		女	10	-	-	-	1
80003 87203 95223	其他惡性腫瘤 OTHER MALIGNANCY	男	29	-	-	-	-
		女	13	-	-	-	-
	總計 TOTAL	男	1,123	-	1	2	5
		女	370	-	-	-	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	4	9	16	19	10	13	6	7	6	3	1	1
2	-	2	1	2	6	8	-	2	-	2	-	-	1
-	-	-	2	5	3	6	-	1	3	3	1	-	1
-	-	-	-	2	-	3	1	1	-	1	-	-	-
5	12	24	45	55	66	48	37	21	27	23	15	4	1
-	7	8	14	18	16	19	8	9	8	5	2	1	-
12	12	31	50	77	80	68	42	33	28	22	7	2	-
2	5	10	22	31	25	17	14	8	9	5	3	1	-
-	-	-	1	1	-	2	1	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	9	11	22	14	7	9	9	5	4	1	1
2	2	1	2	7	6	5	4	5	3	1	2	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	5	2	1	3	1	3	-	1
-	-	1	-	1	-	3	-	2	1	-	1	-	-
-	1	1	3	2	4	5	2	3	4	2	1	1	-
-	1	2	-	1	-	4	-	1	-	-	2	1	1
17	25	65	120	167	194	158	104	74	81	62	34	9	5
7	16	24	39	63	53	59	27	28	21	14	10	5	2

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

食道 C15

ICD-O-3	組織形態	年齡		0 4	5 9	10 14	15 19
		性別	總計				
80523 80703	鱗狀細胞癌	男	1,227	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	73	-	-	-	-
80743 80763							
81403 84903	腺癌	男	51	-	-	-	-
	ADENOCARCINOMA	女	10	-	-	-	-
80753 84303	腺性鱗狀癌	男	11	-	-	-	-
85603	ADENOSQUAMOUS CARCINOMA	女	-	-	-	-	-
80203 80323	其他明示癌	男	24	-	-	-	-
80333 80413	OTHER SPECIFIED CARCINOMA	女	1	-	-	-	-
80503 80833							
82463 89803							
80103	未明示癌	男	24	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
88303 88903	明示之肉瘤	男	3	-	-	-	-
89363	SPECIFIED SARCOMA	女	1	-	-	-	-
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	-	-	-	-	-
87203 87723	惡性黑色素瘤	男	3	-	-	-	-
	MALIGNANT MELANOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	-	-	-	-	-
97643							
80003	其他惡性腫瘤	男	29	-	-	-	-
	OTHER MALIGNANCY	女	11	-	-	-	-
	總計	男	1,374	-	-	-	-
	TOTAL	女	97	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	4	35	112	169	189	163	157	126	128	77	49	18
-	-	-	-	2	2	7	6	4	9	18	11	7	7
-	-	-	2	1	1	4	7	4	1	11	7	7	6
-	-	-	-	-	1	-	-	1	1	1	2	-	4
-	-	1	-	-	1	2	3	3	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	3	1	2	3	3	5	2	3	-	2
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	1	1	3	1	2	6	3	6	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	1	-	-	-	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	2	3	3	-	4	4	5	5	1	1
-	-	-	-	-	-	-	-	3	2	1	1	2	2
-	-	6	37	120	178	201	180	173	139	153	97	63	27
-	-	-	1	2	3	7	6	8	12	20	16	9	13

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

胃 C16

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 81413	腺癌	男	2,081	-	-	-	-
81443 81453	ADENOCARCINOMA	女	1,134	-	-	-	-
82103 82113							
82553 82603							
82613 82623							
82633 83233							
84803 84903							
85603	腺性鱗狀癌	男	5	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女	2	-	-	1	-
80703 80713	鱗狀細胞癌	男	16	-	-	-	-
80823	SQUAMOUS CELL CARCINOMA	女	3	-	-	-	-
80203 80323	其他明示癌	男	18	-	-	-	-
80413 80453	OTHER SPECIFIED CARCINOMA	女	8	-	-	-	-
82403 82463							
82493 85763							
89803							
80103	未明示癌	男	30	-	-	-	-
	CARCINOMA, NOS	女	16	-	-	-	-
88903	平滑肌肉瘤	男	6	-	-	-	-
	LEIOMYOSARCOMA	女	4	-	-	-	-
89363	胃腸基質肉瘤	男	76	-	-	-	1
	GASTROINTESTINAL STROMAL SARCOMA	女	65	-	-	-	-
88003	其他明示之肉瘤	男	3	-	-	-	-
	OTHER SPECIFIED SARCOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	90	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA		(21)	(-)	(-)	(-)	(-)
97643	(INCLUDING MALT LYMPHOMA)*	女	85	-	-	-	1
			(32)	(-)	(-)	(-)	(-)
80003 87203	其他惡性腫瘤	男	55	-	-	-	1
	OTHER MALIGNANCY	女	21	-	-	-	-
	總計	男	2,380	-	-	-	2
	TOTAL	女	1,338	-	-	1	1

(INCLUDING MALT LYMPHOMA)* : () 內為 MALT LYMPHOMA, ICD-O-3 M-96993 之發生人數。

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
6	5	20	40	70	107	144	122	192	228	345	418	252	132
1	11	27	29	76	95	91	73	114	118	147	145	127	80
-	-	-	-	1	-	-	-	-	3	1	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	3	1	1	5	1	3	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	1	2	1	1	5	5	2	1	-
-	-	-	-	1	1	1	-	-	1	1	1	1	1
-	-	-	1	-	-	1	2	2	4	6	8	2	4
-	-	-	-	1	1	1	-	4	2	1	3	2	1
-	1	-	1	-	-	1	-	1	-	1	1	-	-
-	-	-	-	2	1	-	-	-	-	-	-	1	-
1	1	2	1	2	7	7	8	8	7	10	14	3	4
-	1	-	-	3	6	8	5	10	10	8	10	4	-
-	-	-	-	-	1	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	2	2	3	7	10	6	11	10	11	18	5	3
(-)	(1)	(1)	(-)	(1)	(2)	(5)	(2)	(-)	(3)	(2)	(2)	(-)	(2)
1	1	5	4	5	12	7	9	8	3	12	7	9	1
(-)	(-)	(2)	(1)	(1)	(6)	(4)	(5)	(5)	(-)	(3)	(3)	(2)	(-)
-	-	-	1	3	1	3	4	4	8	7	10	8	5
-	-	1	-	1	1	-	2	1	3	1	4	5	2
7	9	24	46	80	124	171	144	220	270	387	475	273	148
2	14	33	33	89	117	108	89	137	137	170	170	149	88

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

小腸 C17

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 82103	腺癌	男	58	-	-	-	-
82633 84803	ADENOCARCINOMA	女	52	-	-	-	-
84903							
82403	類癌腫瘤	男	3	-	-	-	-
	CARCINOID TUMOR	女	4	-	-	-	-
80203 80333	其他明示癌	男	10	-	-	-	-
80413 80703	OTHER SPECIFIED CARCINOMA	女	2	-	-	-	-
82463 85003							
85763							
80103	未明示癌	男	4	-	-	-	-
	CARCINOMA, NOS	女	3	-	-	-	-
88903	平滑肌肉瘤	男	4	-	-	-	-
	LEIOMYOSARCOMA	女	4	-	-	-	-
89363	胃腸基質肉瘤	男	54	-	-	-	-
	GASTROINTESTINAL STROMAL SARCOMA	女	49	-	-	-	-
88103 89353	其他明示之肉瘤	男	1	-	-	-	-
91203	OTHER SPECIFIED SARCOMA	女	2	-	-	-	-
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	24	-	1	-	-
97503-97583	MALIGNANT LYMPHOMA	女	10	-	-	-	-
97643							
80003	其他惡性腫瘤	男	6	-	-	-	-
	OTHER MALIGNANCY	女	4	-	-	-	-
	總計	男	165	-	1	-	-
	TOTAL	女	131	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	2	4	8	4	2	5	5	9	9	6	4
-	-	-	1	1	1	4	4	4	7	10	8	8	4
-	-	-	-	-	-	-	1	1	-	-	1	-	-
-	-	-	-	-	-	-	2	-	-	1	-	1	-
-	-	-	1	-	-	1	-	-	-	2	4	-	2
-	-	-	-	-	-	-	-	-	1	-	-	-	1
-	-	-	-	-	-	-	1	-	1	1	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	2
-	-	1	-	-	1	-	-	1	-	-	1	-	-
-	-	-	-	-	-	1	1	-	-	1	1	-	-
-	1	-	3	4	7	9	1	6	6	8	5	4	-
-	2	1	1	2	5	6	5	4	2	11	7	-	3
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	-	3	1	1	3	2	-	4	5	2	1
-	-	-	1	-	-	-	-	-	2	2	1	2	2
-	-	-	2	1	-	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	2
-	1	2	8	12	18	16	8	15	13	26	26	12	7
-	2	1	3	3	6	11	14	8	13	26	18	12	14

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

結腸、直腸、乙狀結腸連結部及肛門 C18 - C21

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 81413	腺癌	男	5,133	-	-	-	3
81433 82103	ADENOCARCINOMA	女	3,869	-	-	-	-
82113 82203							
82603 82613							
82623 82633							
84403 84703							
84803 84813							
84903							
82403 82433	類癌腫瘤	男	36	-	-	-	-
82453 82493	CARCINOID TUMOR	女	17	-	-	-	-
80133 80203	其他明示癌	男	39	-	-	-	-
80303 80323	OTHER SPECIFIED CARCINOMA	女	50	-	-	-	-
80413 80703							
80713 80723							
80823 80833							
81203 81233							
81243 82443							
82463 85423							
85603 85743							
88063 89803							
80103	未明示癌	男	45	-	-	-	-
	CARCINOMA, NOS	女	36	-	-	-	-
88543 88903	明示之肉瘤	男	20	-	-	-	-
89363	SPECIFIED SARCOMA	女	12	-	-	-	-
87203	惡性黑色素瘤	男	2	-	-	-	-
	MALIGNANT MELANOMA	女	4	-	-	-	-
95903-97293	惡性淋巴瘤	男	12	-	-	-	2
97503-97583	MALIGNANT LYMPHOMA (INCLUDING MALT	女	10	-	-	-	-
97643	LYMPHOMA)						
80003 80013	其他惡性腫瘤	男	139	-	-	-	-
	OTHER MALIGNANCY	女	111	-	-	-	-
	總計	男	5,426	-	-	-	5
	TOTAL	女	4,109	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
11	41	56	115	169	282	406	447	611	718	790	801	459	224
8	32	52	78	148	264	369	308	470	559	580	494	295	212
3	3	4	5	3	2	5	1	2	2	5	1	-	-
-	1	1	1	2	2	5	1	4	-	-	-	-	-
1	1	2	1	2	-	5	3	3	5	5	6	4	1
-	-	1	1	3	4	10	4	4	3	9	5	1	5
-	-	1	1	-	1	4	3	8	3	4	12	6	2
-	1	-	-	2	-	1	2	2	5	4	11	3	5
-	-	-	-	-	4	6	2	2	1	4	1	-	-
-	-	-	2	1	2	1	2	1	2	1	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	1	1	-	1	1	-	-	-	-
-	-	1	-	-	-	2	1	-	-	1	4	-	1
-	-	-	2	-	1	3	1	1	-	-	-	2	-
1	2	3	3	1	5	10	11	10	16	23	27	16	11
-	-	1	-	5	1	5	6	7	11	11	21	14	29
16	47	67	125	175	294	438	469	636	746	832	852	485	239
8	34	55	84	161	275	395	324	490	581	605	531	315	251

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

結腸 C18

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 81413	腺癌	男	2,854	-	-	-	3
82103 82113	ADENOCARCINOMA	女	2,260	-	-	-	-
82203 82603							
82613 82623							
82633 84703							
84803 84813							
84903							
82403 82433	類癌腫瘤	男	10	-	-	-	-
82453 82493	CARCINOID TUMOR	女	6	-	-	-	-
80133 80203	其他明示癌	男	10	-	-	-	-
80303 80413	OTHER SPECIFIED CARCINOMA	女	10	-	-	-	-
80703 82443							
82463 85603							
85743 88063							
80103	未明示癌	男	30	-	-	-	-
	CARCINOMA, NOS	女	24	-	-	-	-
88903 89363	明示之肉瘤	男	5	-	-	-	-
	SPECIFIED SARCOMA	女	5	-	-	-	-
95903-97293	惡性淋巴瘤	男	10	-	-	-	2
97503-97583	MALIGNANT LYMPHOMA (INCLUDING MALT	女	8	-	-	-	-
97643	LYMPHOMA)						
80003 80013	其他惡性腫瘤	男	99	-	-	-	-
	OTHER MALIGNANCY	女	74	-	-	-	-
	總計	男	3,018	-	-	-	5
	TOTAL	女	2,387	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
8	27	24	78	101	158	204	214	324	379	449	483	272	130
7	22	37	47	82	144	210	175	252	316	338	318	182	130
2	-	1	2	1	-	-	-	2	-	2	-	-	-
-	-	-	1	1	1	-	-	3	-	-	-	-	-
1	1	1	-	1	-	2	-	1	-	2	-	1	-
-	-	-	-	1	1	4	1	-	-	-	1	-	2
-	-	1	1	-	1	2	2	6	1	4	8	3	1
-	1	-	-	1	-	1	2	1	4	3	5	2	4
-	-	-	-	-	1	2	1	-	-	-	1	-	-
-	-	-	-	-	1	1	2	-	1	-	-	-	-
-	-	1	-	-	-	1	1	-	-	-	4	-	1
-	-	-	2	-	1	3	1	-	-	-	-	1	-
1	1	1	2	1	4	5	9	7	13	17	19	12	7
-	-	1	-	3	-	2	3	5	8	7	16	8	21
12	29	29	83	104	164	216	227	340	393	474	515	288	139
7	23	38	50	88	148	221	184	261	329	348	340	193	157

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

直腸、乙狀結腸連結部及肛門 C19 - C21

ICD-O-3	組織形態	年齡		0	5	10	15
				4	9	14	19
		性別	總計				
81403 81413	腺癌			男	2,279	-	-
81433 82103	ADENOCARCINOMA	女	1,609	-	-	-	-
82113 82603							
82613 82623							
82633 84403							
84803 84813							
84903							
82403	類癌腫瘤	男	26	-	-	-	-
	CARCINOID TUMOR	女	11	-	-	-	-
80323 80413	其他明示癌	男	29	-	-	-	-
80703 80713	OTHER SPECIFIED CARCINOMA	女	40	-	-	-	-
80723 80823							
80833 81203							
81233 81243							
82463 85423							
85603 85743							
89803							
80103	未明示癌	男	15	-	-	-	-
	CARCINOMA, NOS	女	12	-	-	-	-
88543 88903	明示之肉瘤	男	15	-	-	-	-
89363	SPECIFIED SARCOMA	女	7	-	-	-	-
87203	惡性黑色素瘤	男	2	-	-	-	-
	MALIGNANT MELANOMA	女	4	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA (INCLUDING MALT	女	2	-	-	-	-
97643	LYMPHOMA)						
80003	其他惡性腫瘤	男	40	-	-	-	-
	OTHER MALIGNANCY	女	37	-	-	-	-
	總計	男	2,408	-	-	-	-
	TOTAL	女	1,722	-	-	-	-

其他明示癌*：含鱗狀細胞癌，男性11位、女性31位。

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3	14	32	37	68	124	202	233	287	339	341	318	187	94
1	10	15	31	66	120	159	133	218	243	242	176	113	82
1	3	3	3	2	2	5	1	-	2	3	1	-	-
-	1	1	-	1	1	5	1	1	-	-	-	-	-
-	-	1	1	1	-	3	3	2	5	3	6	3	1
-	-	1	1	2	3	6	3	4	3	9	4	1	3
-	-	-	-	-	-	2	1	2	2	-	4	3	1
-	-	-	-	1	-	-	-	1	1	1	6	1	1
-	-	-	-	-	3	4	1	2	1	4	-	-	-
-	-	-	2	1	1	-	-	1	1	1	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	1	1	-	1	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	1	-
-	1	2	1	-	1	5	2	3	3	6	8	4	4
-	-	-	-	2	1	3	3	2	3	4	5	6	8
4	18	38	42	71	130	222	242	296	353	358	337	197	100
1	11	17	34	73	127	174	140	229	252	257	191	122	94

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

肝及肝內膽管 C22

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81703 81713	肝細胞癌	男	6,366	2	3	2	2
81723 81733	HEPATOCELLULAR CARCINOMA	女	2,267	1	2	-	1
81743 81753							
81603 81623	膽管癌	男	329	-	-	-	-
84813	CHOLANGIOCARCINOMA	女	301	-	-	-	-
81803	合併肝細胞癌和膽管癌	男	29	-	-	-	-
	COMBINED HEPATOCELLULAR CARCINOMA AND CHOLANGIOCARCINOMA	女	10	-	-	-	-
81403 81613	腺癌	男	90	-	-	-	-
81903 82603	ADENOCARCINOMA	女	66	-	-	-	-
83103 84403							
84703 84803							
85003							
89703 91303	肝芽細胞瘤	男	7	7	-	-	-
	HEPATOBLASTOMA	女	5	3	-	-	-
80333 80413	其他明示癌	男	2	-	-	-	-
82463 82493	OTHER SPECIFIED CARCINOMA	女	4	-	-	-	-
80103 80203	未明示癌	男	36	-	-	-	-
	CARCINOMA, NOS	女	27	1	-	-	-
91203	血管肉瘤	男	2	-	-	-	-
	ANGIOSARCOMA	女	4	-	-	-	-
88013 88303	其他明示之肉瘤	男	5	-	-	-	-
88513 88523	OTHER SPECIFIED SARCOMA	女	5	-	-	-	-
88903 89913							
91333							
88003 88053	未明示之肉瘤	男	6	-	-	-	-
	SARCOMA, NOS	女	2	-	-	-	-
80003 80043	其他惡性腫瘤	男	179	-	-	-	-
	OTHER MALIGNANCY	女	88	-	1	1	-
	總計	男	7,051	9	3	2	2
	TOTAL	女	2,779	5	3	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
17 7	45 15	113 22	216 33	424 40	566 71	783 151	714 188	864 309	878 434	766 431	573 300	296 179	102 83
-	1	2	4	11	23	34	27	42	38	60	43	32	12
-	3	4	3	7	23	24	22	47	49	48	34	25	12
-	-	-	-	4	3	7	5	-	2	4	3	-	1
-	-	1	-	-	1	1	1	2	1	1	2	-	-
2	1	-	2	11	7	9	8	12	15	11	3	5	4
-	1	-	-	4	2	4	7	8	16	10	9	4	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	1	-	-	-	1	-	1	1	-	-
-	-	1	-	1	5	2	5	2	7	5	2	6	-
-	-	-	-	2	3	2	6	1	3	3	2	3	1
-	-	-	-	-	-	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	1	-	-	2
-	-	-	-	-	-	-	1	1	1	-	2	-	-
1	-	-	-	1	-	-	1	-	-	1	-	-	1
-	-	-	1	-	-	2	-	-	2	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-
-	2	-	14	11	12	15	14	14	20	23	25	19	10
-	-	-	1	3	4	3	6	11	12	10	17	12	7
19 8	49 19	116 27	237 37	462 58	616 104	853 186	774 231	936 380	964 516	869 506	653 367	358 223	129 107

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

膽囊及肝外膽管 C23 - C24

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
81403 81603	腺癌	男	341	-	-	-	-
81613 81623	ADENOCARCINOMA	女	271	-	-	-	-
82603 82613							
82623 82633							
83103 84803							
84903 85743							
85603	腺性鱗狀癌	男	8	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女	4	-	-	-	-
80203 80333	其他明示癌	男	13	-	-	-	-
80413 80703	OTHER SPECIFIED CARCINOMA	女	5	-	-	-	-
81443 82463							
85003							
80103	未明示癌	男	14	-	-	-	-
	CARCINOMA, NOS	女	13	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	-	-	-	-	-
97643							
80003	其他惡性腫瘤	男	40	-	-	-	-
	OTHER MALIGNANCY	女	34	-	-	-	-
	總計	男	418	-	-	-	-
	TOTAL	女	327	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	1	1	3	14	21	21	36	41	38	68	49	30	17
-	1	-	2	6	22	20	27	31	43	44	38	24	13
-	-	-	-	-	-	1	-	-	1	3	2	1	-
-	-	-	-	-	-	1	1	2	-	-	-	-	-
-	-	-	1	1	1	-	-	-	6	1	1	1	1
-	-	-	-	-	-	1	-	1	-	-	1	2	-
-	-	-	-	-	-	1	2	2	1	1	5	2	-
-	-	-	-	-	1	1	-	-	1	4	2	3	1
-	-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	2	2	2	2	9	11	6	5
-	-	-	-	-	-	1	2	1	4	2	12	7	5
1	1	1	4	15	24	25	40	45	48	82	69	40	23
-	1	-	2	6	23	24	30	35	48	50	53	36	19

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

胰 C25

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 82113	腺癌	男	363	-	-	-	-
82603 84403	ADENOCARCINOMA	女	260	-	-	-	-
84413 84533							
84703 84803							
84813 84903							
85003 85033							
85503	腺泡細胞癌	男	5	-	-	-	-
	ACINAR CELL CARCINOMA	女	3	-	-	-	-
81503 81513	胰島細胞癌	男	3	-	-	-	-
81533	ISLET CELL CARCINOMA	女	4	-	-	-	-
80033 80213	其他明示癌	男	12	-	-	1	-
80223 80703	OTHER SPECIFIED CARCINOMA	女	16	-	-	-	1
81453 81543							
82403 82463							
84523 85603							
85753 89713							
89803							
80103 80203	未明示癌	男	61	-	-	-	-
	CARCINOMA, NOS	女	57	-	-	-	-
80003	未明示之惡性腫瘤	男	198	-	-	-	-
	MALIGNANT NEOPLASM, NOS	女	131	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	2	-	-	-	-
97643							
	總計	男	644	-	-	1	-
	TOTAL	女	473	-	-	-	1

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	2	3	17	27	37	44	43	40	63	61	18	8
-	2	-	6	10	11	21	30	19	51	50	34	14	12
-	-	-	-	-	1	1	-	1	-	1	1	-	-
-	-	-	-	-	-	1	-	-	2	-	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	1	-
2	-	1	-	-	-	-	1	-	-	-	-	-	-
-	-	1	-	1	2	-	2	2	2	-	1	-	-
-	1	3	2	-	1	2	-	1	3	1	-	1	-
-	-	-	1	3	2	6	7	3	6	15	8	5	5
-	-	-	1	6	3	1	4	6	6	13	9	6	2
-	-	1	2	4	8	11	14	21	22	33	43	20	19
1	-	-	-	1	6	4	5	14	18	22	26	20	14
-	-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-
-	-	4	6	26	40	56	67	70	71	113	114	44	32
3	3	4	9	17	21	29	40	40	80	87	69	42	28

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

後腹膜腔及腹膜 C48

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
88503 88513	脂肪肉瘤	男	11	2	-	-	-
88523 88543	LIPOSARCOMA	女	19	3	-	-	-
88553 88583 95003							
88903	平滑肌肉瘤	男	6	-	-	-	-
	LEIOMYOSARCOMA	女	12	-	1	-	-
88303	惡性纖維組織細胞瘤	男	6	-	-	-	-
	MALIGNANT FIBROHISTIOCYTOMA	女	2	-	-	-	-
86803 93643	周邊原始神經外胚層腫瘤	男	6	-	2	-	-
94733 95403	PERIPHERAL PRIMITIVE	女	4	-	-	-	-
95603	NEUROECTODERMAL TUMOR						
90613 90643	胚細胞瘤和惡性畸胎瘤	男	16	2	2	1	3
90713 90803	GERM CELL TUMOR AND MALIGNANT TERATOMA	女	7	6	-	-	-
90503 90523	惡性間皮瘤	男	4	-	-	-	-
	MALIGNANT MESOTHELIOMA	女	7	-	-	-	-
88013 88023	明示之肉瘤	男	3	-	-	1	-
88103 88533	SPECIFIED SARCOMA	女	8	-	-	-	1
89103 89803 90433 90533 91203 91503							
88003	未明示之肉瘤	男	7	-	-	-	1
	SARCOMA, NOS	女	2	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583 97643	MALIGNANT LYMPHOMA	女	1	-	-	-	-
80003	其他惡性腫瘤	男	4	-	-	-	-
	OTHER MALIGNANCY	女	7	-	-	-	-
	總計	男	64	4	4	2	4
	TOTAL	女	69	9	1	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	1	-	2	2	-	2	1	1	-	-
-	-	1	1	4	2	2	-	1	2	3	-	-	-
-	-	-	-	-	-	3	1	1	-	-	1	-	-
-	-	-	-	-	4	1	1	3	-	1	-	1	-
-	-	-	-	-	-	1	1	2	1	-	1	-	-
-	-	-	-	-	-	1	-	1	-	-	-	-	-
-	-	-	1	2	-	1	-	-	-	-	-	-	-
1	1	-	1	-	-	-	1	-	-	-	-	-	-
3	1	2	-	-	-	1	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	3	-	-	-	-
-	-	-	-	-	5	1	-	-	1	-	-	-	-
-	1	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	1	-	2	1	2	-	-	-	-
-	1	-	-	-	1	-	-	1	1	1	1	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	1	-	-	-	2	-	1	-	-	-
-	1	-	-	1	-	-	-	1	-	-	2	2	-
3	3	2	1	4	1	9	4	6	8	5	4	-	-
2	2	1	2	7	12	5	4	8	5	4	2	3	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

消化器官之其他部位及與腹膜分界不明部位 C26

ICD-O-3	組 織 形 態	性 別		年 齡			
				0 4	5 9	10 14	15 19
81403 82603 84603	腺癌 ADENOCARCINOMA	男	4	-	-	-	-
		女	5	-	-	-	-
89363	明示之肉瘤 SPECIFIED SARCOMA	男	8	-	-	-	-
		女	5	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	3	-	-	-	1
		女	1	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	-	-	-	-	-
		女	3	-	-	-	-
	總計 TOTAL	男	15	-	-	-	1
		女	14	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	1	2	-	1
-	-	-	-	-	-	-	1	-	2	-	-	-	2
-	-	-	-	-	-	-	-	3	1	3	1	-	-
-	-	-	-	-	1	-	3	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	1
-	-	-	-	-	-	-	-	3	2	5	3	-	1
-	-	-	-	-	1	-	4	-	4	1	1	-	3

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

鼻腔、副竇、中耳及內耳 C30 - C31

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80513 80523	鱗狀細胞癌	男	62	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	20	-	-	-	-
80723 80733							
80763 80833							
81403 82003	腺癌	男	10	-	-	-	-
82603 84403	ADENOCARCINOMA	女	10	-	-	-	-
80413	小細胞癌	男	3	-	-	-	-
	SMALL CELL CARCINOMA	女	-	-	-	-	-
84303 89403	小唾液腺癌	男	2	-	-	-	-
	CARCINOMA OF MINOR SALIVARY GLANDS	女	1	-	-	-	-
80133 80323	其他明示癌	男	3	-	-	-	-
80463 81213	OTHER SPECIFIED CARCINOMA	女	5	-	-	-	-
82463 90813							
80103 80203	未明示癌	男	7	-	-	-	-
	CARCINOMA, NOS	女	5	-	-	-	-
87203	惡性黑色素瘤	男	7	-	-	-	-
	MALIGNANT MELANOMA	女	4	-	-	-	-
88013 88103	明示之肉瘤	男	8	-	-	1	1
88113 88903	SPECIFIED SARCOMA	女	4	-	-	-	-
89103 89203							
91203 91363							
93703							
95903-97293	惡性淋巴瘤	男	30	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	8	-	-	-	-
97643							
97313	漿細胞瘤	男	-	-	-	-	-
	PLASMACYTOMA, NOS	女	1	-	-	-	-
80003 93643	其他惡性腫瘤	男	2	1	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	134	1	-	1	1
	TOTAL	女	59	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	4	4	4	5	10	11	4	8	6	3	3
-	2	1	-	1	4	2	3	1	1	2	2	1	-
-	1	-	2	1	-	-	1	2	-	-	1	1	1
-	-	-	-	1	1	1	4	-	1	1	-	1	-
-	-	-	-	-	1	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	1	-
-	2	-	-	-	1	-	-	-	-	1	-	1	-
-	-	-	1	2	-	-	2	-	1	1	-	-	-
-	1	-	-	-	1	-	2	-	-	1	-	-	-
-	-	-	-	1	-	1	-	-	-	3	-	2	-
-	-	-	-	-	-	-	-	1	-	-	2	1	-
-	-	-	2	1	-	-	-	1	-	1	1	-	-
-	1	-	-	1	1	-	-	1	-	-	-	-	-
2	2	-	3	4	2	4	1	1	2	4	1	3	1
1	-	-	-	1	-	2	1	1	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
2	3	-	14	14	8	10	15	16	7	18	9	10	5
1	6	1	-	4	8	5	10	5	5	5	4	4	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

喉 C32

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80513 80523	鱗狀細胞癌	男	459	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	22	-	-	-	-
80723 80763							
80413	小細胞癌	男	1	-	-	-	-
	SMALL CELL CARCINOMA	女	-	-	-	-	-
80203 80823	其他明示癌	男	8	-	-	-	-
80833 81403	OTHER SPECIFIED CARCINOMA	女	3	-	-	-	-
82003 84303							
80103	未明示癌	男	8	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
89803	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	-	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	1	-	-	-	-
97643							
80003	其他惡性腫瘤	男	15	-	-	-	-
	OTHER MALIGNANCY	女	3	-	-	-	-
	總計	男	493	-	-	-	-
	TOTAL	女	30	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	1	14	21	38	47	52	60	49	71	60	36	9
1	-	-	1	1	3	3	-	1	4	3	1	3	1
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	1	1	1	2	-	1
-	-	1	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	2	-	-	2	2	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	2	2	2	1	5	-	-	2	-
-	-	-	-	-	-	-	-	-	-	1	-	1	1
-	1	1	14	22	42	52	54	64	56	73	64	40	10
1	-	1	1	2	4	4	-	1	5	4	1	4	2

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

肺、支氣管及氣管 C33 - C34

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80703 80713	鱗狀細胞癌	男	1,542	-	1	1	-
80723 80733	SQUAMOUS CELL CARCINOMA	女	225	-	-	-	-
80743 80763							
80823 80833							
81403 81413	腺癌	男	1,908	1	-	-	-
82113 82503	ADENOCARCINOMA	女	1,641	-	-	-	-
82513 82553							
82603 83103							
83233 84803							
84813 84903							
85003							
85603	腺性鱗狀癌	男	116	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女	31	-	-	-	-
80123 80143	大細胞癌	男	41	-	-	-	-
80203 80213	LARGE CELL CARCINOMA	女	18	-	-	-	-
80313							
80413 80433	小細胞癌	男	687	-	-	-	-
80443 80453	SMALL CELL CARCINOMA	女	91	-	-	-	-
80133 82403	神經內分泌癌	男	21	-	-	-	-
82463 82493	NEUROENDOCRINE CARCINOMA	女	11	-	-	-	1
80223 81463	氣管腺體癌	男	37	-	-	-	-
82003 84303	BRONCHIAL GLAND CARCINOMA	女	26	-	-	-	1
85503							
82523 82533	細支氣管肺泡癌	男	8	-	-	-	-
	BRONCHIOLO-ALVEOLAR CARCINOMA	女	13	-	-	-	-
80323 80333	其他明示癌	男	486	-	-	-	-
80463 80503	OTHER SPECIFIED CARCINOMA	女	218	-	-	-	-
81203 83203							
80103 82303	未明示癌	男	246	-	-	-	-
	CARCINOMA, NOS	女	98	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	2	-	9	22	39	74	85	143	195	357	366	179	69
-	-	-	4	10	9	13	22	26	43	33	30	26	9
1	6	11	22	65	84	147	137	193	291	330	360	178	82
2	5	13	44	79	119	129	133	222	245	250	192	129	79
-	-	-	2	3	5	3	5	11	19	19	30	15	4
-	-	-	2	-	3	4	1	5	6	5	3	2	-
1	-	1	-	-	2	3	3	5	6	7	8	3	2
-	-	1	1	1	1	1	-	1	2	3	6	-	1
-	-	-	2	3	24	31	49	73	103	161	136	77	28
-	-	-	-	3	5	6	9	11	15	15	13	11	3
-	-	-	-	2	3	3	1	3	1	4	3	1	-
-	-	-	1	2	2	-	-	3	-	2	-	-	-
1	2	1	1	2	-	2	4	4	3	8	7	2	-
-	-	-	-	4	2	3	6	2	2	3	2	1	-
-	-	-	-	-	-	1	-	-	3	1	3	-	-
-	-	1	-	3	-	1	1	2	1	2	2	-	-
-	2	1	3	9	14	30	36	41	71	91	106	57	25
-	1	2	5	7	11	18	23	22	30	37	24	25	13
-	-	-	2	3	9	16	11	20	21	61	43	35	25
-	-	2	1	3	4	8	5	7	18	13	9	16	12

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

肺、支氣管及氣管 C33 - C34 (續)

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
88013 88023	明示之肉瘤	男	15	-	-	-	-
88103 88153	SPECIFIED SARCOMA	女	6	-	-	-	-
88303 88513							
88903 89803							
91403							
88003	未明示之肉瘤	男	3	-	-	-	-
	SARCOMA, NOS	女	-	-	-	-	-
87203	惡性黑色素瘤	男	1	-	-	-	-
	MALIGNANT MELANOMA	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	13	-	-	1	-
97503-97583	MALIGNANT LYMPHOMA	女	5	-	-	-	-
97643							
80003 80013	其他惡性腫瘤	男	413	-	-	-	1
80043 95403	OTHER MALIGNANCY	女	221	1	-	-	-
	總計	男	5,537	1	1	2	1
	TOTAL	女	2,605	1	-	-	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	1	2	1	3	-	5	1	1	-	1
-	-	-	1	1	1	-	-	-	1	1	-	1	-
-	-	-	-	-	-	2	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	-	1	1	1	1	2	3	1
-	-	-	-	1	-	-	-	-	-	1	1	2	-
-	-	1	1	8	7	18	10	29	49	57	93	84	55
-	-	-	1	1	5	10	9	6	20	33	50	49	36
4	12	15	43	118	189	332	345	523	768	####	####	635	292
2	6	19	60	116	162	193	209	307	383	398	332	262	153

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

胸膜 C38.4

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
90503 90523 90533	惡性間皮瘤 MALIGNANT MESOTHELIOMA	男	16	-	-	-	-
		女	4	-	-	-	-
	總計 TOTAL	男	16	-	-	-	-
		女	4	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	2	-	1	6	1	2	-	1	2	1	-
-	-	-	-	-	1	-	-	-	2	-	1	-	-
-	-	-	2	-	1	6	1	2	-	1	2	1	-
-	-	-	-	-	1	-	-	-	2	-	1	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

胸腺、心臟及縱隔 C37 - C38.3, C38.8

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
80703 80713	惡性胸腺瘤及胸腺癌	男	70	-	-	-	-
80723 85803	MALIGNANT THYMOMA AND THYMIC	女	59	-	-	-	-
85813 85823	CARCINOMA						
85833 85843							
85853 85863							
90643 90713	胚細胞瘤和惡性畸胎瘤	男	13	-	-	-	3
90803 90853	GERM CELL TUMOR AND MALIGNANT	女	1	-	-	-	1
	TERATOMA						
80343 80413	其他明示癌	男	7	-	-	-	-
80823 82403	OTHER SPECIFIED CARCINOMA	女	2	-	-	-	-
82463 83103							
80103	未明示癌	男	6	-	-	-	-
	CARCINOMA, NOS	女	6	-	-	-	-
94903 95003	神經原惡性腫瘤	男	4	-	2	-	-
95403 95603	NEUROGENIC MALIGNANCIES	女	5	3	-	-	-
88013 88043	明示之肉瘤	男	6	-	-	-	1
88303 90413	SPECIFIED SARCOMA	女	1	-	-	-	-
91203 91503							
88003	未明示之肉瘤	男	2	-	-	-	-
	SARCOMA, NOS	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	13	-	-	-	1
97503-97583	MALIGNANT LYMPHOMA	女	15	-	-	-	2
97643							
80003	其他惡性腫瘤	男	6	-	-	-	1
	OTHER MALIGNANCY	女	4	-	-	-	-
	總計	男	127	-	2	-	6
	TOTAL	女	93	3	-	-	3

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	1	8	18	8	9	3	8	8	5	2	-
1	1	1	2	5	6	10	7	14	3	5	2	1	1
6	2	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	-	-	1	1	2	1	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	1	-	2	-	1	-	1	-	-	1	-	-
-	1	-	-	-	1	2	-	1	1	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-	-
1	1	-	1	-	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	1	-	-	-	2	-	1	-	1	-	-	2
4	3	2	-	1	1	-	-	-	-	-	1	1	-
-	-	-	-	-	-	1	-	-	-	2	-	1	1
-	-	-	-	-	1	1	-	-	-	-	1	-	1
10	6	2	4	11	19	13	10	6	9	12	8	5	4
5	5	4	2	6	10	13	7	15	7	5	4	2	2

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

白血病 ICD-O-3 M-98003 - M-99633, M-99803 - M-99893				年齡			
ICD-O-3	組織形態	性別	總計	0	5	10	15
				4	9	14	19
98403 98613	急性骨髓樣白血病	男	298	4	3	7	12
98663 98673	ACUTE MYELOID LEUKEMIA	女	213	5	3	5	4
98713 98723							
98733 98743							
98953 98963							
98633 98753	慢性骨髓樣白血病	男	94	1	-	1	4
98763 99453	CHRONIC MYELOID LEUKEMIA	女	69	2	1	1	1
99463 99633							
98913	急性單核球白血病	男	17	1	1	1	1
	ACUTE MONOCYTIC LEUKEMIA	女	8	-	1	-	-
98353 98363	急性淋巴芽細胞白血病	男	124	43	18	16	4
98373	ACUTE LYMPHOBLASTIC LEUKEMIA	女	92	31	12	9	3
98233	慢性淋巴球白血病	男	59	-	-	-	-
	CHRONIC LYMPHOCYTIC LEUKEMIA	女	35	-	-	-	-
98603	未明示之骨髓樣白血病	男	3	-	-	-	-
	MYELOID LEUKEMIA, NOS	女	1	-	-	-	-
98203	未明示之淋巴樣白血病	男	2	-	-	-	-
	LYMPHOID LEUKEMIA, NOS	女	-	-	-	-	-
98013 98053	其他類型白血病	男	194	2	3	3	2
98263 98273	OTHER TYPES OF LEUKEMIA	女	128	1	2	1	1
98323 99103							
99303 99403							
99503 99603							
99613 99623							
99803 99823							
99833 99843							
99863 99873							
99893							
98003	未明示之白血病	男	6	-	1	-	-
	LEUKEMIA, NOS	女	4	-	-	-	-
	總計	男	797	51	26	28	23
	TOTAL	女	550	39	19	16	9

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
12	14	14	11	20	13	13	18	28	20	37	45	18	9
11	7	9	8	11	23	22	11	13	24	19	19	12	7
2	9	6	8	9	6	3	9	7	6	6	8	7	2
1	1	4	4	9	7	6	2	2	6	3	7	7	5
-	1	-	-	-	1	2	1	2	1	3	2	-	-
-	-	-	1	-	-	-	-	2	-	2	1	1	-
9	4	3	3	2	6	2	5	2	1	-	4	-	2
5	6	2	2	3	5	3	4	4	1	-	-	2	-
-	-	-	-	5	1	8	4	10	6	7	10	5	3
-	-	1	1	1	4	1	4	6	2	5	7	1	2
-	-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	3	4	7	8	11	11	12	10	22	28	36	19	8
2	2	4	4	3	9	12	10	10	12	13	14	15	13
-	-	-	-	1	-	-	-	-	-	1	2	1	-
-	1	-	-	-	1	-	-	-	-	-	1	-	1
28	31	27	29	45	38	40	49	59	58	83	108	50	24
19	17	20	20	27	49	44	31	37	45	42	50	38	28

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

		造血系統及網狀內皮系統（白血病除外） C42					
ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
97313 97323	多發性骨髓瘤	男	189	-	-	-	-
97333	MULTIPLE MYELOMA	女	140	-	-	-	-
95903 95913	非何杰金氏淋巴瘤	男	49	1	2	1	1
96703 96713	NON-HODGKIN LYMPHOMA	女	33	3	-	-	1
96733 96753							
96803 96873							
96893 96913							
96953 96983							
96993 97023							
97143 97283							
97503							
96503 96523	何杰金氏淋巴瘤	男	1	-	1	-	-
	HODGKIN LYMPHOMA	女	1	-	-	-	-
80003 97513	其他惡性腫瘤	男	19	-	-	-	-
97613	OTHER MALIGNANCY	女	6	1	-	-	-
	總計	男	258	1	3	1	1
	TOTAL	女	180	4	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	2	8	9	15	13	19	25	44	31	19	4
-	-	1	-	3	7	23	11	11	31	23	19	8	3
-	1	1	4	1	1	4	1	6	5	8	4	7	1
1	-	1	2	3	4	1	2	2	4	3	2	3	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	-	1	1	-	2	2	1	2	4	5	-	-
-	-	-	-	-	-	2	-	-	1	1	1	-	-
-	2	1	7	10	10	21	16	26	32	56	40	26	5
1	-	2	2	6	11	26	14	13	36	27	22	11	4

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

骨、關節及關節軟骨 C40 - C41

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
91803 91813	骨肉瘤	男	33	1	2	10	5
91833 91863	OSTEOSARCOMA	女	23	-	1	5	3
91923 91933							
92203 92313	軟骨肉瘤	男	11	-	-	-	1
92403 92423	CHONDROSARCOMA	女	11	-	-	-	-
92503	惡性骨巨大細胞瘤	男	2	-	-	-	-
	MALIGNANT GIANT CELL TUMOR	女	3	-	-	1	-
92603	Ewing 氏肉瘤	男	3	-	-	2	1
	EWING SARCOMA	女	3	-	1	-	-
93703	脊索瘤	男	6	-	-	-	-
	CHORDOMA	女	5	-	-	-	-
93103	惡性成釉細胞瘤	男	4	-	-	1	-
	MALIGNANT AMELOBLASTOMA	女	1	-	-	-	-
88103 88303	其他明示之肉瘤	男	9	1	-	1	-
88513 88903	OTHER SPECIFIED SARCOMA	女	8	1	1	1	1
89103 91203							
91853 93643							
95403 97503							
88003	未明示之肉瘤	男	2	-	-	-	-
	SARCOMA, NOS	女	2	-	-	-	-
80003	其他惡性腫瘤	男	3	-	-	-	1
	OTHER MALIGNANCY	女	2	-	-	-	-
	總計	男	73	2	2	14	8
	TOTAL	女	58	1	3	7	4

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3	2	-	2	3	2	-	1	-	-	-	1	1	-
2	2	3	3	-	1	1	1	-	1	-	-	-	-
-	2	2	2	-	-	-	-	-	1	-	2	1	-
1	1	-	2	-	1	1	2	-	2	-	1	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	1	-	-	-	3	-
-	-	-	-	-	1	3	-	1	-	-	-	-	-
-	-	-	-	-	-	-	1	1	1	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	1	-	1	-	1	-	1	-	1	-
-	-	-	-	-	-	2	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	1	-	-	-	1	-
1	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-
5	5	3	6	4	3	1	2	4	2	1	4	6	1
3	4	3	7	1	3	7	3	2	6	-	3	1	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

結締組織、軟組織及其他皮下組織 C47, C49

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
88103 88113	惡性纖維組織細胞瘤和纖維肉瘤	男	44	-	-	1	1
88303 88323	MALIGNANT FIBROHISTIOCYTOMA AND FIBROSARCOMA	女	37	-	-	-	-
88503 88513	脂肪肉瘤	男	52	-	-	-	1
88523 88533	LIPOSARCOMA	女	38	-	-	1	-
88543 88553							
88583							
88903 88963	平滑肌肉瘤	男	14	-	-	-	-
	LEIOMYOSARCOMA	女	14	-	-	-	-
89003 89013	橫紋肌肉瘤	男	16	2	-	1	3
89023 89103	RHABDOMYOSARCOMA	女	9	2	1	-	1
89203 95813							
91203 91303	血管肉瘤	男	8	-	-	-	-
91333 91403	ANGIOSARCOMA	女	8	-	-	-	-
91503							
90403 90413	滑膜肉瘤	男	6	-	-	1	1
90433	SYNOVIAL SARCOMA	女	9	-	-	-	-
94903 95403	惡性神經鞘瘤	男	8	-	-	1	-
95603 95803	(包含惡性 Schwann 氏細胞瘤)	女	13	1	-	-	2
	MALIGNANT NERVE SHEATH TUMOR						
	(INCLUDING MALIGNANT SCHWANNOMA)						
93643 95003	周邊原始神經外胚層腫瘤	男	6	3	-	1	-
	PERIPHERAL PRIMITIVE	女	2	1	-	1	-
	NEUROECTODERMAL TUMOR						
80043 88013	其他明示之肉瘤	男	26	1	1	-	1
88023 88033	OTHER SPECIFIED SARCOMA	女	22	-	-	-	2
88043 88153							
89633 90443							
91813 92203							
92313 92403							
88003	未明示之肉瘤	男	22	-	-	1	-
	SARCOMA, NOS	女	13	-	-	1	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	3	1	1	4	7	4	3	3	6	6	1	-	2
-	1	3	3	4	6	7	1	3	2	2	2	2	1
1	2	4	1	5	3	4	3	6	6	4	10	-	2
-	-	2	5	3	4	7	3	4	2	1	3	3	-
-	1	-	1	1	1	-	1	3	1	1	1	2	1
-	-	1	1	2	1	3	2	-	2	1	-	-	1
2	4	-	2	-	-	1	-	-	1	-	-	-	-
1	1	-	1	-	-	-	-	1	1	-	-	-	-
-	-	-	1	1	-	-	-	1	1	1	2	1	-
2	-	-	-	1	-	-	1	-	1	2	1	-	-
-	-	-	1	-	-	1	-	-	-	1	1	-	-
1	1	2	-	2	-	1	-	2	-	-	-	-	-
1	2	-	-	-	1	-	-	1	-	1	1	-	-
1	-	4	1	2	-	1	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	2	4	-	3	-	3	1	1	4	2	-	-
2	1	1	-	1	1	4	3	4	1	2	-	-	-
-	-	1	2	3	1	3	1	2	1	2	3	-	2
1	-	-	-	1	-	1	2	2	-	1	1	-	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

結締組織、軟組織及其他皮下組織 C47, C49 (續)

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	27	1	2	1	-
		女	15	-	-	2	-
97313	漿細胞瘤 PLASMACYTOMA	男	1	-	-	-	-
		女	1	-	-	-	-
84803	明示癌 SPECIFIED CARCINOMA	男	-	-	-	-	-
		女	1	-	-	-	-
80003 80013 88063	其他惡性腫瘤 OTHER MALIGNANCY	男	8	-	-	1	-
		女	6	-	-	-	1
	總計 TOTAL	男	238	7	3	8	7
		女	188	4	1	5	8

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	2	2	-	-	2	-	3	1	3	6	2	1
-	1	-	-	2	-	3	2	1	1	1	1	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
2	1	-	-	-	-	-	-	1	-	2	-	1	-
-	-	-	-	1	1	1	-	-	-	-	1	1	-
7	17	10	16	14	16	15	11	21	18	26	28	6	8
8	5	13	11	19	13	29	15	17	10	10	10	7	3

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

皮膚 C44

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80903 80913	基底細胞癌	男	522	-	1	-	-
80923 80943	BASAL CELL CARCINOMA	女	475	-	-	1	1
80973 80983 82003							
80513 80703	鱗狀細胞癌	男	353	-	-	-	1
80713 80723	SQUAMOUS CELL CARCINOMA	女	256	-	-	-	-
80763 80823 80933							
81023 81403	皮膚附件癌	男	45	-	-	-	-
83103 83903	CARCINOMA OF SKIN APPENDAGES	女	37	-	-	1	-
84003 84023 84073 84083 84093 84103 84133 84203 84803 85423							
87203 87213	惡性黑色素瘤	男	90	-	-	-	-
87303 87443	MALIGNANT MELANOMA	女	82	1	1	-	1
87613 87703 87713 87803							
80113 80123	其他明示癌	男	11	-	-	-	-
80203 80323	OTHER SPECIFIED CARCINOMA	女	9	-	-	-	-
80523 80733 80833 82473 84303 85733							
80103	未明示癌	男	6	-	-	-	-
	CARCINOMA, NOS	女	4	-	-	-	-

	20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
	1	5	4	9	20	32	35	44	52	58	81	103	48	29
	2	4	4	10	14	31	26	31	40	69	83	58	74	27
	-	1	4	5	6	10	10	22	30	42	45	71	55	51
	-	2	1	2	6	9	6	8	19	16	28	42	49	68
	-	3	-	-	1	2	3	3	5	10	7	7	3	1
	3	-	-	-	1	1	2	4	2	1	7	3	6	6
	2	-	-	5	1	6	3	11	9	11	14	15	5	8
	1	3	2	3	5	5	8	5	10	17	9	5	4	2
	-	-	-	-	1	1	-	-	1	1	1	2	2	2
	-	-	-	-	1	-	1	-	2	-	-	3	1	1
	-	-	-	-	-	-	-	1	1	-	1	2	-	1
	-	-	-	-	-	-	1	2	-	-	1	-	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

皮膚 C44 (續)

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
87113 88013	明示之肉瘤	男	116	-	1	1	-
88023 88103	SPECIFIED SARCOMA	女	77	1	-	2	5
88303 88323							
88333 88503							
88523 88903							
91203 91223							
91333 91403							
88003	未明示之肉瘤	男	4	-	-	-	-
	SARCOMA, NOS	女	2	-	-	-	-
95903-97293	惡性淋巴瘤	男	40	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	20	1	-	-	-
97643							
80003	其他惡性腫瘤	男	8	-	-	1	-
	OTHER MALIGNANCY	女	3	-	-	-	1
	總計	男	1,196	-	2	2	1
	TOTAL	女	965	3	1	4	8

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
5	7	11	10	15	7	10	7	11	7	5	12	5	2
7	5	6	6	8	8	4	5	5	3	5	2	4	1
-	-	-	-	-	1	-	1	-	1	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	1	-	-
2	1	2	5	1	3	3	3	6	2	3	5	3	1
1	1	2	1	1	1	-	4	3	-	1	3	-	1
-	-	-	1	-	1	-	-	1	-	2	2	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-	-
10	17	21	35	45	63	64	92	116	132	160	220	121	95
14	15	15	22	37	55	48	59	82	106	134	118	138	106

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

女性乳房 C50

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80713 81403	浸潤性管道癌	女	5,429	-	-	-	-
81413 82113	INFILTRATING DUCTAL CARCINOMA						
84013 85003							
85013 85033							
85043 85213							
85223 85233							
85413 85433							
85733 85753							
84803	黏液性腺癌 MUCINOUS ADENOCARCINOMA	女	160	-	-	-	-
85103 85133	髓質癌 MEDULLARY CARCINOMA	女	64	-	-	-	-
85203	浸潤性小葉癌 INFILTRATING LOBULAR CARCINOMA	女	232	-	-	-	-
90203	惡性葉狀腫瘤 MALIGNANT PHYLLODES TUMOR	女	57	-	-	1	-
85403	乳房 Paget 氏病 PAGET DISEASE, MAMMARY	女	12	-	-	-	-
80333 80413	其他明示癌	女	92	-	-	-	-
80503 80703	OTHER SPECIFIED CARCINOMA						
80723 80743							
80763 82003							
82013 82463							
82603 83153							
83233 84903							
85023 85073							
85243 85303							
85503							
80103	未明示癌 CARCINOMA, NOS						
88013 88103	明示之肉瘤						
88303 88523	SPECIFIED SARCOMA						
89803 91203							
91803							

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
17	77	194	505	827	1,076	895	570	469	342	242	126	66	23

- 3 10 17 28 26 19 7 11 12 7 13 4 3

1 1 2 10 10 14 13 3 7 1 - - 2 -

1 1 4 13 31 49 32 26 26 24 10 7 7 1

1 2 2 7 10 20 9 1 - 4 - - - -

- - 2 1 1 2 1 1 2 2 - - - -

1 3 2 3 14 13 13 10 8 9 9 4 2 1

- - 2 3 5 6 8 6 3 5 2 3 2 2

- 1 - 1 1 1 3 2 2 1 - 1 1 -

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

女性乳房 C50 (續)

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
88003	未明示之肉瘤 SARCOMA, NOS	女	3	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女	14	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	女	52	-	-	-	-
	總計 TOTAL	女	6,176	-	-	1	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	1	1	-	-	1	-	-	-	-	-	-
-	2	1	1	1	3	-	1	2	1	-	2	-	-
-	-	1	3	8	8	10	4	4	4	3	3	3	1
21	90	220	565	937	1,218	1,003	632	534	405	273	159	87	31

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

男性乳房 C50

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 85003	浸潤性管道癌 INFILTRATING DUCTAL CARCINOMA	男	35	-	-	-	-
84803	黏液性腺癌 MUCINOUS ADENOCARCINOMA	男	3	-	-	-	-
85403 85433	乳房 Paget 氏病 PAGET DISEASE, MAMMARY	男	2	-	-	-	-
80503 80703 80713 80763 85033	其他明示癌 OTHER SPECIFIED CARCINOMA	男	7	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
	總計 TOTAL	男	48	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	-	-	-	1	2	4	3	4	2	4	9	5	-
-	-	-	-	-	-	-	-	2	-	-	-	1	-
-	-	-	-	-	-	1	-	-	1	-	-	-	-
-	-	-	-	1	1	-	2	1	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	2	3	5	5	7	3	7	9	6	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

子宮，未明示部位 C55

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
84803	腺癌 ADENOCARCINOMA	女	1	-	-	-	-
80703	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	女	1	-	-	-	-
88903	平滑肌肉瘤 LEIOMYOSARCOMA	女	4	-	-	-	-
	總計 TOTAL	女	6	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	1	-	1	-	1	-	-	1	-	-	-	-
-	-	1	-	1	-	2	1	-	1	-	-	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

子宮頸 C53

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80503 80513	鱗狀細胞癌	女	1,786	-	-	-	-
80523 80703	SQUAMOUS CELL CARCINOMA						
80713 80723							
80733 80753							
80763 80773							
80823							
85603	腺性鱗狀癌	女	64	-	-	-	-
	ADENOSQUAMOUS CARCINOMA						
81403 81443	腺癌	女	286	-	-	-	-
82553 82603	ADENOCARCINOMA						
82623 83803							
83843 84803							
84823 85703							
80843 83103	明亮細胞癌	女	10	-	-	-	-
	CLEAR CELL CARCINOMA						
80153 80203	其他明示癌	女	32	-	-	-	-
80413 80833	OTHER SPECIFIED CARCINOMA						
80983 82463							
84303 85743							
80103	未明示癌	女	58	-	-	-	-
	CARCINOMA, NOS						
87203	惡性黑色素瘤	女	4	-	-	-	-
	MALIGNANT MELANOMA						
88903	明示之肉瘤	女	6	-	-	-	-
	SPECIFIED SARCOMA						
88003	未明示之肉瘤	女	1	-	-	-	-
	SARCOMA, NOS						
95903-97293	惡性淋巴瘤	女	3	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA						
97643							
80003	其他惡性腫瘤	女	42	-	-	-	-
	OTHER MALIGNANCY						
	總計	女	2,292	-	-	-	-
	TOTAL						

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
2	17	62	126	196	263	235	115	157	190	148	141	83	51
-	1	2	5	10	11	15	4	5	3	5	1	-	2
1	5	16	44	48	60	32	24	16	17	8	12	2	1
-	-	-	2	3	1	1	-	1	2	-	-	-	-
-	-	1	1	6	6	2	1	-	4	5	4	1	1
1	1	7	3	3	6	5	10	7	3	3	3	5	1
-	-	-	-	1	-	1	-	-	-	-	1	1	-
-	-	-	1	-	3	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	1	1	-	-	-	-	-
-	-	-	1	2	3	2	3	9	3	6	6	5	2
4	24	89	183	269	353	293	159	197	223	175	168	97	58

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

子宮體 C54

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 81413	腺癌	女	628	-	-	-	1
82603 83803 83823	ADENOCARCINOMA						
85603 85703	腺性鱗狀癌	女	19	-	-	-	-
	ADENOSQUAMOUS CARCINOMA						
91003 91053	絨毛膜癌	女	7	-	-	-	-
	CHORIOCARCINOMA						
80203 80413	其他明示癌	女	57	-	-	-	-
80523 80703	OTHER SPECIFIED CARCINOMA						
80723 83103							
83233 84413							
84603 84803							
80103	未明示癌	女	7	-	-	-	-
	CARCINOMA, NOS						
88903 88913	平滑肌肉瘤	女	62	-	-	-	-
88953 88963	LEIOMYOSARCOMA						
89313 89353	子宮內膜基質肉瘤	女	47	-	-	-	-
	ENDOMETRIAL STROMAL SARCOMA						
89333 89503	惡性 Muller 氏管混合性腫瘤	女	39	-	-	-	-
89513 89803	MALIGNANT MULLERIAN MIXED TUMOR						
93643	其他明示之肉瘤	女	1	-	-	-	1
	OTHER SPECIFIED SARCOMA						
88003	未明示之肉瘤	女	2	-	-	-	-
	SARCOMA, NOS						
80003	其他惡性腫瘤	女	8	-	-	-	-
	OTHER MALIGNANCY						
	總計	女	877	-	-	-	2
	TOTAL						

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	4	25	33	73	115	136	79	62	47	26	14	9	4
-	-	-	-	2	2	7	2	1	2	2	-	-	1
-	1	1	2	1	-	1	1	-	-	-	-	-	-
-	-	1	2	6	2	8	10	6	3	9	3	5	2
-	-	1	1	-	-	1	2	-	-	1	-	1	-
-	4	2	10	15	15	9	5	1	-	-	1	-	-
-	1	4	1	11	17	7	4	-	1	1	-	-	-
-	4	-	-	4	5	7	4	6	2	3	1	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	1	1	-	2	-	-	2	-	2	-
-	14	35	49	113	157	176	110	76	55	44	19	19	8

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

卵巢、輸卵管及寬韌帶 C56, C57.0 - C57.4

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
84703 84713 84803 90153	黏液性腺癌 MUCINOUS ADENOCARCINOMA	女	109	-	-	-	3
84413 84603 84613	漿液性腺癌 SEROUS ADENOCARCINOMA	女	248	-	-	-	1
83803	子宮內膜樣腺癌 ENDOMETRIOID ADENOCARCINOMA	女	98	-	-	-	-
83103 83133	明亮細胞癌 CLEAR CELL CARCINOMA	女	101	-	-	-	-
90603 90643 90713 90803 90813 90843 90853	胚細胞瘤 GERM CELL TUMOR	女	54	-	2	5	8
86003 86203 86313	性索間質細胞瘤 SEX-CORD-STROMAL TUMORS	女	14	-	-	-	-
91013	絨毛膜癌 CHORIOCARCINOMA	女	2	-	-	-	-
80203 80503 80703 80713 81203 81403 82403 82433 82553 82603 83233 84403 84503 84903 85603 86323 89503 90003 90903	其他明示癌 OTHER SPECIFIED CARCINOMA	女	142	-	-	-	1
80103	未明示癌 CARCINOMA, NOS	女	29	-	-	-	-
88903 89803 91203	明示之肉瘤 SPECIFIED SARCOMA	女	7	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	女	1	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
8	6	11	8	14	7	21	8	7	5	7	1	3	-
5	3	2	8	24	48	44	35	28	23	10	8	7	2
1	2	5	10	15	13	15	9	14	8	3	3	-	-
-	1	5	8	13	21	26	11	7	5	2	1	1	-
12	5	6	6	5	1	1	1	-	2	-	-	-	-
-	-	1	2	1	1	4	-	1	2	-	1	1	-
1	-	-	-	1	-	-	-	-	-	-	-	-	-
-	2	4	11	11	19	21	14	13	14	10	14	4	4
-	-	-	2	2	3	2	3	2	3	4	3	3	2
-	-	1	-	-	2	1	2	1	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

卵巢、輸卵管及寬韌帶 C56, C57.0 - C57.4 (續)

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女	2	-	-	-	-
80003 90833	其他惡性腫瘤 OTHER MALIGNANCY	女	34	-	-	-	-
	總計 TOTAL	女	841	-	2	5	13

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	-	-	1	-	-	-	-	-	1	-	-
1	-	1	1	4	3	2	3	-	2	2	4	4	7
28	19	36	56	90	119	137	86	74	64	38	36	23	15

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

陰道、外陰部及其他未詳細說明之女性生殖器官 C51 - C52, C57.7 - C57.9

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80513 80523	鱗狀細胞癌	女	65	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA						
80723 80763							
81403 82003	腺癌	女	8	-	-	-	-
82603	ADENOCARCINOMA						
91003 91053	絨毛膜癌	女	8	-	-	-	-
	CHORIOCARCINOMA						
85423	外陰部 Paget 氏病	女	3	-	-	-	-
	PAGET DISEASE OF EXTERNAL GENITALIA						
80903 82473	其他明示癌	女	10	-	-	-	-
83803	OTHER SPECIFIED CARCINOMA						
80103	未明示癌	女	4	-	-	-	-
	CARCINOMA, NOS						
87203 87463	惡性黑色素瘤	女	11	-	-	-	-
	MALIGNANT MELANOMA						
88043 88413	其他明示之肉瘤	女	4	-	-	-	-
88903	OTHER SPECIFIED SARCOMA						
80003	其他惡性腫瘤	女	3	-	-	-	-
	OTHER MALIGNANCY						
	總計	女	116	-	-	-	-
	TOTAL						

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	-	1	1	4	6	2	2	7	8	8	9	8	8
-	-	-	1	-	2	2	-	2	-	1	-	-	-
1	4	-	1	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	1	-
-	1	-	-	-	4	-	1	-	1	1	1	1	-
-	-	-	-	-	-	-	1	1	-	-	-	1	1
-	-	-	1	-	2	3	1	-	-	-	4	-	-
-	-	-	1	-	2	-	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	-	1	-	-
2	5	1	5	6	17	8	6	11	9	10	16	11	9

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

攝護腺 C61

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80003 81403 82113 83103 85003	腺癌 ADENOCARCINOMA	男	2,596	-	-	-	-
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	14	-	-	-	-
80203 80413 80703 81413 84803 85503	其他明示癌 OTHER SPECIFIED CARCINOMA	男	7	-	-	-	-
80103 80213	未明示癌 CARCINOMA, NOS	男	34	-	-	-	-
88013 88023 89003 89353	明示之肉瘤 SPECIFIED SARCOMA	男	6	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男	2	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	1	-	-	-	-
	總計 TOTAL	男	2,660	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	1	1	14	28	86	218	333	671	701	376	167
-	-	-	-	-	-	-	-	1	4	6	1	1	1
-	-	-	-	-	-	-	-	-	3	2	-	1	1
-	-	-	-	-	-	-	-	4	4	9	10	2	5
-	1	-	-	2	1	-	-	-	1	-	1	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	1	-	2	3	16	28	86	223	345	688	713	380	175

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

睪丸 C62

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
90613 90633 90643	精細胞瘤 SEMINOMA	男	59	-	-	-	-
90713	內胚竇腫瘤 ENDODERMAL SINUS TUMOR (YOLK SAC TUMOR)	男	7	5	-	-	-
90703	胚胎性癌 EMBRYONAL CARCINOMA	男	7	-	-	-	-
90853 91013	混合性胚細胞瘤 MIXED GERM CELL TUMOR	男	28	-	-	-	4
90803 90813	惡性畸胎瘤 MALIGNANT TERATOMA	男	5	1	-	-	3
82603 86403 90653	明示癌 SPECIFIED CARCINOMA	男	3	-	-	-	-
88523 89003	明示之肉瘤 SPECIFIED SARCOMA	男	3	-	-	1	1
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	14	-	-	1	-
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男	1	-	-	-	-
80003 90503	其他惡性腫瘤 OTHER MALIGNANCY	男	3	-	-	-	-
	總計 TOTAL	男	131	6	-	2	8

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
12	16	4	8	8	2	3	2	-	3	1	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	4	-	-	-	-	-	-	-	-	-	-	-	-
10	9	3	2	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	1	1	1	1	-	2	-	2	4	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	1	-	-	-	-	1	-	-	-	-	1	-
26	32	10	12	9	4	4	3	2	3	4	5	1	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

陰莖及其他男性生殖器官 C60, C63

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80513 80523 80703 80713 80723	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	47	-	-	-	-
80903	基底細胞癌 BASAL CELL CARCINOMA	男	4	-	-	-	-
85423	Paget 氏病 PAGET DISEASE	男	18	-	-	-	-
81403	腺癌 ADENOCARCINOMA	男	1	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	2	-	-	-	-
87443	惡性黑色素瘤 MALIGNANT MELANOMA	男	1	-	-	-	-
80833 90543	其他明示癌 OTHER SPECIFIED CARCINOMA	男	2	-	-	-	-
88503 88903 89003 89203 91403	明示之肉瘤 SPECIFIED SARCOMA	男	8	-	-	1	1
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	2	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	2	-	-	-	-
	總計 TOTAL	男	87	-	-	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	-	2	2	-	6	3	4	3	9	11	6	-
-	-	-	-	-	-	-	-	-	1	1	2	-	-
-	-	-	-	-	1	1	1	1	3	3	5	3	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1
-	-	-	-	1	-	-	-	1	-	1	2	1	-
-	-	-	1	-	-	-	-	-	-	-	1	-	-
1	-	-	-	-	-	1	-	-	-	-	-	-	-
1	1	-	4	3	2	8	4	7	7	14	23	10	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

膀胱 C67

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80203 80503	移行細胞癌	男	1,306	-	-	-	2
81203 81223	TRANSITIONAL CELL CARCINOMA	女	479	-	-	-	-
81303							
81403 82603	腺癌	男	34	-	-	-	-
84803	ADENOCARCINOMA	女	5	-	-	-	-
80703 80713	鱗狀細胞癌	男	6	-	-	-	-
	SQUAMOUS CELL CARCINOMA	女	10	-	-	-	-
80123 80333	其他明示癌	男	10	-	-	-	-
80413 82463	OTHER SPECIFIED CARCINOMA	女	10	-	-	-	-
84903							
80103	未明示癌	男	8	-	-	-	-
	CARCINOMA, NOS	女	9	-	1	-	-
88103 89003	明示之肉瘤	男	2	1	-	-	-
89803	SPECIFIED SARCOMA	女	3	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	-	-	-	-	-
97643							
80003 87003	其他惡性腫瘤	男	13	-	-	-	-
	OTHER MALIGNANCY	女	8	-	-	-	-
	總計	男	1,380	1	-	-	2
	TOTAL	女	524	-	1	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
1	3	8	19	34	67	101	93	133	163	231	250	120	81
-	-	5	4	13	26	32	37	65	72	68	71	50	36
-	-	-	1	2	1	3	2	3	5	4	6	3	4
-	-	-	-	-	-	1	-	1	2	-	1	-	-
-	-	-	-	-	-	-	-	2	1	-	2	-	1
-	-	-	-	-	-	1	1	1	-	1	4	-	2
-	-	-	-	-	-	-	1	2	2	2	-	1	2
-	-	-	-	-	-	1	-	1	2	3	3	-	-
-	-	1	-	-	-	-	1	1	1	1	1	1	1
-	-	-	-	-	-	-	-	1	1	2	-	3	1
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	1	3	1	3	2	-	1
-	-	-	-	1	1	-	-	1	-	-	-	1	4
1	3	9	22	37	68	104	98	144	173	241	262	125	90
-	-	5	5	15	27	35	38	70	77	74	80	54	43

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

腎 C64

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
83103 83123	腎細胞癌	男	377	-	1	1	-
83163 83173	RENAL CELL CARCINOMA	女	212	1	-	1	-
83183 88013							
89003 89603	腎胚細胞瘤	男	8	5	1	-	-
	NEPHROBLASTOMA (WILMS TUMOR)	女	8	6	-	-	-
80123 80203	其他明示癌	男	6	-	-	-	-
80333 80413	OTHER SPECIFIED CARCINOMA	女	4	-	-	-	-
83193 89593							
80103	未明示癌	男	5	-	-	-	-
	CARCINOMA, NOS	女	3	-	-	-	-
88523 88903	明示之肉瘤	男	-	-	-	-	-
	SPECIFIED SARCOMA	女	4	-	-	-	-
95903-97293	惡性淋巴瘤	男	-	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	1	-	-	-	-
97643							
80003 80023	其他惡性腫瘤	男	11	-	-	-	-
	OTHER MALIGNANCY	女	7	-	-	-	-
	總計	男	407	5	2	1	-
	TOTAL	女	239	7	-	1	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
2	1	5	14	30	36	44	32	34	41	51	56	22	7
-	3	3	11	11	16	25	22	28	28	29	21	7	6
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	3	2	-	-
1	-	-	-	-	-	-	1	1	-	-	1	-	-
-	-	1	-	-	-	-	-	-	2	-	1	1	-
-	-	-	-	-	-	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	1	-	1	4	-	2	2	-
-	-	1	-	1	-	-	-	-	1	2	1	-	1
3	1	6	14	30	38	45	32	36	47	54	61	25	7
1	3	5	11	12	16	28	24	29	31	32	25	7	7

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

腎盂 C65

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	198	-	-	-	-
		女	247	-	-	-	-
80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	10	-	-	-	-
		女	2	-	-	-	-
81403 82553 82603	腺癌 ADENOCARCINOMA	男	24	-	-	-	-
		女	9	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
		女	1	-	-	-	-
88903	明示之肉瘤 SPECIFIED SARCOMA	男	1	-	-	-	-
		女	-	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男	-	-	-	-	-
		女	1	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	3	-	-	-	-
		女	2	-	-	-	-
	總計 TOTAL	男	237	-	-	-	-
		女	262	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	1	3	5	7	13	20	26	28	31	34	21	9
-	2	-	2	1	7	23	22	29	41	50	38	23	9
-	-	-	-	-	1	1	1	-	1	5	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-
-	-	1	1	2	4	4	1	3	2	4	1	1	-
-	-	-	1	1	-	2	-	-	2	-	2	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	1	-
-	-	-	-	-	-	-	1	-	-	-	-	-	1
-	-	2	4	7	12	18	22	30	32	41	36	24	9
-	2	-	3	2	7	25	25	29	43	51	40	25	10

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

輸尿管 C66

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81203 81223 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	139	-	-	-	-
		女	161	-	-	-	-
80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	2	-	-	-	-
		女	5	-	-	-	-
81403	腺癌 ADENOCARCINOMA	男	1	-	-	-	-
		女	-	-	-	-	
80333 80413	其他明示癌 OTHER SPECIFIED CARCINOMA	男	1	-	-	-	-
		女	3	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	3	-	-	-	-
		女	2	-	-	-	-
88053	明示之肉瘤 SPECIFIED SARCOMA	男	1	-	-	-	-
		女	-	-	-	-	
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	1	-	-	-	-
		女	-	-	-	-	
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-	-
		女	4	-	-	-	-
	總計 TOTAL	男	149	-	-	-	-
		女	175	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
2	-	-	1	3	5	10	11	11	19	28	31	11	7
-	-	-	-	-	4	6	11	17	37	29	28	20	9
-	-	-	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	3	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	1
2	-	-	1	3	6	11	11	12	20	31	34	11	7
-	-	-	-	-	4	7	11	19	41	33	29	21	10

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

尿道及其週邊腺體 C68.0 - C68.1

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	14	-	-	-	-
		女	3	-	-	-	-
81403	腺癌 ADENOCARCINOMA	男	1	-	-	-	-
		女	1	-	-	-	-
87203	惡性黑色素瘤 MALIGNANT MELANOMA	男	-	-	-	-	
		女	1	-	-	-	
89103	明示之肉瘤 SPECIFIED SARCOMA	男	1	-	-	-	
		女	-	-	-	-	
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	-	-	-	-	
		女	1	-	-	-	
	總計 TOTAL	男	16	-	-	-	
		女	6	-	-	-	

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	1	-	-	-	1	3	4	4	1	-
-	-	-	-	-	-	-	-	3	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	1	-	-	-	1	3	4	4	1	1
-	-	-	-	-	-	-	-	3	-	3	-	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

跨越泌尿器官兩個以上相鄰部位之病變 C68.8

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男 女	10 18	-	-	-	-
				-	-	-	-
	總計 TOTAL	男 女	10 18	-	-	-	-
				-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	-	1	1	1	1	-	5	-	1	-	-
-	-	1	1	-	-	-	4	1	3	3	3	2	-
-	-	-	-	1	1	1	1	-	5	-	1	-	-
-	-	1	1	-	-	-	4	1	3	3	3	2	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

		泌尿系統，未明示部位 C68.9					
ICD-O-3	組織形態	性別	年齡	0	5	10	15
			總計	4	9	14	19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	69	-	-	-	-
		女	85	-	-	-	-
81403	腺癌 ADENOCARCINOMA	男	-	-	-	-	
		女	1	-	-	-	
80103	未明示癌 CARCINOMA, NOS	男	3	-	-	-	
		女	1	-	-	-	
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-	
		女	-	-	-	-	
	總計 TOTAL	男	73	-	-	-	
		女	87	-	-	-	

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	1	-	4	3	7	3	12	12	11	8	6	2
-	-	1	3	3	4	5	6	16	12	16	8	8	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	1	1
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	4	3	7	3	12	12	12	8	7	4
-	-	1	3	3	4	5	6	16	12	17	8	9	3

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

眼及淚腺 C69

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
95103	視網膜芽細胞瘤 RETINOBLASTOMA	男	7	6	1	-	-
		女	3	3	-	-	-
87203 87703 87733 87743	惡性黑色素瘤 MALIGNANT MELANOMA	男	6	-	-	-	-
		女	5	-	-	-	-
80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	6	-	-	-	-
		女	2	-	-	-	-
81403 82003	淚腺癌 LACRIMAL GLAND CARCINOMA	男	1	-	-	-	-
		女	1	-	-	-	-
80223	其他明示癌 OTHER SPECIFIED CARCINOMA	男	-	-	-	-	-
		女	1	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
		女	-	-	-	-	-
88523 89003 91203	明示之肉瘤 SPECIFIED SARCOMA	男	3	1	-	-	-
		女	-	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	11	1	-	-	-
		女	9	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男	1	-	-	1	-
		女	-	-	-	-	-
80003 94213	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	1	-
		女	2	1	-	-	-
	總計 TOTAL	男	37	8	1	2	-
		女	23	4	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	-	1	-	2	-	-	-	-	1	-	-
-	-	-	-	-	-	1	1	-	1	1	-	1	-
-	-	-	-	-	-	-	-	-	2	-	1	3	-
-	-	-	-	-	-	-	-	1	-	-	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	3	-	2	2	-	1	-	-	1	1
-	-	-	-	1	-	-	1	2	2	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	2	1	5	-	4	3	-	3	-	2	5	1
-	-	-	-	1	-	2	2	4	3	3	1	1	2

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

腦 C71

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
94003 94013	惡性星形細胞瘤 MALIGNANT ASTROCYTOMA	男	76	1	2	2	3
		女	46	3	2	4	1
94213 94403 94413	多形性神經膠芽細胞瘤 GLIOBLASTOMA MULTIFORME	男	116	1	-	2	1
		女	93	1	1	-	4
93813 94103 94113 94203	其他明示之星形細胞瘤 OTHER SPECIFIED ASTROCYTOMA	男	6	-	-	2	-
		女	9	-	-	2	2
94503 94513	寡樹突膠質細胞瘤 OLIGODENDROGLIOMA	男	27	-	-	-	-
		女	28	-	-	1	1
93803 93823	未明示之神經膠質瘤 GLIOMA,NOS	男	33	-	1	4	1
		女	20	-	3	2	1
94703 94713 94733 95003	神經管芽細胞瘤 MEDULLOBLASTOMA	男	13	4	3	2	1
		女	13	4	3	3	3
95223	感覺神經芽細胞瘤 ESTHESIONEUROBLASTOMA	男	9	-	-	-	1
		女	3	-	-	-	-
93913 93923	室管膜瘤 EPENDYMOMA	男	10	2	1	-	1
		女	8	1	3	-	-
90643 90853 91003 95083	胚細胞瘤及惡性畸胎瘤 GERM CELL TUMOR AND MALIGNANT TERATOMA	男	11	-	1	3	1
		女	5	3	-	2	-
88523 88903 91203 91503 93623 93703 94423 95063	明示之肉瘤 SPECIFIED SARCOMA	男	8	-	-	-	-
		女	6	-	-	1	1
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	27	-	-	-	1
		女	22	-	-	-	1
82723	腦垂體癌 PITUITARY CARCINOMA	男	2	-	-	-	-
		女	2	-	-	-	-
86803 87203 93503 95053	其他惡性腫瘤 OTHER MALIGNANCY	男	2	-	-	-	-
		女	3	-	-	-	-
	總計 TOTAL	男	340	8	8	15	10
		女	258	12	12	15	14

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
2	4	4	6	10	7	5	5	7	5	7	4	1	1
-	2	2	5	7	6	2	2	1	1	2	5	1	-
3	1	3	1	3	9	14	13	11	20	16	12	2	4
1	1	7	6	9	11	10	3	9	12	10	5	3	-
-	-	-	1	1	1	-	-	-	-	-	-	1	-
-	1	-	-	-	1	1	1	-	-	1	-	-	-
-	1	2	4	3	5	6	1	3	1	1	-	-	-
-	5	1	4	7	1	4	1	3	-	-	-	-	-
1	1	2	1	4	3	1	5	1	2	3	2	1	-
-	1	2	1	1	2	4	-	2	-	1	-	-	-
1	-	1	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	1	1	-	-	2	-	2	-	-
-	-	-	-	1	-	2	-	-	-	-	-	-	-
1	-	-	1	1	-	-	-	-	2	1	-	-	-
-	-	2	-	-	1	-	1	-	-	-	-	-	-
4	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	1	2	2	-	1	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	1	-	1
-	-	-	1	1	-	2	1	2	8	7	3	1	-
-	-	-	-	2	2	3	2	1	4	1	3	2	1
-	-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	1	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	1	-	-	-	-	-	-	-
14	9	13	16	25	29	31	25	27	40	35	23	7	5
2	12	15	16	27	24	28	10	16	17	16	14	6	2

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

其他神經系統及未詳細說明部位 C70, C72

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
94733 95003	原始性神經外胚層腫瘤 PRIMITIVE NEUROECTODERMAL TUMOR	男	2	1	-	1	-
		女	1	-	-	-	1
93823 94003 94203	星形細胞瘤 ASTROCYTOMA	男	6	-	1	-	-
		女	-	-	-	-	-
93913	室管膜瘤 EPENDYMOMA	男	1	-	-	-	1
		女	3	-	-	-	-
95303 95313 95383	惡性腦膜瘤 MALIGNANT MENINGIOMA	男	7	-	-	-	-
		女	15	-	-	-	-
95603	惡性 Schwann 氏神經瘤 MALIGNANT SCHWANNOMA	男	-	-	-	-	-
		女	1	-	-	-	-
93703	脊索瘤 CHORDOMA	男	2	-	-	-	-
		女	-	-	-	-	-
89103 90643	胚細胞瘤 GERM CELL TUMOR	男	2	-	-	-	-
		女	-	-	-	-	-
95393 95403	明示之肉瘤 SPECIFIED SARCOMA	男	3	-	-	-	1
		女	-	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	9	-	-	-	-
		女	6	-	1	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	2	-	-	-	-
		女	4	1	-	-	-
	總計 TOTAL	男	34	1	1	1	2
		女	30	1	1	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	1	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	1	-	-	-
-	1	-	-	-	1	-	2	-	1	-	1	1	-
-	-	-	-	-	1	2	1	3	4	3	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	1	1	-	4	1	1	-
-	-	-	-	2	-	-	1	1	-	-	-	-	1
-	-	-	-	-	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	1	1	-	1	-	-	-
1	2	-	1	2	3	2	4	3	1	5	2	3	-
-	-	1	-	2	1	3	3	6	4	5	-	1	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

甲狀腺 C73

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
82603 83403	乳頭狀癌	男	227	-	-	1	2
83413 83433	PAPILLARY CARCINOMA	女	946	1	-	3	16
83443							
82903 83303	濾泡性腺癌	男	44	-	-	-	1
83323 83353	FOLLICULAR ADENOCARCINOMA	女	97	-	-	-	5
83473 85103	髓質癌	男	5	-	-	-	-
	MEDULLARY CARCINOMA	女	10	-	-	-	-
80703 80713	鱗狀細胞癌	男	6	-	-	-	-
	SQUAMOUS CELL CARCINOMA	女	2	-	-	-	-
81403	未明示之腺癌	男	2	-	-	-	-
	ADENOCARCINOMA, NOS	女	1	-	-	-	-
80203 80213	未分化癌	男	10	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	16	-	-	-	-
80303 80323	其他明示癌	男	1	-	-	-	1
83373 90853	OTHER SPECIFIED CARCINOMA	女	5	-	-	-	-
80103	未明示癌	男	7	-	-	-	-
	CARCINOMA, NOS	女	9	-	-	-	-
88903	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	6	-	-	-	-
97643							
80003 93643	其他惡性腫瘤	男	31	1	-	-	-
	OTHER MALIGNANCY	女	40	1	-	3	1
	總計	男	335	1	-	1	4
	TOTAL	女	1,132	2	-	6	22

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
9 44	15 65	19 90	30 131	31 144	32 134	22 125	17 67	12 41	13 39	11 24	9 11	2 10	2 1
1 6	3 14	3 8	3 7	3 9	2 9	3 10	3 6	3 9	5 3	5 6	5 3	2 2	2 -
-	-	-	-	-	3	-	1	-	-	1	-	-	-
-	-	1	1	1	4	-	1	-	-	-	2	-	-
-	-	-	-	-	-	1	-	1	1	2	-	1	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	2	1	2	1	-	1	1	1	1	-
-	-	-	-	-	-	-	-	3	1	4	3	3	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	1	1	1
-	1	-	1	-	-	-	2	-	1	2	-	-	-
-	-	-	-	1	-	-	2	-	4	-	1	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	1	-	1	1	-	2	-	-
1 -	- 1	1 1	1 5	6 3	- 5	2 2	2 -	2 2	7 3	3 2	2 7	2 2	1 2
11 50	19 80	23 100	35 144	43 158	38 153	31 138	26 76	18 57	28 52	27 37	17 32	8 19	5 6

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

其他內分泌腺 C74 - C75

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
94903 95003	神經母細胞瘤 NEUROBLASTOMA	男	11	5	3	1	-
		女	7	5	1	-	-
83703	腎上腺皮質癌 ADRENAL CORTICAL CARCINOMA	男	8	-	-	-	-
		女	8	-	1	-	-
86803 87003	惡性嗜鉻細胞瘤 MALIGNANT PHEOCHROMOCYTOMA	男	2	1	-	-	-
		女	4	-	-	-	-
81403	未明示之腺癌 ADENOCARCINOMA, NOS	男	2	-	-	-	-
		女	1	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	5	-	-	-	1
		女	2	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	3	-	-	-	-
		女	1	-	-	-	-
80003 93503 93643	其他惡性腫瘤 OTHER MALIGNANCY	男	9	-	1	-	2
		女	2	-	-	-	-
	總計 TOTAL	男	40	6	4	1	3
		女	25	5	2	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	1	-	1	-	-	1	1	3	-	-	-
1	-	-	2	-	2	2	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	3	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	1	1	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	1	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	1	-	-	1	1	-	-	1	-	-	-	1
-	-	-	-	-	-	1	-	-	-	-	1	-	-
1	2	2	1	1	3	1	-	3	3	5	2	1	1
1	1	1	2	1	7	3	-	-	1	-	1	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

其他分界不明的部位 C76

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
84803	其他明示癌 OTHER SPECIFIED CARCINOMA	男	1	-	-	-	-
		女	1	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	-	-	-	-	
		女	1	-	-	-	
89363	明示之肉瘤 SPECIFIED SARCOMA	男	-	-	-	-	
		女	1	-	-	-	
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	1	-	-	-	
		女	-	-	-	-	
80003 91003	其他惡性腫瘤 OTHER MALIGNANCY	男	2	-	-	-	
		女	2	-	-	-	
	總計 TOTAL	男	4	-	-	-	
		女	5	-	-	-	

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1
-	-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	1	-	-	-	1	1
-	-	-	1	-	-	-	-	-	1	3	-	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

淋巴結 C77

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
95903 95913	非何杰金氏淋巴瘤	男	442	2	4	9	4
96703 96713	NON-HODGKIN LYMPHOMA	女	341	4	3	4	1
96733 96753							
96803 96843							
96873 96903							
96913 96953							
96983 96993							
97023 97053							
97143 97163							
97193 97273							
97283 97293							
97513 97543							
97553							
96503 96513	何杰金氏淋巴瘤	男	73	1	4	7	9
96523 96533	HODGKIN LYMPHOMA	女	40	1	1	1	7
96593 96633							
96653							
91403	Kaposi 氏肉瘤	男	-	-	-	-	-
	KAPOSI SARCOMA	女	2	-	-	-	-
80003	其他惡性腫瘤	男	3	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	518	3	8	16	13
	TOTAL	女	384	5	4	5	8

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
10	8	11	15	27	35	41	33	34	43	55	52	38	21
3	7	14	15	17	23	34	24	35	44	34	35	33	11
11	2	4	1	3	4	3	2	2	6	3	6	4	1
4	7	7	3	1	2	1	-	3	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
21	10	15	16	30	39	44	35	37	49	58	60	42	22
7	14	21	18	18	26	35	24	39	46	34	35	34	11

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

何杰金氏淋巴瘤 ICD-O-3 M-96503 - M-96673

ICD-O-3	組織形態	性別	年齡			
			0 4	5 9	10 14	15 19
96513	富淋巴球性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, LYMPHOCYTE-RICH	男	4	-	-	-
		女	2	-	-	-
96533	淋巴球缺乏性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, LYMPHOCYTE-DEPLETED	男	1	-	-	-
		女	-	-	-	-
96523	混合細胞性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, MIXED CELLULARITY	男	19	-	2	1
		女	5	-	-	1
96593 96633 96653	結節硬化性何杰金氏淋巴瘤 NODULAR HODGKIN LYMPHOMA	男	25	1	2	3
		女	22	-	-	-
96503	未明示之何杰金氏淋巴瘤 HODGKIN LYMPHOMA, NOS	男	32	-	1	4
		女	16	1	1	-
	總計	男	81	1	5	8
	TOTAL	女	45	1	1	7

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	1	1	-	-	-	-	-	1	-	1	-
-	-	1	1	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	2	1	-	2	1	-	1	3	-	2	1	1
-	1	1	-	-	-	-	-	1	-	-	-	-	-
6	1	-	-	1	2	1	1	-	-	1	1	-	-
5	5	4	1	1	-	-	-	2	1	-	-	-	-
4	2	2	-	1	1	1	1	1	3	1	4	2	-
1	3	1	1	-	2	1	1	-	1	-	-	-	-
11	4	4	2	3	5	3	2	2	6	3	7	4	1
6	9	7	3	1	2	1	1	3	2	-	-	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

非何杰金氏淋巴瘤 ICD-O-3 M-95903 - M-95963, M-96703 - M-97293, M-97503 - M-97583, M-97643

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
96703	小淋巴球性惡性淋巴瘤 MALIGNANT LYMPHOMA, SMALL LYMPHOCYTIC	男	24	-	-	-	-
		女	14	1	-	-	-
96803 96843	大淋巴球性惡性淋巴瘤 MALIGNANT LYMPHOMA, LARGE	男	397	-	-	2	2
		女	323	3	-	2	2
96733	外套細胞惡性淋巴瘤 MALIGNANT MANTLE CELL LYMPHOMA LYMPHOCYTIC	男	21	-	-	-	-
		女	5	-	-	-	-
96873	Burkitt 氏淋巴瘤 BURKITT LYMPHOMA, NOS	男	23	2	5	3	3
		女	14	1	-	2	-
96753 96903	濾泡性惡性淋巴瘤	男	76	-	1	-	1
96913 96953	MALIGNANT FOLLICULAR LYMPHOMA	女	60	-	-	-	-
96983							
96893 96993	邊緣區 B 細胞惡性淋巴瘤 (包含與黏膜相關淋巴樣組織淋巴瘤) MALIGNANT MARGINAL ZONE B-CELL LYMPHOMA (INCLUDING MALT LYMPHOMA)	男	48	-	-	-	-
		女	74	-	-	-	1
96713 97003	其他明示之非何杰金氏淋巴瘤	男	139	1	1	4	1
97023 97053	OTHER SPECIFIED NON-HODGKIN	女	85	-	1	1	-
97083 97093	LYMPHOMA						
97143 97163							
97173 97183							
97193							
95903 95913	未明示之非何杰金氏淋巴瘤 MALIGNANT NON-HODGKIN LYMPHOMA, NOS	男	140	1	-	1	1
		女	92	-	-	-	2
97273 97283	其他淋巴網狀贅瘤	男	25	3	3	3	2
97293 97503	(不成熟型淋巴芽細胞性淋巴瘤)	女	15	5	4	1	2
97513 97543	OTHER LYMPHO-RETICULAR NEOPLASMS						
97553 97583	(PRECURSOR CELL LYMPHOBLASTIC LYMPHOMA)						
	總計	男	893	7	10	13	10
	TOTAL	女	682	10	5	6	7

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	1	2	-	2	3	6	2	5	-	2	1
-	-	-	-	-	2	1	-	2	2	3	3	-	-
9	6	10	12	18	20	34	27	39	35	59	67	36	21
5	9	13	9	14	33	26	24	32	43	31	34	31	12
-	-	-	-	2	3	2	1	-	2	5	5	-	1
-	-	-	-	1	-	-	-	2	1	-	-	1	-
1	-	-	-	-	1	2	1	1	3	-	1	-	-
-	1	1	1	1	-	2	-	1	1	1	1	1	-
1	3	1	3	5	7	12	7	7	7	8	9	2	2
-	1	4	2	7	4	8	8	9	7	4	2	3	1
-	1	1	1	3	3	7	7	3	6	4	9	1	2
2	-	2	4	4	8	5	10	7	9	6	9	6	1
6	5	7	13	6	11	11	7	11	15	14	9	15	2
3	3	4	5	8	3	9	10	12	8	6	7	3	2
2	4	2	6	10	11	11	5	10	14	21	19	12	10
-	1	4	7	7	4	10	2	7	4	13	11	15	5
1	-	3	1	1	1	3	2	1	-	-	-	1	-
-	-	-	-	1	-	-	1	-	-	-	1	-	-
20	19	24	37	47	57	84	60	78	84	116	119	69	39
10	15	28	28	43	54	61	55	72	75	64	68	60	21

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONTINUED)

不明原發部位 C80

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 82553	腺癌	男	185	-	-	-	-
84413 84803	ADENOCARCINOMA	女	166	-	-	-	-
80703 80713	鱗狀細胞癌	男	76	-	-	-	-
80723 80743	SQUAMOUS CELL CARCINOMA	女	29	-	-	-	-
80203	未分化癌	男	12	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	4	-	-	-	-
80413	小細胞癌	男	5	-	-	-	-
	SMALL CELL CARCINOMA	女	2	-	-	-	-
91003	絨毛膜癌	男	-	-	-	-	-
	CHORIOCARCINOMA	女	2	-	-	-	-
80323 80333	其他明示癌	男	27	-	-	-	-
80463 80503	OTHER SPECIFIED CARCINOMA	女	27	-	-	-	-
80823 82403							
82463 82603							
83103 84303							
84613 84903							
85603 85743							
90653							
80103	未明示癌	男	140	-	-	-	-
	CARCINOMA, NOS	女	73	-	-	-	-
93643	惡性神經性瘤	男	-	-	-	-	-
	MALIGNANT NEUROGENIC TUMORS	女	1	-	-	-	-
88013 88043	明示之肉瘤	男	12	-	-	-	-
88303 88903	SPECIFIED SARCOMA	女	4	-	-	-	-
89363 89803							
91203							
88003	未明示之肉瘤	男	5	-	-	-	-
	SARCOMA, NOS	女	2	-	-	-	-
87203	惡性黑色素瘤	男	-	-	-	-	-
	MALIGNANT MELANOMA	女	1	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	4	1	3	8	10	17	12	24	23	32	22	20	9
-	-	1	2	10	14	14	12	21	22	22	25	19	4
-	-	1	5	7	8	9	10	4	9	5	14	3	1
-	-	1	2	-	2	4	2	2	4	3	3	4	2
1	-	1	-	1	1	4	-	-	3	1	-	-	-
-	-	-	1	-	1	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	1	-	1	1	2	-	-
-	-	-	-	-	-	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	2	2	-	3	3	3	3	3	2	3	-
1	-	1	3	1	1	5	5	5	-	2	2	1	-
-	-	2	2	6	9	8	17	9	18	29	23	13	4
-	1	-	2	2	4	5	6	4	10	13	9	9	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	4	1	1	2	2	2	-
-	-	-	-	-	1	1	-	-	-	-	2	-	-
-	-	-	-	-	-	-	1	1	1	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 93 年（續完）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2004 (CONCLUDED)

不明原發部位 C80 (續)

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	12	-	-	-	-
		女	6	-	-	-	-
80003 90853 91053	其他惡性腫瘤 OTHER MALIGNANCY	男	114	1	-	-	-
		女	76	-	-	-	-
	總計 TOTAL	男	588	1	-	-	-
		女	393	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	1	-	-	1	3	1	2	-	1	1	-	1	1
-	-	-	-	-	-	-	-	-	2	2	2	-	-
3	-	-	-	2	5	4	5	6	14	21	31	11	11
-	-	1	2	1	1	6	3	6	9	11	10	11	15
5	6	6	12	27	36	46	55	48	74	97	96	53	26
1	3	4	12	14	26	36	28	38	48	54	53	46	30